YOUR

COMMODORE

NOVEMBER 1988

£1.30

EMERGENCY WARD 64

William Tell – Sprites Galore

HARLEY STREET W1

Games Reviewed:
The Three Stooges
Echelon □ Barbarian
Great Giana Sisters
Salamander

UNBEATABLE PROGRAMS:

TALKING COMPUTERS △ SCROLLING WINDOWS △ SECRET WRITING



Quite simply, it leaves other word processors lost for words.

WordPerfect 4.1 for the Amiga includes many features not found in other word processors.

Newspaper style columns can be displayed on screen, 110,000 word UK phonetic dictionary, word-count, background printing and automatic reformatting increase efficiency.

Line drawing and rulers, search/replace and 5-function maths are invaluable assets.

By using the Amiga's pulldown menus nearly all WordPerfect's features are available at the click of a mouse. This makes learning easier than ever before and using it a real pleasure. But if you prefer the traditional function keys there is a colour coded template to make life easy.

What you see on the screen is what will actually print. This makes good, professional layouts simple.

Documents are treated as a whole and not a series of pages. Reformatting and repagination after editing are automatic and very rapid.

However fast you type, you will never be too fast for WordPerfect.

To find out more, write to the address opposite.

And see how WordPerfect delivers today what others are still searching for.

SENTINEL
SOFTWARE

Wellington House, New Zealand Avenue,
Walton on Thames, Surrey KT12 1PY.
Telephone: (0932) 231164
Telex: 916005. FERGUS G.

WordPerfect DataPerfect PlanPerfect Library Executive

DIMENSION computers l.t.d.

27/29 High Street
Leicester LE1 4FP
Tel: (0533)
517479/21874

THE MIDLAND'S LARGEST COMPUTER STORE

CANON PJ1080A COLOUR INK JET
- Virtually silent operation
- Seven colour text and high resolution colour graphics printing (640 dots per line)
- Uses plain, single sheet or roll paper
- Supplied with AMIGA printer driver software £499.95

AMIGA BUSINESS PACK
- Amiga A500 computer
- 1084 high resolution colour monitor
- Citizen 120D printer
- Monitor and printer cables
- The works-integrated spreadsheet, wordprocessor and database
- Transformer-PC Emulator £779.00

302C 1Mb A500 3.5" External Drive £99.95
Cumana 1Mb 3.5" External Drive £109.95
Internal A2000 2nd Drive £79.95
Amiga Midi Interface £34.95
Digiview Colour Digitiser £139.95
Supra 20Mb A500 Hard Disc including Diskmaster Software £649.00
PAL genlock A500/A2000 ..... £219.95
2Mb Internal RAM Expansion £449.00
A500 512K RAM Upgrade £109.95
Future Sound Digitiser, including microphone £169.95
Perfect Sound Digitiser, with stereo recording facility £74.95
Audiomaster Sampling Software £39.95
Prowrite V2 Wordprocessor £79.95

AMIGA RANGE

AMIGA A2000 PACK OFFER
Amiga A2000 1Mb with Mouse, Workbench, Workbench Extras, GW Basic and 20Mb A2090/2092 Hard Disc
With 1081/1084 Monitor ..... £1379.00 + VAT
Without Monitor ..... £1169.00 + VAT

AMIGA A500 PACK 1
with Mouse, Workbench, Basic, DPAINT, TV Modulator, 40 Disc Storage Box, Dust Cover and 10 Games/Utility Discs £415.00

AMIGA A500 PACK 2
with Mouse, Workbench, Basic and DPAINT Software £379.00

COMMODORE 1084 COLOUR MONITOR
High RES, Non Reflective Screen £229.00

PIXMATE
TOTAL IMAGE PROCESSING SYSTEM
Manipulates images produced by most Amiga graphics packages, including DPAINT.
With over 3000 special effects £44.95

Express Paint £39.95
Pageflipper Animator £22.95
Introcad CAD System £39.95
Marauder 2 (back-up utility) £29.95
Diskmaster (File Manager) £39.95
Grabitt (Screen Dumper) £21.95
Digipaint £59.95
Photon Paint £69.95

AMIGA A500 with **PHILIPS 8833 HIGH RES COLOUR MONITOR** with STEREO SOUND OUTPUT, Mouse, Workbench, Basic, plus DPAINT Software £629.00

AMIGA A500 with **COMMODORE 1084 HIGH RES COLOUR MONITOR** Mouse, Workbench, Basic, plus DPAINT Software £599.00

STAR LC10 COLOUR DOT MATRIX
- 120 cps Draft, 30 cps NLQ
- 6 Resident Fonts and 6 Print Pitches
- Draft and NLQ in all Fonts and Colours
- 7 Colours plus Multiple Shade Graphics

Includes AMIGA Printer Lead £229.95

THE WORKS
Spreadsheet, Wordprocessor and Database £69.95

PHILIPS 8833 COLOUR MONITOR £259.00

DIGIPIC
REAL TIME VIDEO DIGITISER
Captures images at 1/50th of a second from video source. Powerful software allows modification of images plus export to DPAINT and many other programs £239.95

Aegis Draw-Plus £149.50
Aegis Animator/Images £84.95
Aegis Images £23.50
Aegis Impact £51.95
Aegis Sonix £46.95
Aegis Audiomaster £35.95
PUBLISHER PLUS
Desktop Publishing Package £79.95

PRINTLINK
Allows AMIGA to use CBM Serial or Standard Centronics Printers, with the Bonus of a 60K Buffer.
CBM Serial only £34.95
CBM Serial plus User Port to Centronics £44.95

THE NEW STAR LC10 DOT MATRIX PRINTER
- 120 cps Draft, 30 cps NLQ
- Friction and Tractor Feed
- Paper Parking Facility
- 6 Resident Fonts and 6 Different Print Pitches

Selectable from Front Mode Select Panel
Commodore Serial or Centronics £199.95
Commodore 64/128 Colour Version £229.95
Including FREE GEOS worth £26.95 with CBM version

1541C DISC DRIVE £169.95

OCEANIC OC 118N £129.95
Commodore Compatible Disc Drive
Both include GEOS, plus either:
Software Pack A
6 Disc Adventure Games plus 5 Disc Arcade Games
Software Pack B
Easyfile Database, and Future Finance Planning Package

SUPER G
CBM to Centronics Printer Interface £34.95
FINAL CARTRIDGE 3 ..... £39.95
MPS 803 TRACTOR FEED UNIT £29.95
CBM 64/128 MUSIC EXPANSION SYSTEM
Including Keyboard, Synthesiser and Software £75.00
COMPOSER/EDITOR SOFTWARE
For Music Expansion System, Tape or Disc £24.95
ACTION REPLAY Mk IV PRO
Tape to Disc Back-up Cartridge £32.95
NEOS MOUSE
With CHEESE Software, Tape or Disc £24.95
COMMODORE C2N DATA RECORDER £29.95

PRINTER RIBBON OFFER
MPS 801, 802, Citizen 120D and Star NL10 Ribbons £5.95
MPS 803 & MPS 1000 ..... £4.95
DPS 1101 Multi Strike £3.50
BUY FOUR AND GET ONE FREE!

REMARKABLE COMMODORE PC1 OFFER
Unbeatably priced PC/XT compatible, including extremely compact base unit, detachable keyboard and monitor. Compatible with all major PC/XT software, the PC1 now represents the lowest price for specification PC compatible in the UK.
- 8088/4.77MHz Processor
- 512K RAM
- Serial and Parallel Ports
- MSDOS 3.2 and GW Basic included

For a limited period, the PC1 also includes ABLE ONE Integrated Spreadsheet, Wordprocessor and Database package (usual price £113.00)
PC1 with Mono Monitor ..... £299.99 + VAT
PC1 with CGA Colour Monitor ..... £449.00 + VAT
PC1 Package without Monitor. Compatible with CBM 1084 and most CGA/Hercules monitors ..... £269.00 + VAT

CITIZEN 120D DOT MATRIX PRINTER
Commodore version (with 64/128 Printer Lead) £159.95
Centronics version (with AMIGA Printer Lead) £159.95
Commodore 1901 Colour Monitor £219.95
Philips 64/128 Green Screen Monitor £89.95
MPS 1200P Dot Matrix Printer, Centronics £219.95
MPS 1500C 7 Colour Dot Matrix, Centronics £339.95
1581 3½" Disc Drive including 10 x 3½" Discs £199.95

PRECISION
Superscript 64 ..... £24.95
Superbase 64 ..... £24.95
Superscript 64 & Superbase 64 ..... £44.95
Superscript 128 ..... £29.95
Superbase 128 ..... £29.95
Superscript 128 & Superbase 128 ..... £54.95
Superbase, The Book £11.95

GEOS Version 1.3
CBM 64/128 Operating System
Including: Desktop, Geowrite, Geopaint, and Desk Accessories. Disc
CBM64 ..... £26.95
CBM128 ..... £34.95

GEODEX/DESKPACK
Combined Database with powerful Mailmerge function. Also contains Artgrabber Graphic Images, Calendar and Icon Editor £21.95
GEOCALC Spreadsheet £24.95
GEOCALC 128 ..... £34.95
GEOPUBLISH Desktop Publisher £34.95
WRITERS WORKSHOP £21.95
WRITERS WORKSHOP 128 ..... £34.95
FONT PACK 1 ..... £16.95
GEOFILE Database £24.95
GEOFILE 128 ..... £34.95
GEOSPELL Spellcheker £16.95
I CONTROLLER*
Geos-compatible Joystick. Fits onto keyboard £12.95
*FREE OF CHARGE WITH PURCHASES OF TWO OR MORE GEOS PACKAGES

CBM 64/128 and PLUS 4 COMPANIES PACK
Sales/Purchase/Nominal Ledgers with Invoicing and Stock Control, Disc £24.95

PERSONAL CALLERS AND EXPORT ENQUIRIES WELCOME
ALL OFFERS STRICTLY SUBJECT TO AVAILABILITY
ALL PRICES SUBJECT TO CHANGE WITHOUT NOTICE
ALL PRICES INCLUDE VAT UNLESS OTHERWISE STATED

To order, either send cheque/P.O. with coupon or ring **(0533) 517479/21874** with Access/Barclaycard number. Please allow 7 working days for delivery from receipt of order or cheque clearance.
Please add £1.00 towards carriage and packing on any software order.
Hardware orders add £1.00 under £65.00 value, and £5.00 over £65.00 value.
Printer orders add £5.00 towards carriage.

Send to: Dept. No. YC 10, Dimension Computers Ltd., 27/29 High Street, Leicester LE1 4FP.
Tel: (0533) 517479/21874 Fax: (0533) 511638

Item	Quantity	Price
	Total	

Name.....
Address.....
.....
Telephone:.....

Editor:
Stuart Cooke
Deputy Editor:
Eric Doyle
Technical Editor:
Paul Eves
Advertisement Manager:
Paul Kavanagh
Advertisement Copy Control:
Andrew Selwood
Artist:
Alan Batchelor
Designer:
Neil Sweetman
Origination:
Ebony Typesetting
Printers:
Chase Web

Your Commodore incorporating Your 64 is a monthly magazine appearing on the first Friday of each month. Argus Specialist Publications Limited Editorial & Advertisement Office, Your Commodore, No 1 Golden Square, London W1R 3AB. Telephone: 01-437 0626 Telex: 8811896.
Subscription rates upon application to Your Commodore Subscriptions Department, Infonet Ltd, 5 River Park Estate, Berkhamsted, Herts, HP4 1HL. U.S.A. Subscription Agent: Wise Owl Worldwide Publications, 4314 West 238th Street, Torrance CA 90505 U.S.A.

ABC
MEMBER OF THE AUDIT BUREAU OF CIRCULATIONS

REGULARS

		C64	C16	C128	+4
• ***Data Statements*** — Interesting snippets for Commodore owners	6	●	●	●	●
• ***Games Update*** — Our view of the current software scene	10	●		●	
• ***First Steps*** — Advice for fledgling Commodore owners	32	●	●	●	●
• ***Constructing A Compiler*** — Time to add the finishing touches	37	●		●	
• ***Software For Sale*** — The easy way to enter our superb listings	53	●		●	
• ***Listings*** — This month's programs and our Syntax Checker	61	●		●	
• ***Back Page*** — Useful info and puzzles to tax your brain	90	●	●	●	●



FEATURES

		C64	C16	C128	+4
• ***Emergency Ward 64*** Trilogic's Doctors are always on call	18	•		•	
• ***Salamander*** The arcade classic and successor to Nemesis	25	•		•	
• ***The Great Giana Sisters*** Controversial stuff from Rainbow Arts	28	•		•	
• ***Unlock Hidden 128 Powers*** Using C128 function key routines in C64 mode	31			•	
• ***The Vindicator*** Murderous mayhem from Imagine	42	•		•	
• ***Barbarian*** The Amiga blockbuster on the C64	44	•		•	
• ***Echelon*** Explore a new world and blast it to bits	52	•		•	
• ***Warp Speed*** A cartridge for both the C64 and the C128	57	•		•	
• ***Disk Contents*** Chapter and verse about tracks and sectors	58	•	•	•	•

PROGRAMS

• ***Secret Writing*** The sophisticated way to protect your programs	13	•		•	
• ***Painless Windows*** The C128 routine which Commodore omitted	22			•	
• ***William Tell*** An all-action game using multiple sprites	33	•		•	
• ***Talking Computers*** How to get Max Headroom from speech routines	50	•		•	

VOLUME 5
NUMBER 2

ARGUS PRESS GROUP

NOV ISSUE AVAILABLE 7th OCTOBER 1988

The contents of this publication including all articles, designs, drawings and programs and all copyright and other intellectual property rights therein belong to Argus Specialist Publications Limited. All rights conferred by the Law of Copyright and other intellectual property rights and by virtue of international copyright conventions are specifically reserved to Argus Specialist Publications Limited and any reproduction requires the prior written consent of the Company. ©1988 Distribution SM Distribution, 6 Leigham Court Road, London SW16 2PG. Printed by Chase Web, Plymouth. Opinions expressed in reviews are the opinions of the reviewers and not necessarily those of the magazine. While every effort is made to thoroughly check programs published for errors we cannot be held responsible for any errors that do occur.

ISSN 0269-8277

DATA STATEMENTS

FAST Broadside

A simulataneous swoop on software pirates in the Glasgow, Wishaw, and East Kilbride areas north of the border has netted the Federation Against Software Theft its most successful sortie yet. Assisted by the E Division of Glasgow CID and a motley crew of software house representatives, Bob Hay of FAST is now in possession of suspect software with a street value estimated at £100,000.

Of the co-ordinated raids, Bob said, "Piracy in Scotland has been of concern for some time but with some very good information and assistance from Electronic Arts, the Strathclyde police carried through a very thorough investiagation. Results so far are most encouraging."

Simon Jeffery, UK Sales Administration Manager for Electronic Arts and EA's representative on the raids added, "We are alerted to the pirates' activity both by end-users and our local dealer/salesman relationship, and worked closely with FAST over a number of months to make this operation a success. Electronic Arts feels that if software houses can work with FAST in talking a firm stand against piracy, it can be countered."

If you buy software and you think that it isn't the real McCoy, you should first of all contact the software house who normally markets. If you don't know the software house then you can contact Bob Hay on 01-430 2408.

New labels

Top selling budget software house, Alternative, have created a new lable, Again Again, which will be releasing full price games in time for Christmas. The first title, The Munsters, should be appearing later this month and involves the whacky exploits of Channel 4's cult television family of Frankenstein's, vampires and werewolves.

Psygnosis, originator's of Barbarian, have launched Psyclapse as a new games label. Once more, illustrator Roger Dean has been called in to design the new logo but future illustrations for the games will draw upon a broad spectrum of leading artists. Although Psyclapse will run alongside Psygnosis, the two labels are to maintain separate identities.

Touchline: *Again Again Units 3-6, Baileygate Industrial Estate, Pontefract, West Yorks WF8 2LN.*
Psyclapse First Floor, Port of Liverpool Building, Pier Head, Liverpool L3 2BY.

Free Disks

Compumart are suppliers of disk boxes for 3.5 and 5.25 inch disks. Amiga owners, or owners of the new 1581 drive for Commodore's eight bit machines, will be pleased to note that the 3.5 disk box has a special offer at the moment. With each box sold, Compumart will supply two free disks which amounts to almost a 50% reduction in the £11.26 cost of the box (excluding VAT but including first class delivery and same day despatch).

The storage boxes are lockable and made from anti-static, impact resistant plastic. Each 3.5 box can hold up to 70 disks and comes with a set of dividers.

Touchline: *Compumart, Jubilee Drive, Loughborough, Leics LE11 OXS.* **TEL:** *(0509) 61044.*

Two Board Tales

While Domark are busy revamping Trivial Persuit, Grandslam are working on a new boardgame conversion.

Grandslam's game is Espionage which takes the players into the world of secret agents travelling the globe to unearth four microfilms which form the plans for the ultimate super weapon.

As the search goes on, the spies will occasionally meet and battle to the death and the first one home with all four films is the winner.

Domark appear to have decided to squeeze as much as they can from their Trivial Persuit licence. In the offing is a new concept for the background behind the question and answer game which is more suited to computer players.

The game is called Genus II — A New Beginning and involves the players in a race to reach the planet of Genus II. Each player has to win a place on their laser powered spacecraft by answering a Trivial Persuit question correctly. On the journey through space, the craft has to land at six planets or stars and collect a luxury household item from each before finally arriving at Genus II.

Another venture of Domark's is the computer version of the 1973 James Bond movie Live and let Die. Rumour has it that the original Domark authored game was not considered good enough but Elite had a speedboat game on the starting blocks which fitted the bill. The result is a shared game which will feature both companies logos.

Touchline: *Domark House, 22 Hartfield Rd, Wimbledon, London SW19 3TA.* **Tel:** *01-947 5622.*

Juicy Jargon

At the newsdesk we get inundated with press releases for all manner of machines and services, many of which invite us for a tea and sticky bun session at some plush venue. The latest 'ave-a-lunch features two choice examples that makes trainspotters reach for their tech-specs.

The first, from Peterborough Software and aimed at personnel managers, opens with 'Dear Human Resource Professional' (pass the bucket, I think I'm going to be...). Honestly, if our personnel manager heard anyone labelling her in such a way they'd get an instantaneous pugilistic parry in the vicinity of the auditory orifice!

The second even more lush example refers to the launch of the Miracom Courier HST Modem. In plain terms, this is the kind of gubbins used by systems operators on bulletin boards. According to the release this little wonder exhibits, 'effective speeds up to 17,000 bps, employing trellis-coded modulation, asymmetrical full duplex transmission, data compression, and MNP error-control." Just what we've all been waiting for.

Stop Press

Two problems beyond our control have altered the contents of the magazine as displayed on our cover.

We apologise for the non-appearance of the Three Stooges revue destined for this issue but the Post Office strike affected receipt of the text. Normal service will be resumed by the time the December issue hits the street and the Three Stooges will be there.

The second apology relates to the Giana Sisters review. Although some copies of the game have been circulated, Nintendo have slapped an injunction on Rainbow Arts for infringement of copyright. US Gold, who hold the British distribution rights, have had to withdraw the game from sale until the situation is resolved.

US Gold deeply regret having to make this move and hope that Nintendo and Rainbow Arts can reach a mutual agreement which will allow the game back into circulation.

Plus 4 Fontasy

York Electronic Research are set to launch a new software package for the Plus 4. Using their program it is possible to create a series of printer typefaces which will give documents that extra touch of class.

A release date and price have not yet been fixed but you can be sure that we'll be putting it through its paces in a future review as soon as the YER production line gets going.

Touchline:
York Electronic Research, The Fishergate Centre, 4 Fishergate, York Y01 4AB. **Tel:** *(0904) 610722*

Fortran for the C64

Although the Fortran programming language has been around for thirty years, it is still one of today's most widely used languages. In the US, Abacus have developed a stripped down version for the C64 which supports over 45 statements and functions so that users can get the feel of the language and examine the benefits through hands-on experience.

Fortran 64 includes a built-in editor, compiler and linker so that fast standalone programs can be produced, running even when Fortran 64 is not in residence.

At the moment, there are no plans to release the program in the UK but maybe in time a pioneering company such as Financial Systems Software will see fit to import a few copies.

Touchline:
Abacus, 5370 52nd Street SE, Grand Rapids, MI 49508.

Special Reserve

Half price software is on offer as the public relations company, Inter-Mediates, diversifies into the mail-order business.

The venture takes the form of a club called Special Reserve and the £4 per year membership entitles each member to three issues of the Special Reserve Buyer's Guide in addition to the updates on new releases that are sent with every order.

The club boasts a catalogue in which discounts can be greater than 50% before postage and packing is added.

Touchline:
Inter-Mediates, 2 South Block, The Maltings, Riverside Way, Sawbridgeworth, Herts. **Tel:** *(0279) 726585*

Dragon Simulator

We knew they could do it if they tried. Code Masters latest release is called Super Dragon Slayer. 'Wot, no simulator,' we all cry.

Perhaps this departure into pastures new is in response to the expansion of the programming team.

Tim Miller is the latest signing for Code Masters and the gang of four (David and Richard Darling, Mark Baldock and Mike Clark) is now a quintet. Tim has written Skate Crazy for Gremlin and ATV Simulator for guess who?

The new signing the launch of several 16-bit projects which should be ready for release in the not-to-distant future.

Touchline:
Code Masters, Lower Farm House, Stoneythorpe, Southam, Warks CV33 ODL. **Tel:** *(0926) 814132.*

Tim Miller flanked by Richard and David Darling.

COMMUNICATIONS CORNER

Compunet, the on-line commercial database for C64, Amiga and ST users, has followed Prestel/Micronet and MicroLink and revised its tariff structure.

The price of a Gold subscription (a Gold sub is favoured by those who use the service on a regular basis) is now £19.50 a quarter, an increase of £4.50. However, Gold subscribers will get an additional 1000 page/days which brings the total to 2000.

An additional £10 per quarter entitled a user to upload programs to the system regardless of length. This has now been restricted to 45,000 page/days per quarter.

The unlimited off-peak connect charge is now £10, a rise of 22p. Finally, the standard connect charge has risen from 60p to 80p per hour.

The price increases will hit the regular user who uploads programs onto the system — and at 75 baud! The concession of an additional 1,000 page/days is fine for those who use the chat on-line facility, or have text based areas, but those who upload programs on a regular basis will be hurt the most.

Considering that Compunet's survival relies on its users' goodwill to supply a regular stream of text-based material and programs, it's somewhat surprising that the company did not come up with a better concession than the extra 1,000 page/days.

Shades of Gold

Shades, the popular multi-user adventure game is now available on Telecom Gold.

Shades first appeared as a value added service (VAS) on Micronet a couple of years ago. Since then, Telemap, which operates Micronet, has made Shades available to all Prestel users, and recently it has become the premier feature on Telemap's 0898 service FunTel.

Shades can be played on Telecom Gold by entering SHADES at the chevron prompt ' '. During peak hours Shades will be free, as the cost is absorbed in the peak-rate charge. During off-peak hours the cost is 4.5p per minute on top of the off-peak charge.

Your Commodore notes that playing Shades on system 72 (MicroLink) is cheaper than playing the game on any other system because MicroLink does not charge for data transfer to or from Telecom Gold, as is the case with other systems.

MicroLink users, who use the GW command which displays a list of databases that are available via gateway, will notice that Shades is not included (even though it is available). When asked about this omission Derek Meakin, MD for Database Publications which operates MicroLink, said; "We haven't decided what to do about Shades yet."

Execudroids take note

Two developments have occurred in the comms world that will be of interest to business users.

First, MicroLink subscribers who read the excellent Newsbytes columns now have the option of reading EXEC after entering the newsbytes area. EXEC stands for executive briefing and unlike the other columns that contain comprehensive reports, EXEC is geared towards the business user and offers concise information as well as a contact.

Secondly, Prestel users will soon be able to read InterBusiness which is aimed towards those who are running small businesses and the self employed.

According to Telemap's PR manager, David Rosenbaum, InterBusiness will be a totally separate product from Micronet.

Telesoftware Amiga!

Previously, all downloadable telesoftware provided by Micronet has been stored as pages on the Prstel database. this has changed and Micronet is now providing all its telesoftware via a gateway.

This means that instead of storing a program as encoded pages on Prestel, a link is provided to Micronet's own Amiga 2000 on which all the programs are stored.

At the time of writing, technical details of how the system works were not available but it's clear that the decision to store telesoftware on their own system is a wise one. Programs for the Amiga, PC and ST tend to be large, and take up numerous frames. These frames cost Micronet money for rent, storing the programs on their own computer will no doubt save money.

An interesting aspect is that all the software is to be free of charge. This is because it's not possible to implement a frame charge via a gateway. Just what will happen to third-party, chargeable telesoftware (as provided by Your Commodore for example) is not yet clear.

A chatline at last

Commodore users who subscribe to Micronet now have their very own Chatline called CBM RABBIT.

Most machines supported by Micronet have their own chatline on which users can talk (rabbit?) specifically about their own type of computer.

Currently, CBM RABBIT is rather under-used, and Andy Waller who runs the Soley CBM area on Micronet may decide to place the regular letters section within CBM RABBIT.

Wanna bet?

Computers and betting have been used together for years. The major betting houses were amongst the first corporate group to make use of computers for computing odds, displaying the SP on a race such like. Now Telecom Gold users who like to play the gee-gees can subscribe to a new service called Turfnet.

Turfnet is a tipster service which provides its subscribers with the very latest information on a race. Unlike conventional racing sheets, Turfnet is updated every morning and takes into account whether conditions. Detailed information on the days racing is provided together with tips on the best horses.

Aimed at the serious punter (the service costs £20 per month), a free trial offer is available to anyone who sends a request to 74:SDR004.

Prestel users need not feel left out either. For quite some time a number of information providers (IPs) have been supplying punters with tipster services.

For the casual punter daily tips on Viewtel 202 are provided, while B&RD supply a daily tip for 55p. The more serious punter can analyse the data for a specific race on the B&RD database for 38p per race. The services mentioned do not require any extra subscription, however, the serious punter can subscribe to B&RDs more professional service which is also on Prestel.

Now you can afford perfect data storage

(Available in boxes of ten: 5.25" SS/DD at £7.95; 5.25" DS/DD at £9.95; 5.25" DS/HD at £15.95; 3.5" DS at £17.95; all inclusive of VAT)

The all new range of Commodore Diskettes

Don't risk losing your valuable data. The superb quality offered by Commodore Diskettes ensures perfect data storage, time after time at a price you can afford.

Available now from your local computer dealer

Commodore
The Original Diskette - Higher Quality, Lower Price

Trade enquiries only to SJB Disks Ltd., the officially appointed sole U.K. distributor.

Any minute now the deluge of Christmas offerings will burst onto the scene... but not yet!

Kane II

Games Update

With luck, this month should mark the end of the summer lull caused by software houses mainly concentrating on the games they are preparing for launch in the run up to Christmas. This annual dearth is particularly marked this year with the opening of the Olympic Games in Seoul adding to the mountain of games awaiting autumn release.

Traditionally, this makes early autumn a good time for compilations and budget games, particularly for the re-release of classics.

Budget games

There's a new force in cut-price software as US Gold back a new budget venture called Kixx. All Kixx games cost £2.99, with the initial batch of releases coming from US Gold's back catalogue which includes Ace of Aces, 10th Frame and this month's duo of Gauntlet and Metrocross.

Gauntlet is the arcade classic and features 512 levels of monsters, magic and treasure as you guide a wizard, warrior, elf or valkyrie into the depths of the dungeon. This was the Christmas number one two years ago and is still one of my favourite games.

Metrocross is a more recent but less



Metrocross

Tau Ceti

well-known, coin-op conversion in which you must complete an obstacle course within a time limit. In your way there are hurdles to trip you, giant barrels to squash you, potholes to plummet into and slowdown tiles which put the brakes on and lose you valuable seconds. On the positive side, you will find springboards to give you a lift and a skateboard to carry you to the finish.

I think Tau Ceti was one of the best space exploration and combat games of its time and now it's back as part of Mastertronic's Ricochet range. In the game you control a skimmer vehicle in a desperate mission to power-down the defence systems of Tau Ceti III which were turned renegade by a freak meteor storm. This is far from easy as you have to battle with the Hunter attack-craft while collecting reactor rods from the reactor substations so that they can be used to power-down the system controlled by the main reactor.

These substations are spread throughout the cities of Tau Ceti which are connected by a network of jump pads and patrolled by still more hunters.

Mastertronic's Vectorball seems the most promising of the specially written budget games, an area once again dominated by Mastertronic. It's a two-player, futuristic sports game fought out on a vector-graphic pitch full of hollows, peaks and waves. The aim is to control your spinning player and knock the ball into a human, or computer, opponent's goal area. It's very pretty to look at but incredibly difficult to play.

Kane II is the wild-west sequel in which you must shoot bad guys who are travelling or a train, capture Fort Apache to rescue a princess and then ride a bucking bronco before escaping across some treacherous terrain.

Karate Ace

Knight Tyme is the second in the series of games featuring Magic Knight. Having survived the ordeal of Spellbound, you now find yourself onboard the USS Pisces in the 25th Century. If you're to get out of this mess, you'll have to contact the Tyme Guardians to get a Tyme machine while keeping out of the way of the Space Pirates and the Paradox Police. The Windimation system, animated characters combined with windows contain adventure-style commands, mixes well to create a true arcade adventure.

Super Cup Football is from the Hewson/Mastertronic Rack-it label and is a top-down view, soccer simulation that is similar in many ways to the World Cup table-top arcade machine.

Full price games

Karate Ace is a compilation of martial arts games that pack a few punches as well as some chops and kicks. Compiled by Gremlin Graphics, the pack includes Way of the Exploding Fist (the Grand Master and daddy of them all), The Way of the Tiger, Samurai Trilogy, Bruce Lee (more like a platform game), Kung-Fu Master, Avenger (Gauntlet – kung-fu style) and the judo game, Uchi Mata. If you don't feel like you could take on all-comers after playing that lot, you never will!

Summertime Specials is the latest US Gold compilation which features hits from the past. This six-pack



Knight Time



Super Cup Football

Street Fighter



4 x 4 Racing

includes World Class Leaderboard, Solomon's Key, Bravestarr, Captain America, Trantor and the coin-op conversion, Rygar.

Street Fighter is a game for people who want to fight around the world and actually features two version of the game in one box. They couldn't decide which was the better the public when they received the US and UK versions and decided to let the public decide. I'm afraid the patriots are in for a disappointment as the US version is streets better.

Street Sports Soccer

Street Sports Soccer is Epyx's (US Gold) version of how football is actually played, so you can forget Wembley and head instead for the park or the alley for a three-a-side game with the local kids. The goals are made out of piles of boxes or cans and you can play for a set amount of time or up to a number of goals. The most important part of the game is to win the toss so you get first pick for sides.

The original Pink Panther is back in a Gremlin game. He's broke, so he gets a job at a mansion house but really goes to work at night by helping himself to the family jewels. It's not going to be easy because the owner sleep-walks and you have to steer him away from objects that will wake him up and you'll be caught red-handed.

4x4 Off Road Racing takes car racing from the safety of the track to a series of terrains that will test you, your car and especially its tyres. The races are a mixture of driving skill and mechanical expertise in which you have to patch up your car as you go along, so you have to ensure that you have the parts you'll need before you set off.

The Empire Strikes Back is Domark's second instalment in the Star Wars trilogy in which the player stars as Luke Skywalker. This time he's flying a skyspeeder against the Empires probots, walkers and, finally, its tie-fighters. If you enjoyed Star Wars then you'll like this as it's more of the same and, for the real Star Wars addicts, Domark is adding the final touches to the Return of the Jedi which ought to be out soon.

US Gold caused a great controversy with its chauvinistic advertising campaign for Psycho Pigs UXB, so it's nice to see the game behind the posters at last. You play a Psycho Pig surrounded by a screenful of equally psycho pigs and must wipe them out by picking up and hurling bombs at them. This sets off a timer which explodes the bomb when it reaches zero. That's all there is to it. It's one of those ridiculously addictive games that you play over and over without quite knowing why and it would make a great budget game — unfortunately, it isn't.

Tony Hetherington



The Empire Strikes Back

Learn to conceal messages and how to protect your Basic programs with a top secret password

Secret Writing

The Spartans did it, the Romans also, World War II armies did it and the Russians and Americans are still doing it. Throughout history people have exchanged secret messages in the hope that others could not pry into their affairs. The only way they could achieve this was by use of a secret code or cipher to disguise the actual text.

Even inside the workings of a computer there are code languages and text, such as machine code, Binary Coded Decimal or even the ASCII code. Most programmers are already familiar with these and there is nothing secret about them.

The study of secret writing is given the name 'cryptology' and the process by which an ordinary message is concealed is called 'encryption'. Depending on the type of encryption used, this process will transform the message into a secret code or cipher. The difference between the two is that a code uses whole words or parts of the text during encryption, whereas a cipher operates on each individual letter.

Decryption is the name given to the process which transforms the message back to its original state. As codes are a bit more complicated than ciphers, this article and its accompanying programs will be based only on secret ciphers. The processes used with a cipher are given different names: to conceal a message the process is called encipherment, and the revealing of the message is called decipherment.

To get the ball rolling, lets take a look at a simple cipher and how it works. Julius Caesar used a very simple cipher whereby he would move the alphabet a number of places forward, starting from the letter A. For example, if we show the normal alphabet and one underneath which had been moved four places forward, you will see the difference (Diagram 1). In this context, when concealing a message, the letter A would be replaced by an E, letter B would be replaced by F and so on through the alphabet. If we were to encipher the words YOUR COMMODORE, the resulting text would become CSYV GSQQSHSVI which looks very different from its original lettering. You can, of course, move the alphabet as many places as you like but with only 26 letters in the alphabet it would be wise to stick with a number between 1 and 25. The golden rule is to use the same number in both enciphering and deciphering the text.

Because there can only be 25 possible configurations of this cipher, it is not very useful for protecting programs but it can easily be used to send secret messages to your friends. If you wish to experiment more with the Caesar Cipher then you can type in the listing at the back of the magazine. This program will do all the hard work of enciphering and deciphering for you, when you run it, you will be prompted for the mode required. First press key E to encipher and then enter the keynumber, which is the number of places you want the alphabet to be moved forward from the letter A. Next enter your message and a display of the normal and ciphered alphabets will appear with the keynumber and the message in normal (or deciphered) and enciphered states.

To decipher a message, press key

Diagram 1

Normal ABCDEFGHIJKLMNOPQURSUVWXYZ
Cipher EFGHIJKLMNOPQRSTUVWXYZABCD
(-4 places)

D on the main menu, enter any keynumber, then the enciphered message. From this point it is possible to go through each of the 25 cipher configurations until the correct deciphered message appears. If you follow the on-screen prompts, everything should run smoothly.

Keywords and grids

The Caesar Cipher is very easy to crack, one of the reasons for this is that the text is directly enciphered without further scrambling of the letters. The next example aims to combat this by using a keyword in the encipherment/decipherment process. This cipher is called a Columnar Transposition and also introduces the use of a grid in which we place each letter of the message.

If we choose a keyword such as CODES and a simple message: THIS IS A SECRET MESSAGE OKAY. This contains 24 letters, so the first step of encipherment would look like Diagram 2(a). As you can see, the message is placed in the grid starting at the top left corner. The actual grid size is constructed by placing each letter of the message into the columns under the Keyword until all the letters have been used. In this example an empty space is left which has to be filled. I have chosen the letter X for filling and this can be seen in the bottom right corner of the grid.

The next step is to put the letters of the keyword into alphabetical order. During this process, as each letter in the keyword is moved, the whole of the column below it in the grid is also moved, after which the text in the grid ends up looking like Diagram 2(b).

In the final step, the letters are read back from the grid. Starting at the top left corner, we read down each column so that our final enciphered message ends up as: TSRSO ISTAA SEMGY HAESK ICEEX.

To decipher a message we basically reverse each step of encipherment.

If you managed to follow all of that, you will be pleased to know that the listing entitled 'Columnar Cipher' will do all the hard work for you. This program works in much the same way as the Caesar Cipher listing. Press either key E or key D to encipher or decipher respectively, then enter a keyword (at least two letters) and, finally, type in the message to be enciphered. Please note that the keyword entered must be the same in both enciphering and deciphering, and that all letters displayed, including any additional Xs, must be entered when deciphering.

KEYWORD

C	O	D	E	S
T	H	I	S	I
S	A	S	E	C
R	E	T	M	E
S	S	A	G	E
O	K	A	Y	X

Diagram 2(a)

KEYWORD

C	O	D	E	S
T	I	S	H	I
S	S	E	A	C
R	T	M	E	E
S	A	G	S	E
O	A	Y	K	X

Diagram 2(b)

	COLUMNS				
	1	2	3	4	5
ROWS 1	C	O	M	P	U
2	T	E	R	A	B
3	D	F	G	H	I
4	J	K	L	N	Q
5	S	V	W	X	Y

Diagram 3(a)

MESSAGE:-	I L O V E Y O U S U S A N
ROWS:-	3 4 1 5 2 5 1 1 5 1 5 2 4
COLUMNS:-	5 3 2 2 2 5 2 5 1 5 1 4 4

Diagram 3(b)

ROWS:-	3 1 2 1 5 5 4 3 2 5 5 5 4
COLUMNS:-	4 5 5 1 1 2 5 2 2 2 1 1 4
RESULT:-	H U B C S V Q F E V S S N

Diagram 3(c)

Many more ciphers

The final cipher is based around an old fractionating method which is much more sophisticated and tougher to crack than the previous examples. First of all, take any keyword (preferably large), and mix this with the alphabet in a 5x5 grid which has its rows and columns numbered from 1 to 5. If we use a keyword such as COMPUTER, the resulting mix with the alphabet would look like Diagram 3(a). As you can see, the keyword is placed into the grid starting at the top left corner, or the co-ordinates 1,1 (row 1, column 1). You may also notice that there is no letter Z, this is because there are 26 letters in the alphabet and only 25 possible places in the grid. The standard way around this would be to place two letters in the same grid position but it's easier to leave out the Z and this should not be detrimental.

In the next step we encipher a message by locating each letter's co-ordinates in the grid and writing them down. Letter J, for instance, has the coordinates of 4,1 and if we apply this to a piece of text such as: I LOVE YOU SUSAN then the coordinates of Diagram 3(b) would be produced.

The next step is to mix up the row and column digits. This is achieved by reading along the row co-ordinates and rewriting the digits by alternating between row and column. the same is then done with the column co-ordinates. If we do this to the first four row digits of Diagram 3(b) then the resulting co-ordinates would become (3,4) (1,5) (2,5) until (2,4). The series would continue with (5,3) (2,2) (2,5) through to (4,4). Fully transposed, we end up with the coordinates as in Diagram 3(c).

The final stage of encipherment involves the conversion of the co-ordinates of Diagram 3(c) back into letters. This is done by locating the letter corresponding to each new co-ordinate on the initial grid in Diagram 3(a). After doing this, our enciphered text becomes HUBCSVQFEVSSN.

For those of you that wish to experiment with this cipher, the listing entitled 'Fraction cipher' has been included.

On the main menu press either key E or key D to encipher or decipher. As in the last cipher you will be required to enter a keyword and then the message. Use only letters A to Y and no spaces. The program will display the grid with the mixed keyword and your message.

Although this article only considers three methods of coding, there are many other ciphers going under titles such as substitution, block transposition, polyalphabetic and fractionating ciphers and to explain all these would require a whole book. If this article has enticed you into the world of secret writing, then I suggest a trip to your local library, where you should be able to find further references.

Protecting a program

The basic idea behind any cipher is, of course, to stop anybody else from reading what you have written, but they can also be used for other applications. 'Password Protector' will save out a Basic program whereby your own password must be entered before the program will run.

Password Protector is written in machine code and sites in RAM from $C000 to $C79E.

Before using the program, there are a few rules to obey. The Basic program you want to protect must be in memory and it must lie at the normal Basic start position of 2049 ($0801). Additionally, you must have at least 600 bytes of memory free to make room for the machine code deciphering section which is placed before your protected Basic program.

You can start Password Protector at any time with SYS 49152 where you will be presented with three choices. If you have a Basic program in memory that you wish to protect, press key 1 and you will then be prompted for the destination device for the protected version. Press either key D for disk or key T for tape. Next, enter a filename of up to a maximum of 14 characters. The last two characters of the filename will always be 'X' to help distinguish the protected file from others. You will then be required to enter a password of up to 15 characters but only letters A to Y can be used. After this, your protected Basic program will be saved out and you will be returned to the main menu.

Option 2 gives disk users a chance to read the disk directory, this can be used without corrupting any program in memory. The final option will return you to Basic.

Please note that you must remember to use the exact password when you reload the protected version or else the computer will reset, it might help if you use a note book to keep a record of any passwords used with their corresponding files and keep it somewhere safe.

Example Messages

When you have typed in the Basic listings for each of the ciphers, you might like to try the following enciphered messages. Before you use these examples though, make sure that you press key D to decipher, this goes for all of the examples. On the Caesar Cipher try this example: keynumber 10, message:

RSGOVMYWODYDROGYBVNYP
COMBODMYNOC.

On the Columnar Cipher try this: keyword COMMODORE, message: IMRXKXOSVILUECOXCX

On the Fraction Cipher try this: keyword GOOD INFORMATION, message: JWOFGMGQXCFGNRE MRESGWTR.

I hope that this article has uncovered some of the possibilities for using secret ciphers on your Commodore 64 and that you will experiment further. If so, I suggest you go out and get cracking!

Contributions

So you own a Commodore? So you've written some programs? So why haven't you sent them to us?

Your Commodore is always on the look out for new programs, hints and tips, articles and even regular series. In fact if you have something that you think could be of use to other Commodore owners we want to hear about it.

So if you have got something which you think we may be interested in. How do you go about submitting it to us?

Below you will find a list of guidelines that will help us to deal with any item that you send in to us. We don't expect everybody to be the next William Shakespeare but if you do follow these simple rules then it will make our job a lot easier.

1) If possible all material sent to the magazine should be typed or printed out on a computer printer.

2) All text should be double spaced i.e. there should be a blank line between each line of text. You should also leave a margin of about 10 characters around the text.

3) On the very first page you should put the following:

Name of the article
Machine that it is for
Any extras required – disk, printer etc.
Your name
Your address
Your telephone number

4) The top of every page should have the following information on it:

Abbreviation of the article title
Your name
The page number

For example, suppose you had submitted an article on C64 interrupts. You should put something like the following at the head of the page:

Interrupts/J.Smith/1

5) Please make sure that you do not make any additional marks on your text especially underlining.

6) Try and write in clear concise English, it does not have to be a work of literature but it must be comprehensible.

7) On the bottom of each page you should put the word MORE if there are more pages to the article or ENDS if it is the last page.

8) If possible, enclose a listing of all programs.

9) Under no circumstances use a staple to hold the pages together. Use a paperclip instead.

10) Programs should be included on either disk or tape. Make sure that you SAVE two copies of every program so that we have a better chance of loading them if problems occur.

11) Programs under 10 lines can be included in the text. If your program is longer than this you must enclose a disk or cassette.

12) If your article needs any artwork then supply clear examples of what is needed. We don't expect you to be an artist but we do need to see what is required.

13) Photographs, if necessary, must be either black and white prints or colour slides. We can take shots ourselves so don't worry about this too much.

14) Submissions of any length are welcome. If you have a five line routine that you think may be of use to someone else we welcome it just as much as a full blown six part series.

15) Payment varies quite a lot and depends on quite a number of factors, such as complexity of program, presentation of program, number of magazine pages it takes up etc. Payment is generally between £10.00 and £800.00.

16) All payments are made in the month that the magazine containing your article has appeared in print.

17) If we do find your submission suitable for inclusion in the magazine we will write to you giving the terms of publication, the rate of payment and an agreement form. Prompt return of this form will allow us to use your program as soon as possible.

18) If you want the program returning to you, should we find it unsuitable for publication, then you should enclose a stamped self addressed envelope.

19) The last and most important point to make is 'get writing', we are waiting for your articles.

The day Roger Jackson sent his first mailshot.



I was impressed by the fact that Star have now produced a great looking little budget printer with a 24 pin head.

I was impressed by its excellent quality – the 8 resident fonts available and its high density letter quality helped me produce a really professional mailshot.

I was impressed by the extremely swift draft elite speed of 170cps and LQ elite at 57cps and the standard 7k buffer.

I was impressed by the special push-tractor feature that allows the LC24-10 the lowest possible tear off and its ability to 'park' continuous paper and load single sheets automatically – so there's no need to remove the continuous.

I was impressed by the touch-button front control panel that makes using the printer an absolute dream.

But most of all, I was particulary impressed with myself.

Because my Star LC24-10 was so inexpensive and no other printer comes close for sheer quality and value-for-money.

THE Star COMPUTER PRINTERS

Star Micronics U.K. Ltd.
Craven House, 40 Uxbridge Road,
Ealing, London W5 2BS.
Telephone: 01-840 1800.

A division of
Star Micronics Co., Ltd., Japan.

Please tell me how the Star LC24-10 can handle my printing needs.

Name _____

Company _____

Address _____

_____

Postcode _____ Telephone _____

Or just call Belinda on 01-840 1829. 24 YC 10

Emergency Ward 64!

What can you do with a dead disk drive, deceased datasette or a clapped out Commodore?

by Kerry Fowler

Do you believe that your Commodore will go on forever without breaking down? What will you do when it falters? One recourse is to send it away for costly repairs but many of the faults can be repaired at home if you have suitable software.

The latest, and most comprehensive, range of home care kits form the Trilogic Doctor series. Other companies produce quite respectable kits but Trilogic's trio have taken the best ideas, refined them, added a few new twists and produced the packages at respectable prices.

Datasette Doctor

Ever since the plethera of fast loading tape systems arrived on the scene, they have proved to be both a boon and a bane. The benefit is the higher loading speeds, which in many cases equal the 1541 disk drive: the disadvantage is that head alignment becomes more crucial.

The tape head is the part of the datasette which reads magnetic impulses on a tape and converts them into electrical impulses which the computer reads as the zeros and ones of a binary coded program. These magnetic fields on the tape were originally created when the program was recorded onto the cassette.

The head consists of an almost complete ring of metal whose small gap is filled with an insulating material. The metal forming the ring is a magnetically inert alloy which can exhibit magnetic properties under certain conditions. These conditions are created by a current passing through a coil of wire which is wrapped around the arms of the ring.

When the current passes one way through the coil the north and south poles of the 'instant' magnet are found on each side of the insulation. When the current flows in the opposite direction these poles are reversed and when no current flows the ring is magnetically inert.

When a program is recorded onto the tape, the zeros and ones of the binary code is converted by the computer into a series of electrical impulses which are passed through the coils of the recording head. As this is happening the magnetic field across the head 'gap' is constantly being directly affected by the electronic signal.

A cassette tape is coated with magnetised particles which act like small bar magnets. As the tape passes across the recording head, these particles are energised by the head gap's changing field. The tape therefore becomes a continuous record of the changing magnetic fields which the original electronic signal produced.

In playback (load) mode, the tape passes across the head gap. The magnetic field caused by the tape as it passes across the gap causes a small electrical current to be induced in the coil which exactly matches the original signal. When this is amplified and fed back to the computer the signal is reconverted into the original binary zeros and ones, completely recreating the program in the computer's RAM memory.

The gap is a vertical slit which must lie at precisely 90 degrees to the direction of the tape travel. If the gap is only slightly out of alignment, the magnetic fields will not be exactly the same as those created by the recording head unless the recorder was similarly misaligned (this is why programs recorded by yourself may load easily when commercial tapes won't load at all). The head alignment is also referred to as the azimuth alignment.

Contrary to what may be believed, turbo loading tapes do not make the tape run faster. What happens instead is that the ROM program which normally converts the zeros and ones into electrical impulses is replaced by a RAM program which shortens the signal for a one or a zero and thereby compresses the recorded data onto a shorter length of tape.

Take the rather exaggerated examples of a signal, which lasts for one second, being recorded on a tape which moves at one inch per second. This means that the signal would occupy a one inch length of tape. The head gap, for this example, is a tenth of an inch so the azimuth alignment of the tape could be substantial adjusted without affecting the read signal.

Imagine that a turbo compresses this signal into an impulse lasting one tenth of a second, the head would have to be precisely aligned or the signals preceding and following the recorded 'bit' would significantly affect the

magnetic field across the head gap.

With an actual recording, the times and measurements are much smaller and the head alignment becomes far more crucial. This is why turbos can cause such serious loading problems.

A secondary effect of the constant changes of field is that the heads can gradually collect a residual magnetic force which turns it into a very weak permanent magnet. Although it is unlikely that this residual magnetism will substantially affect a recording, constant passing and repassing of a tape across a magnetised head will weaken a recording by partially erasing the signal and by confusing the induced impulses from the tape.

A third effect of the record/playback process is the collection of particles which are stripped off the tape as it passes over the head. Even though the head is smoothed to a highly polished finish, the abraisive effect of the tape-coating and the general deposits of grease from the air can give a grounding to anchor small particles onto the head. As more and more oxide coating is deposited, the head itself becomes more abraisive and strips off more and more of the tape coating. This deposit confuses the magnetic fields in the head gap, damages the recorded signal and spoils the tape to head contact.

Trilogic's Datasette Doctor pack is designed to eliminate all three causes of loading problems. The pack contains two cassettes, a screwdriver, head cleaning fluid and an adjustment scale and pointer. The two cassettes serve very different purposes; one is a recorded alignment program, the other is a head cleaner/demagnetiser.

The cleaner/demagnetiser should be used first to ensure that there are no extenuating circumstances which might make head alignment difficult to achieve. After cleaning, the first program can be loaded from the alignment cassette. On a very badly aligned datasette, a certain amount of fiddling may be necessary to get the program loaded.

The head alignment screw access hole is located just beneath the cassette 'door', above the centre of the rewind key. The screwdriver from the kit is placed through the centre of the adjustment pointer arrow and then inserted into the screw head through the access hole. The alignment scale is then positioned so that the arrow is pointing to the central bar on the alignment arc and securely fixed with blutak or sticky tape.

For a badly loading cassette recorder, a suitable position can be found by turning the screwdriver to the left or right, by degrees, within the bounds of the scale's arc. This could take some time as each position is set and a new load attempted.

Once the alignment program is successfully loaded, the instruction manual covers the alignment procedure adequately and the process is very simple to understand. Correct alignment is clearly indicated by the on-screen display.

Once the slow load alignment is set, the alignment can then be fine-tuned for turbo loaders by using the fastload alignment program which should load from the tape without any problems.

This is normally where azimuth alignment packages call it a day, but not so with the Trilogic system. The final program on the tape allows the recording abilities of the cassette to be tested. This test, which may be repeated for three different loading speeds, will show up faulty electronics or worn tape mechanisms, poor tape quality, or mains and TV interference. As the instructions point out, the worn mechanism or faulty electronics cannot be corrected easily, bad tapes should be discarded and interference can usually be avoided by moving the Datasette away from the source of interference.

Drive Doctor

Disk drives are notorious for misalignment problems and the cost of repair can be daunting. Home therapy for a maladjusted drive takes a great deal of courage and care but it's not outside the reach of the majority of disk users with Drive Doctor.

The Doctor's main advantage over the opposition is that the test program is stored on cassette and can therefore be loaded even when the disk drive is totally disabled by alignment problems (you did remember to get Datasette Doctor, didn't you?). Included in the kit is a perfectly aligned disk which is supplied purely as an aid to correcting wayward drive heads and contains no alignment program material whatsoever.

The kit can perform five tests on the drive but the instructions do not stress heavily enough the danger of having the internal mains supply unit exposed while the major tests are being carried out.

Starting with disk speed, the program allows you to make one of the simplest, yet crucial, adjustments that can cure loading faults. The speed adjuster is not easily accessed because it is located on the underside of the internal chassis. This means that the drive case has to be opened and the whole chassis removed.

The instructions are quite clear on how to achieve this and the variable resistor can be pinpointed in minutes (depending on how tightly the chassis is screwed in!).

The trick is to set the adjustment so that the screen displays the number zero constantly. If the number varies

widely it's bad news and a visit to the repair shop may be necessary.

Head jamming is usually caused by a lack of lubrication on the head transport system, unless you've been particularly heavy handed on previous excursions into the drive's innards. The Trilogic test causes the head to travel back and forth along its track, if it sticks – lubricate.

The head needs to know where to find the tracks on every disk so a reference point is given by the back stop. This is the root cause of the horrendous bashing noise that emanates from the drive when the NEW command is used to initialise a disk.

As soon as NEW is executed, the head mechanism pulls back to the outside edge of the disk where the back stop is located. After a few thumps, the drive knows that the motor will normally carry the head to the correct track positions, but what if the back stop is worn or has moved?

This is where the Drive Doctor comes into play. The stop test pulls the head back to the stop, attempts to read a track which should display asterisks across the screen. If this doesn't occur, the head can be positioned for an adjustment which can try the patience of a saint!

The yuppie solution to a noisy back stop is to fit a 'soft' quiet stop which replaces the hard stop with a springy wire somewhat similar to the multi functional bent paperclip. The problem with this fix is that the head bounces off the wire and can have problems finding the correct track position. Even if this doesn't affect the drive's performance, you can guarantee that the wire will soon bend away from its true position.

After the stop is positioned a secondary test can be applied. The hysteresis test places the head on a particular track. The head is then pulled back to the stop and allowed to return to the original track. If this is successful, the drive stop is okay and you can be fairly sure that the head is not jamming.

The final test is the biggie – head alignment. This is tricky and can completely foul up a healthy drive, so take a tip from me and try all of the other tests first. Resist the temptation to try this test just for the hell of it or you may regret ever buying the Drive Doctor. This is for drives with a terminal illness, not for drives that are a bit off colour. By all means run the test program but, if the report looks reasonable don't try to get a perfect readout. Only one in a million drives can reach perfection – and it isn't yours!

As alignment tests go, this is sheer bliss to use. The screen display is easily understood by the non-technically minded but the adjustment isn't easy. It involves slackening off the heavily lacquered screws which hold the drive motor in position and then twisting the motor housing to achieve good results on both inner and outer tracks. The adjustment can often upset the stop position so a lot of test and test

again methodology is involved. Only for amateurs with guts, so... do you feel lucky?

64 Doctor

This purports to be a 'professional diagnostic cartridge for your 64' but some of the facilities leave me with a few questions. The program is contained on a cartridge ROM and the kit also includes various specially wired plugs so that the output ports can be tested.

The suite of tests start off with a test which displays a C64 keyboard on the screen. Press a key and the screen registers success by reversing out the corresponding screen display key. If any of the keys fail to respond the absolutely excellent manual will point you in the right direction for fault finding.

Next, the joystick ports can be tested in a similar way and devices such as paddles or analogue joysticks can also be used to test the A/D converters.

The final screen displays the I/O ports and associated chips. Any faults detected are indicated on the screen. This test also checks the banking capabilities of the VIC chip.

Although this package is better than nothing, it doesn't do a lot for its keep. The other two Doctor packs give exhaustive tests, this one merely checks the in and outs. A better name for it would be the C64 I/O Doctor.

Although I am unimpressed with the cartridge, I am *very* impressed with the manual which, though brief, does give some good pointers to fault finding on the C64 generally. Already I have managed to revive a dead 64 which apparently had an ailing VIC chip but, thanks to the manual, I found that the 'fault' was a secondary effect caused by the demise of another component.

This is the most expensive package of the Trilogic trilogy and really only for the technician who can desolder chips and replace them without overheating the contacts. £18.99 is rather a lot to pay to find out that your 64 is not working which I'm afraid is all that many people will be able to determine with this package.

Triumphant Trilogic

Congratulations to Trilogic for biding their time and watching the opposition falling into the pitfalls that await the producers of diagnostic and repair programs. What they have ended up with is a set of programs which will certainly appeal to a wide range of people. Each pack is well thought through and leaves it up to the individual to judge if they have the knowledge or ability to employ it to the full.

Touchline:
Supplier: *Trilogic, Unit 1, 253 New Works Road, Bradford BD12 0QP.* ***Tel:*** *(0274) 691115.* ***Machine:*** *C64.* ***Prices:*** *Datasette Doctor £8.99, Drive Doctor £14.99, 64 Doctor £18.99.*

I·C·P·U·G

the Independent Commodore Products Users Group is the largest and most friendly computer club in the country

Back issues for 1987 available to non-members as well as members, at £1.50 each, postage paid.

- **Many local groups with regular meetings**
- **News magazine included in membership - 100+ plus pages of reviews, news and information every two months.**
- **We support all Commodore Machines old and new; PET, VIC20, 64,16, +4, PC, 128 and all AMIGAS.**
- **Free Software Library of public domain programs for all the above machines available to members on supply of blank disk or tape and payment of p&p. New members, do not send for this until membership number is received.**
- **Help and Advice**
- **Discount scheme**
- **Subscription only £10 per year (UK) plus £1 joining fee**

If you are seriously interested in using or programming any Commodore computer, then joining ICPUG is a must!

For full details, send a stamped, addressed envelope to:

ICPUG Membership Secretary, Jack C. Cohen, 30, Brancaster Road, Newbury Park, Ilford, Essex, IG2 7EP

TELETEXT

A world of information at your fingertips



Teletext on your 64 or 128 brings you the very latest information free! And unlike a Teletext TV you can print pages like todays TV or save a recipe to disc or cassette. Ceefax and Oracle provide hundreds of pages of news, sports results or share prices, weather and road reports, cars for sale, even bargain holidays plus much much more.

The Microtext Teletext Adaptor fits neatly on the user port, just connect it to the Tuner and plug in an aerial or the Adaptor alone may be connected to the VIDEO OUT socket of a video recorder.

The Microtext Adaptor is only £79.85, Adaptor and Tuner just £124.95 including VAT and p/p.

AMIGA

Amazing full feature Amiga version speaks etc. etc. and also provides colour TV on your monitor. Available now £124.80 + VAT.

VISA

MICROTEXT

Dept. YC11, 7 Birdlip Close, Horndean, Hants PO8 9PW
Telephone: (0705) 595694

OFFICIAL COMMODORE/AMIGA DEALER

COMPUTERS	
Amiga 2000 + 1084 Colour Monitor	1348.95
Amiga 2088 PC/XT Bridgeboard + 5.25" Drive	481.85
Amiga 500	359.00
Amiga 500 + Commodore 1084 Colour Mon	609.00
Amiga 500 + Philips 8833 Stereo Colour Mon	609.00
Commodore 128D Desktop	379.00
Commodore 128 + C2N Cassette	219.00
Commodore 64C Olympic Pack	139.99
PRINTERS	
Citizen 120D Parallel or Commodore	138.00
Star LC-10 Parallel or Commodore	219.00
Star LC-10 Parallel or Commodore Colour	249.00
Star LC24-10 24 pin Multi-font 170/57cps	329.00
Okimate 20 Text & Multi-colour Graphics for Amiga	148.95
MONITORS	
Commodore 1084 Colour Monitor inc lead	259.00
Philips 8833 Stereo Colour Monitor inc lead	259.00
Philips 7502 Green Screen Monitor	85.00
MISCELLANEOUS	
Amiga 501 512K RAM/Clock Expansion	139.00
Pace Modem + S/ware for Amiga V21/23 Prestel, BBS etc.	239.00
Commodore 1541C Disk Drive	159.00
Commodore 1571 Disk Drive	189.00
Commodore 1581 3.5" Disk Drive	189.00
Commodore C2N Data Recorder	29.95
Cumana CAX354 Disk Drive	99.95
Power Supply for C64	26.45
Super-G Cent I/F + Graphics C64/128	34.95
Surge Protector 13A Plug	12.95
Surge Protector 3-Way Adaptor or 4-Way Dist Unit	15.95
Amiga DOS Reference Manual	22.95
C128 Official Prog's Ref Guide	p&p £2 18.95
SOFTWARE	
Superbase Personal	79.00
VizaWrite 128 + Spellcheck	59.95
VizaStar 128 Spreadsheet & Database	79.95
Superbase 64/128	24.95/29.95
Superscript 64/128	24.95/29.95
Tasword 64 40/80 Col WP - Tape/Disk	17.95/19.95

Prices subject to change without notice **E&OE**

ALL PRICES INC. VAT. CARRIAGE £8. EXPRESS DELIVERY £12
Software & Small items FREE

Delta Pi Software Ltd

8 Ruswarp Lane, WHITBY, N. Yorks. YO2 1ND.
Tel: 0947 600065 (9am-7pm)

VISA

RS232 INTERFACE 64, 128 or Plus/4* ...£34.99

Measuring only 12x69x57mm, the smallest and neatest unit available. Conforms to Commodore 1011A user-port standard. Compatible with BASIC, Easyscript, Superscript, Superbase, Mini Office, Script Plus etc. Connect to RS232 printers, modems and other devices. Supplied with 1 metre of cable (add 75p extra metre*) terminated with a male (female*) 25-way D-connector, or a custom cable made to your requirements. Our after sales service for unusual printers guarantees to get you up and running. Supplied with a terminal emulator program, file transfer and other utilities on **tape/disk***

IBM PC File Transfer Utility £9.99

Captures text or binary files via the COMI RS232 port. Supplied on a 360k IBM format 5¼" disk. Simple instructions provided by on-line help.

VIEWDATA TERMINAL 64 or Plus/4 ....£14.99

Access Prestel, Micronet, CityService etc. Works with any user-port RS232 interface and 1200/75 modem.

CENTRONICS CABLE 64, 128 .....£18.99

Compatible with Easyscript, Superscript etc. Driver for BASIC on disk or tape*.

6502 ASSEMBLER 64 or Plus/4* tape/disk £12.99

A sophisticated two-pass symbolic assembler and text editor which supports tape and disk filing. The assembler, editor, source and object code may all be resident in memory simutaneously, facilitating rapid and interactive code development. Very fast edit/Assembler/test cycles.

Z80 EMULATOR/ASSEMBLER 64 disk £12.99

A unique integrated Z80 development package. The emulator compiles Z80 source code into optimised 6502 which runs on the 64 at about one sixth the speed of a 2MHz Z80. The cross-assembler generates hex or binary Z80 object files. The disk contains a powerful editor and example programs.

Please specify* options. Send cheque/PO. or order by access.
Prices include VAT and P&P. Overseas orders add £2.50.
Allow up to 1 week for delivery.

ACCESS

YORK ELECTRONIC RESEARCH

The Fishergate Centre, Dept YC, 4 Fishergate, York YO1 4AB
Tel (0904) 610722

Painless Windows



Program your own pull-down menus and let this routine tend your WINDOW boxes

This collection of utilities provides the programmer with tools to extend the application of Commodore's own WINDOW Basic command. These enable up to 16 restorable windows to be defined with clearly marked edges, without any merging of text across window boundaries while retaining the facility for the screen to be restored to the state prior to the window being displayed.

The utilities are simply called via the 'SYS' command within Basic or a 'JSR' within a machine code program. The source code occupies the position normally used by the RS232 buffers and uses the four available zero page addresses between $FA and $FE for indirect indexed addressing. The zero page addresses of $FF and $A7 are also used, $FF for bank selection in the store and restore routines and $A7 as a counter for the last window to be stored.

Programmer's checklist

1. Check window size before calling the border routine.
2. Initialise $A7 to zero as part of program initialisation routines.
3. Retain startup text screen location.
4. Ensure no channels are opened to device '2' the RS232 otherwise the routines will be destroyed.
5. Do not attempt to restore a screen until one has actually been saved in memory as this may cause the program to crash when an attempt is made to restore the window parameters.

Here's a quick guide to the main inclusions required for a Basic program:

```
10 POKE 167,0:              REM PART OF INITIALISATION
20   ------------ rest of program ------------
1000 SYS3075:               REM SAVE SCREEN TO MEMORY
1010 WINDOW10,10,25,20,1:REM DEFINE WINDOW
1020 SYS3072:               REM DRAW WINDOW BORDER
1030 ------------ rest of program ------------
2000 SYS3078:               REM RESTORE SCREEN
```

```
00C00   JMP   $0C09
00C03   JMP   $0C80
00C06   JMP   $0CC2
00C09   LDX   $F4
00C0B   INX
00C0C   LDA   $C033,X
00C0F   STA   $FA
00C11   LDA   $C04C,X
00C14   STA   $FB
00C16   LDX   $E5
00C18   DEX
00C19   LDA   $C033
00C1C   STA   $FC
00C1E   LDA   $C04C
00C21   STA   $FD
00C23   LDX   $E6
00C25   DEX
00C26   TXA
00C27   CLC
00C28   ADC   $FA
00C2A   STA   $FA
00C2C   BCC   $0C30
00C2E   INC   $FB
00C30   LDX   $E6
00C32   DEX
00C33   TXA
00C34   CLC
00C35   ADC   $FC
00C37   STA   $FC
00C39   BCC   $0C3D
00C3B   INC   $FD
00C3D   LDA   $E7
00C3F   CLC
00C40   SBC   $E6
00C42   CLC
00C43   ADC   $03
00C45   TAY
00C46   LDA   $6E
00C48   STA   ($FC),Y
00C4A   LDA   $7D
00C4C   STA   ($FA),Y
00C4E   DEY
00C4F   LDA   $40
00C51   STA   ($FA),Y
00C53   STA   ($FC),Y
00C55   DEY
00C56   BNE   $0C51
00C58   LDA   $6D
```

The store and restore routines include read and write routines for the current window border parameters held in zero page locations from $E4 to $EC. The values are copied to 9 of the 24 bytes of screen RAM that are beyond the 1000 bytes of displayed RAM. These locations are not normally used but provide useful storage for the window border values, especially as the store and restore routines 'save' blocks of 256 bytes.

The store routine first checks location $7 to ensure that the maximum number of 'saved' screens is not exceeded. If this value would be exceeded then the routine returns without any further action. If the number has not yet been reached then the routine increments the count, copies the window parameters and 'saves' the screen plus 24 bytes (1024 bytes in all) to the RAM normally used by the 80-column screen.

The restore routine checks the value contained in location $A7 to ensure that the value does not fall below the value of zero. This ensures that the screen (and window parameters) are not restored from a source outside the 16K RAM of the 80-column screen. If the check fails, the routine gives control back to the program, otherwise the 1024 bytes are restored to the screen RAM and the count decremented. After this has been achieved the window parameters are restored to the correct locations within the zero page and the window redefined with a call to the ROM routine at $CA32 and the line pointers reset with a call to $C15C. Finally, control is given back to the calling program with RTS.

The last routine held within the block of code is also the longest and responsible for plotting a border around the outside of the currently defined window. The routine does not check what size window is defined, leaving this to the programmer. It is therefore very important for the programmer to be aware of the size of the current window defined because, when this window consists of the whole screen, the routine to draw the border will over-write the first bytes of the Basic program, unless the start of Basic has been moved.

The window border routine makes use of the table within ROM that contains the low and high bytes of the screen line start positions. A relocated screen will require the setting up of a new table within the routine because the ROM is not updated by the system after screen relocation. The line start tables are located at $C033 and C04C.

```
00C5A   STA   ($FA),Y
00C5C   LDA   $70
00C5E   STA   ($FC),Y
00C60   LDX   $E5
00C62   DEX
00C63   INX
00C64   LDA   $C033
00C67   STA   $FA
00C69   LDA   $C04C
00C6C   STA   $FB
00C6E   LDA   $42
00C70   LDY   $E6
00C72   DEY
00C73   STA   ($FA),Y
00C75   LDY   $E7
00C77   INY
00C78   STA   ($FA),Y
00C7A   CPX   $E4
00C7C   BNE   $0C63
00C7E   RTS
00C7F   NOP
00C80   INC   $A7
00C82   LDX   $A7
00C84   CPX   $10
00C86   BNE   $0C8B
00C88   DEC   $A7
00C8A   RTS
00C8B   LDX   $00
00C8D   LDA   $E4,X
00C8F   STA   $07F4
00C92   INX
00C93   CPX   $09
00C95   BNE   $0C8D
00C97   LDX   $A7
00C99   LDA   $0D21
00C9C   TAX
00C9D   LDA   $04
00C9F   LDY   $00
00CA1   STY   $FF
00CA3   LDX   $04
00CA5   JSR   $0D04
00CA8   LDY   $00
00CAA   LDY   $00
00CAC   LDX   $FF
00CAE   LDA   $FB
00CB0   JSR   $FF74
00CB3   JSR   $CDCA
00CB6   INY
00CB7   BNE   $0CAC
00CB9   INC   $FC
00CBB   LDA   $FC
00CBD   CMP   $FE
00CBF   BCC   $0CAC
00CC1   RTS
00CC2   LDX   $A7
00CC4   CPX   $00
00CC6   BNE   $0CC9
00CC8   RTS
00CC9   LDA   $0D21
00CCC   TAX   $0O
00CCD   LDA   $04
00CCF   LDY   $00
00CD1   STY   $FF
00CD3   LDY   $04
00CD5   JSR   $0D04
00CD8   LDY   $00
00CDA   LDA   $FB
00CDC   STA   $02B9
00CDF   JSR   $CDD8
00CE2   LDX   $FF
00CE4   JSR   $FF77
00CE7   INY
00CE8   BNE   $0CDF
00CEA   INC   $FC
00CEC   LDA   $FC
00CEE   CMP   $FE
00CF0   BCC   $0CDF
00CF2   LDX   $00
00CF4   LDA   $07F4,X
00CF7   STA   $E4,X
00CF8   INX
00CFA   CPX   $09
00CFC   BNE   $0CF4
00CFE   JSR   $0D31
00D01   DEC   $A7
00D03   RTS
00D04   STA   $FC
00D06   STX   $FD
00D08   STY   $FE
00D0A   CLC
00D0B   ADC   $FE
00D0D   STA   $FE
00D0F   LDA   $00
00D11   STA   $FB
00D13   LDX   $12
00D15   LDA   $FD
00D17   JSR   $CDCC
00D1A   INX
00D1B   LDA   $00
00D1D   JSR   $CDCC
00D20   RTS
00D21   BIT   00
00D22   BIT   04
00D23   BIT   08
00D24   BIT   0C
00D25   BIT   10
00D26   BIT   14
00D27   BIT   18
00D28   BIT   1C
00D29   BIT   20
00D2A   BIT   24
00D2B   BIT   28
00D2C   BIT   2C
00D2D   BIT   30
00D2E   BIT   34
00D2F   BIT   38
00D30   BIT   3C
00D31   JSR   $CA32
00D34   JSR   $C15C
00D37   RTS
```

Many computers make a sound every time that you press a key on the keyboard. This routine allows you to have this facility while programming in Basic. This is great if you type in listings and spend more time looking at the magazine than the keyboard.

The routine works by re-directing the IRQ interrupt at $0314 to a new routine in free RAM, starting at 679 ($02A7). After poking the data into memory just enter:

SYS 679

to hear a beep on every key press.

If you don't like the sound that is set up by the program then you can change it with the following pokes:

POKE 730, WAVEFORM
POKE 705, VOLUME
POKE 720, NOTE (high byte)
POKE 725, NOTE (low byte)

To turn the routine off enter:

SYS 750

Neil Higgins

```
10 REM ****** KEY-BEEPER *****
*
20 FORL=679TO763:READA:POKEL,A:B
=B+A:NEXT
30 IFB<>10502THENPRINT"DATA ERRO
R":END
40 SYS679
50 DATA 120,169,180,141,20,3,169
,2
60 DATA 141,21,3,88,96,166,197,2
28
70 DATA 251,240,49,134,251,224,6
4,240
80 DATA 43,169,15,141,24,212,169
,0
90 DATA 141,5,212,169,240,141,6,
212
100 DATA 169,28,141,1,212,169,0,
141
110 DATA 0,212,169,17,141,4,212,
160
120 DATA 227,32,179,238,200,208,
250,169
130 DATA 16,141,4,212,76,49,234,
120
140 DATA 169,49,141,20,3,169,234
,141
150 DATA 21,3,88,96,141
```

TRYING TO USE YOUR COMPUTER?...

YOUR COMMODORE CAN HELP.

12 issues UK £15.60
12 issues Europe £23.25
12 issues Middle East £23.50
12 issues Far East £26.40
12 issues Rest of World £24.00
or USA £36.00

Please begin my subscription(s) to YOUR COMMODORE with the ..... issue
I enclose my cheque/money order for £ ..... made payable to Argus Specialist Publications Ltd
or debit £ ..... from my Access/Barclaycard No.
valid from ..... to .....
NAME (Mr/Mrs/Miss) .....
ADDRESS .....
.....
Postcode .....
Signature .....
Date .....

Please use BLOCK CAPITALS and include post codes

Send this form with your remittance to:
INFONET LTD., 5, River Park Estate, Berkhamsted, Herts HP4 1HL



Salamander

Beyond infinity lies the evil galaxy dominated by the forces of the despotic Salamander.

A hero is required who can persuade his compatriots to join him on a journey into Hell and beyond. Surprise, surprise you're that hero.

Your ultimate objective is to destroy a giant brain that controls the Salamander's forces but before that you will have to pilot your tiny craft through massive mazes that are packed with organic monsters.

In this game, the sequel to Konami's Nemesis, you have only three ships with which to complete one of the toughest missions that you will ever have to face, in one of the best coin-up conversions you will ever play.

To succeed you navigate for consecutive levels, each offering a different challenge and range of foes and obstacles including Nuclear Spiders, raging infernos, caverns of despair and a powerful enemy at the end of each level that must be defeated to allow entry to the next level.

Although you begin the game with a single-shot laser as your only weapon, you can dramatically increase your firepower by collecting bonus pods and weapons which appear each time you destory an entire wave of aliens or one of the special aliens that only seem to appear in the most convenient places. By collecting these pods you can increase the frequency of the shots you can fire, speed up the ship to make it more manoeuvrable, and launch missiles that fire and run along the cavern's roof and floor picking off anything lurking there, or add up to three multiple units to your ship.

Multiples are incredibly useful devices that follow you about as if they were attached to your ship by a rope. They mimic your moves as best they can and fire when you do. A ship with three multiples, missiles and rapid firing lasers should be able to stop most things but he warned: this game lays traps for the unwary and over confident.

Your main foes in the first level are claws that grow out of the walls to grab you and occasionally hurl a bolt at you just for good measure. Once they've done this to you a few times you'll be ready for these, having learnt to fire at the segment of the body that's a different colour. That's the secret of Salamander. If you see a colour that doesn't match the rest of the monster, aim for it because that's the monster's weak point.

Unfortunately, just as you get the hang of this, the walls suddenly grow out to crush you, giant spikes appear in your way and missiles whistle in your direction. One of the most difficult traps to navigate is a section of wall that must be blasted away, only to find that it regenerates. You have to move fast to get through it while remembering to avoid the blasts from exploding, bulbous monsters.

At the end of each level there's always the giant mega-monster that must be slain if you are to reach the next level until your final confrontation with the Salamander's brain.

Every hit from a missile will cost you one of your lives unless you manage to wipe out one of the waves at the start of a level. This provides a shield that surrounds and flashes around your ship, giving you limited protection. Navigating the wall at the end of the first level will usually destroy the shield, leaving you vulnerable for the end-of-level conflict.

A superb shoot-em-up and one of the best coin-op conversions to date.

Touchline:

Title: *Salamander.* ***Supplier:*** *Imagine Software, 6 Central Street, Manchester M2 5NS.* ***Tel:*** *061-832 6633.* ***Machine:*** *C64* ***Price:*** *£8.95.*

TOTAL BACKUP POWER
Now ACTION REPLAY

NOW EVEN MORE POWERFUL, MORE FRIENDLY AND WIL

ONLY £29·99 POST FREE

Action Replay works by taking a *'SNAPSHOT'* of the program in memory so it doesn't matter how the program was loaded – from tape or disk – at normal or turbo speed.

- **WARP 25. THE WORLD'S FASTEST SERIAL DISK TURBO – NOW EVEN FASTER! LOADS 200 BLOCKS IN 6 SECONDS! 240 BLOCKS IN 7 SECONDS!** – that's even faster than some parallel systems. Built into the cartridge – no extra hardware or software required. Includes supercast, warpsave, scratch, filecopy/convert. Integrated with normal disk turbo for supercompatibility – auto detects warp or normal format so no special load commands are required. Turbo and Warp 25 speed are entirely independent of the cartridge with SUPERBOOT.
- **SIMPLE TO USE:** Just press the button and make a complete backup – tape to disk, tape to tape, disc to tape, disk to disk. THE PROCESS IS AUTOMATIC – JUST GIVE THE BACKUP A NAME.
- **TURBO RELOAD.** All backups will reload at turbo speed, COMPLETELY INDEPENDENTLY OF THE CARTRIDGE.
- **SPRITE KILLER.** Make yourself invincible. Disable sprite collisions – works with many programs.
- **PRINTER DUMP.** Freeze any game and print out the screen. Eg. loading picture, high score screen etc. Works with most printers. MPS 801, 803, Star, Epson etc. Double size, 16 shades, reverse print option. Very versatile – no user knowledge required.
- **PICTURE SAVE.** Save any Hires multicolour screen to disk at the push of a button. Compatible with Blazing Paddles, Koala, Artist 64, Image System etc.
- **SPRITE MONITOR.** Unique Sprite monitors allows you to freeze the action and view all the sprites, watch the sprite animation, save or delete any sprite. Load sprites from one game into another to make customised programs.
- **POKES/CHEAT MODE.** Press the button and enter those pokes for extra lives etc., then restart the program or make a backup. Ideal for custom games.
- **MULTISTAGE TRANSFER.** Even transfers multistage programs from tape to disk. The extra parts fast load – a unique feature. Enhancement disk available for non standard multi-loaders (see below).
- **SUPER COMPACTOR.** Ultra efficient program compaction techniques. Each program saved as a single file. 3 programs per disk side – 6 programs per disk, if you use both sides.
- **TEXT MODIFY.** Change title screens, high score screens etc. Put your own name into a game then restart it or make a backup to tape or disk. Very simple to use.
- **MONITOR.** Full feature 'Floating' type MACHINE CODE MONITOR. All standard features plus many more:- assemble, disassemble, hex dump, interpret, transfer, compare, fill, hunt, number conversion, bank switching, relocate, load/save etc. Uses no memory. Full printer support.
- **DISK MONITOR.** A special monitor for use on the RAM inside your disk drive. All the usual commands – a useful hacking tool.
- **WHOLE DISK COPY.** Copy a full unprotected disk in under two minutes with only one drive.
- **FAST FILE COPY.** Works with standard and Warp 25 files of up to 249 blocks. Converts formats to and from Warp 25.
- **FAST FORMAT.** Under 20 seconds.
- **TOOLKIT COMMANDS.** A whole range of useful new commands including: AUTO LINE NUMBERING, DELETE, MERGE, APPEND, OLD, LINESAVE, etc., PRINTERLISTER – list any program (including directory) directly from disk to printer or screen without corrupting memory.
- **REDEFINED FUNCTION KEYS.** Single stroke commands for operation of many common commands including: LOAD, SAVE, DIR. Load from directory – no need to type in filename.
- **TAPE TURBO.** Designed to make turbo load/save for your own programs. No screen blanking during loading.



WHAT THE REVIEWERS SAID
"I'm stunned, amazed and totally impressed. This is easily the best value for money cartridge. The cartridge king!"
Commodore Disk User

REMEMBER all features are built in and available at the touch of a key. All features work with both **TAPE** and **DISK.** (Except multipart transfer & disk file utility).

ACTION REPLAY ENHANCEMENT DISK

The biggest and best collection of special parameters and file copy programs for transferring non-standard multi-load tapes to disk – games like **LAST NINJA, CALIFORNIA GAMES, LEADERBOARD, DRAGON'S LAIR** – SEVENTY titles in all. Almost all major titles covered. Latest edition includes **COMBAT SCHOOL, PLATOON, PREDATOR, GAUNTLET II, TESTDRIVE, SKATE OR DIE, APOLLO 18, THE TRAIN** and many more. Cheats for infinite time, lives etc. The **GRAPHIC SLIDESHOW** – latest edition displays multicolour pictures or loading screens saved by Action Replay or any major Art Package – Blazing Paddles, Koala, Advanced Art Studio, Artist 64 etc. Lots of fun.
Only **£7.99**. Upgrades – send £3.00 plus old disk.

RTAKES A QUANTUM LEAP
YMK IV HAS ARRIVED!

FOR CBM64/128

VILL BACKUP MORE PROGRAMS THAN ANY RIVAL UTILITY.

BUT THATS NOT ALL ... NOW AVAILABLE FOR THE SERIOUS PROGRAM HACKER

ACTION REPLAY IV 'PROFESSIONAL'™

● All the features of the normal Action Replay IV but with an amazing on board LSI LOGIC PROCESSING CHIP. Plus 32K operating system ROM and 8K RAM CHIP. The first RAM/ROM based cartridge of its type!

ALL THE MK IV FEATURES PLUS ...

● **FULLY INTEGRATED OPERATION.**

The MK IV 'Professional' has all the features of the MK IV plus an onboard custom LSI LOGIC PROCESSING CHIP that integrates the whole range of utilities and makes them available at the press of a button at any time.

● **EXTENDED MONITOR.**

The 'Professional' has an extra powerful machine code monitor. Because it has both ROM and Ram at its disposal the Professional can freeze any program and then examine the WHOLE OF COMPUTER MEMORY in the frozen state including screen RAM, ZERO PAGE and STACK.

Full feature disassembly, compare, fill, transfer, hunt, relocate, jump etc, etc. In fact all the features of the best fully blown monitor available. Return to the frozen program at the press of a key at the point you left it! An absolute must for the program hacker – or even the programmer who needs to de-bug his program.

● **INTELLIGENT HARDWARE**

The Professional hardware is unmatched anywhere in the world today. The special logic processing chip can cope with protection methods as they appear by reacting to its environment.

● **RAM LOADER**

In addition to Warp 25, the AR4 Professional now has RAM LOADER. Making use of its onboard 8K Ram the Professional can also load commercial disks directly at up to 25 times normal speed. Remember this feature is in addition to AR4's unique Warp 25 feature that reloads all backups at 25 times speed.

MK IV PROFESSIONAL ONLY £34·99 POST FREE

WARP 25 Reloads an average BACK-UP in 6 Seconds !!

UPGRADE INFORMATION

MK III TO MK IV. Just send £9.99 and we will send you the new MK IV Chip to plug into your cartridge. Fitting is very easy.

MK III TO MK IV 'PROFESSIONAL'. Send your old cartridge plus £19.99 and we will send you a new Professional MK IV.

MK 2 Action Replay owners can get £10 as part exchange against either the MK IV or Professional. Send old cartridge plus balance.

PERFORMANCE PROMISE

Action Replay will backup any program that any other cartridge can backup – and more! It also has an unmatched range of onboard features. Before you buy check our competitors ads to see what they offer and see how many of the Action Replay MK IV features are either not there or have to be loaded from Supergate disks etc. When you buy Action Replay if you don't find our claims to be true then return it within 14 days for a full refund.

ALL ORDERS NORMALLY DESPATCHED WITHIN 48 HRS

HOW TO ORDER ...

BY PHONE	BY POST	UK ORDERS POST FREE
0782 744707 24 hr Credit Card Line	Send cheques/PO's made payable to 'Datel Electronics'	EUROPE ADD £1.00 OVERSEAS ADD $3 FAX 0782 744292

DATEL ELECTRONICS

DATEL ELECTRONICS LTD, FENTON INDUSTRIAL ESTATE, GOVAN ROAD, FENTON, STOKE-ON-TRENT, ENGLAND

SALES ONLY	TECHNICAL ONLY
0782 744707	0782 744324

The Great Giana Sisters

When I was but knee high to a hedge-hopper, I can remember all the nasty things my parents used to say as they cajoled, threatened, beat me up and pleaded with me in an attempt to get me to go to bed. 'The bogey man will get you if you don't go straight to sleep.' and Father Christmas won't come if you're not good.

These threats only pertained to sleep itself though. The only reference to dreams that I can remember came from my grandmother who insisted that I would suffer from the most horrible nightmares if I ate cheese just before my nightly encounter with the bogey man.

If there is any truth in these stories, then the Giana sisters must have been shovelling down their parmesan suppers just as fast as their little fists could stuff it into their mouths! What started off as a dream has soon turned into a nightmare. Captured within a mysterious world, their only means of escape is to discover the whereabouts of a fantastic jewel. Finding it means that they will safely wake up at the other end of their journey, failure results in them never escaping from their worst visions.

The game is a variant on the old platform theme that seems to be making a bit of a of a comeback lately. Giana (her sister only comes into play in the two player version) must make her way across thirty-two sections as she attempts her quest.

The old restrictions of typical platform games have largely been removed. No longer do you have to make pixel perfect leaps or time very move down to the last split-second. Instead, you can travel across a section however you want with the one proviso that you cannot go back on yourself – the screen only scrolls one way.

Each section has to be completed within a set time limit. Failure results in the loss of a life, as does the more obvious calamities such as collision with a monster or falling off into a no-go area. Completing a section is not too difficult. What causes the problems is the pressure put on you to go out of your way to collect various objects.

Foremost amongst these are the diamonds that lie scattered about. Most of these are fairly accessible but there are usually one or two strategically placed to lure the careless jumper to their doom. There are also special bricks which can be head butted from below to release either another diamond or a bonus object.

The fascination with diamonds stems from the fact that you gain an extra life for every 100 you collect. The bad news is that this counter resets to zero every time you die.

The bonus symbols consist of lightning and double lightning bolts allowing Giana to fire dream-bubbles, gain extra lives, enjoy temporary fire resistance or have the ability to either put assorted nasties to sleep or make them vanish entirely.

Perhaps the most interesting feature in the initial stages of the game is the fire wheel. This transforms the sweet, innocent Giana into a vicious punk rocker with the ability to leap up and head-butt her way through solid rock as a useful way to collect extra diamonds. As with the diamonds, any of these bonus features disappear when you lose a life.

The levels steadily increase in difficulty so that there is always a challenge to face. Monsters can be jumped on, instead of merely having to jump over them all the time, although this can be a problem where there are several of them or you have a row of bricks over your head.

Look forward to encountering invisible items, dragons and hidden magic plus one extra feature without which, no platform game would be complete – the collapsing bridge.

One annoying feature is the lack of a save facility or a password system allowing you to skip levels previously completed. Whereas many other games offer a pause, this, too, is something that is missing from the C64 version. The graphics have been kept fairly simple and the screen has a very welcome, uncluttered feel to it.

The Great Giana Sisters is an excellent platform game and one which is, as the blisters on my joystick hand will testify, extremely addictive.

GRH

Title: *The Great Giana Sisters*
Supplier: *Rainbow Arts (or is it? See Data Statements).*

F.S.S.L

FINANCIAL · SYSTEMS · SOFTWARE · LIMITED

▶ BASIC 8

Unleash the hidden graphics power of your 128. At last, your Commodore 128 can rival the 16 bit micros! Imagine your 128 in 80 columns producing a resolution of 640 x 200 in mono and 640 x 192 in 16 colours without any additional hardware! (640 x 400 version available soon.) Sounds impossible? Not with Basic 8, the new graphics language extension.

Basic 8 adds over 50 Hi-Res graphic commands to C128 Basic. Just select one of the many graphics modes and draw 3-D lines, boxes, circles and a multitude of solid shapes with a single command. We've even added commands for windows, fonts, patterns and brushes.

To demonstrate the power and versatility of this graphics language, we have created Basic Paint, a flexible icon-based drawing application program. Basic Calc, a full featured spreadsheet and Basic Write a simple to use word processor with a multitude of fonts. Also included is an icon based desk-top utility which provides quick and convenient access to each of your own Basic 8 creations.

All this graphics potential is yours for **£34.95**, 64k Video RAM upgrade kit **£29.95** and The Beginners Guide to Basic 8 with disk **£19.95**. Basic 8 Tricks & Tips Volume 1 **£4.65**.

▶ 1541/71 Disk Drive Alignment Package

Problems with your disk drive? The alignment package reports the alignment condition of the disk drive as you perform adjustments. On screen help is available while the program is running. Includes features for seed and head stop adjustment. Allows you to test each full and half track as you realign the drive. Complete instruction manual on aligning both 1571 and 1541 drives. Even includes instructions on how to load the alignment program when nothing else will load. Works on the C64, SX64 and 128 in 64 or 128 mode. **Only £24.95.**

▶ 1571 FIX ROM

Are you experiencing any of these problems with your 1571 disk drive, Errors when using Superbase? Device Not Present Errors? Major problems when 2 or more open files? Takes forever to recognize a floppy disk? If you have one or more of these problems then you need 1571 FIX ROM, developed by Commodore Inc USA, just plugs in, solves over 19 main problems. **Only £24.95.**

▶ Commodore 1581 Disk Drive

The New Commodore 1581 drive is now available for the C128 or C64. This drive offers one megabyte of memory, THREE THOUSAND ONE HUNDRED AND SIXTY blocks free, (800K formatted capacity), and a very fast EIGHT THOUSAND Characters per second loading rate. Software for this new drive includes, VizaWrite Classic, HackPack, Petspeed, Oxford Pascal, CAD PAK, Chart Pack, Fontmaster, Spellmaster and much more. Using a package called Super 81 Utilities most software can simply be copied across to the new format. The drive is available for **£184.95.**

▶ Warp Speed

An incredible accelerator cartridge for the Commodore 128 and 64. Warpspeed has a switch that allows you to select 128 or 64 mode. The features of this cartridge apply to 1541, 1570, 1571 and 1581 disk drives in 64 or 128 mode. These features include loading, saving, formatting and verifying 10 times faster, extended DOS commands, print screen, disk and file copy, built in machine monitor, built in track and sector editor and much more. **Only £34.95.**

▶ The Big Blue Reader

New from SOGWAP Software Inc., The Big Blue Reader is ideal for those who use IBM PC compatible computers at work and have the Commodore 128 or 64 at home. The Big Blue Reader is not an MS-DOS emulator, but rather a unique and easy way to transfer word processing, text and ASCII files between two totally different formats, Commodore and MS-DOS. The Big Blue Reader requires a 1571 on both the Commodore 128 and 64 and will not work with a 1541 or similar drive. **Only £34.95.**

▶ The Drive Box

The drive box allows you to easily change the device number (8, 9, 10, or 11) of your 1541, 1571, 1570 or 128D computer. It will, as a bonus, allow you to bypass the write protect sensor, allowing you to write to the back side of the disk without cutting a notch. Installation requires a little soldering. **Only £19.95.**

▶ The Programmers Notebook

The Programmers Notebook is a high speed data storage and retrieval system designed specially for the programmer. With Programmers Notebook you can develop a special programming information database tailored to your own needs. It will provide a means of indexing your short routines and other programming information. Each entry has a brief description, date and type of routine. Once entered you can conduct tailored searches on the entire database, in fractions of seconds, looking for any information you select. It will sort, compile, display and provide printed copies in almost any format you desire. **Only £24.95.**

▶ Home Designer 128

Forget the name this is not a kitchen planner, it is probably the most advanced CAD system for the C128 computer. Home Designer allows you to create extremely detailed and accurate drawings at virtually any scale, with any resolution approaching a plotter. It offers accurate scaling, a powerful command set and up to five drawing layers. Why is Home Designer better than the rest? It is the only CAD system which allows layers of diagrams to be drawn and then laid upon each other in any order. Home Designer has an advanced zooming feature, allowing you to actually increase the drawing resolution, unlike other programs which simply display fat dots on the screen. Most dot matrix printers and plotters are supported and Home Designer works with a Commodore 1351 mouse. **Only £34.95.**

▶ Super Pack 2

Super Pack 2 is the combination of three packages, Pocket Writer, Filer and Planner. The integrated word processor, spreadsheet and database work on the Commodore 64 or 128 in 40 or 80 columns. Each package has all the features you would expect, plus a few you would not. The word processor displays on screen bold, underline, italics, sub and super script fonts as you type. The spreadsheet includes a sideways printing feature as well as 16 digit accuracy, plus a graphics module to produce bar, line and pie charts quickly and easily from your data. The database includes a report writer to create your own professional reports. Full details available on request. Super Pack 2 by Digital Solutions Inc is available for only **£64.95** or **£39.95** each.

▶ Super Disk Librarian

Super Disk Librarian will catalogue up to 1,000 disks and 15,200 programs. Do you have a lot of disks full of programs? Have you ever lost a program which you knew you had somewhere? Then Super Disk Librarian will provide you with a simple means of sorting and indexing the file names. Once the disks have been catalogued, numerous reports and lists can be printed and the library sorted and searched. Super Disk Librarian for the Commodore 128. **Only £29.95.**

▶ The CP/M Kit & Users Guide

The CP/M Kit introduces and explains the unknown, third mode of the C128. The CP/M Users Guide is a 300 page book by Abacus Software covering all aspects of CP/M. Subjects which include the system disk, resident commands and disk copying are described in detail. The CP/M kit contains over 20 CP/M programs including a word processor, chess game and a disk cataloguing program accompanied by a detailed guide to running programs in CP/M. The CP/M kit and Users Guide. **Only £34.95.**

▶ Super Disk Utilities

The ultimate utilities disk for the 1571 disk drive and C128 computer. Copy whole disks with 1 or 2 drives, change disk format, perform CBM DOS, CP/M and MS-DOS utility functions, scratch, unscratch, lock and unlock files, write protect disk, contains disk editor, drive monitor, unique RAM writer and more. **Only £24.95.**

● Commodore 1351 Mouse	£29.95
Merlin 128 Assembler	£49.95
Chartpack 128	£29.95
CADPAK 128	£29.95
Super C	£39.95
Cobol 128	£29.95
HackPack 128	£14.95
RAMDOS	£29.95
Petspeed 128	£14.95
Word Writer 128	£39.95
Swiftcalc 128	£39.95
Data Manager 128	£39.95
Fontmaster 128	£49.95
Commodore 128D	£374.95
1571 Disk Drive	£184.95
1901 Monitor	£210.95
Anatomy of 128	£9.95
Anatomy of 1571	£9.95
Peeks and Pokes	£9.95
CAD on 128	£9.95
Tricks and Tips	£9.95

Access VISA

● Order with Access, VISA, cheque or Postal Order, COD and Express delivery available, foreign orders add £2.50 per package. Prices include VAT and postage. Please allow 14 days for delivery.

18 High Street · Pershore · Worcs · WR10 1BG · Tel: (0386) 553153

commodore

FROM £425! AMIGA

Amiga A500 with 512K RAM, 880K 3.5" disk, mouse, software	£425
Amiga A500 TV As above, plus A521 TV/composite modulator	£445
Amiga A500M with A1081 high-res colour monitor	£675
Amiga B2000 with 1MB RAM, 880K 3.5" disk, mouse, software	£999
Amiga B2000M As above, plus A1081 hi-res colour monitor	£1245
Amiga B2000 XTM As above, plus PC XT bridge board & floppy	£1745

Add £50 for A1084 in place of A1081. Prices include 15% VAT, a FREE copy of DeLuxe Paint, FREE delivery to your door, one year warranty. Overnight delivery £12 On-site maintenance option available.

PERIPHERALS AMIGA

A521 TV/composite modulator	£25	**A2088** PC-XT bridge board with 5.25" internal disk drive	£499
512K plug-in RAM/clock (A500)	£99	**A2286** PC-AT bridge board with 5.25" internal disk drive	£699
A1081 high-res colour monitor	£275	**A2092PC** 20MB internal hard disk with MS DOS controller	£525
A1084 high-res colour monitor	£325	**A2092A** 20MB internal hard disk with Amiga DOS controller	£625
A1010 3.5" external disk drive	£185	**A2094A** 40MB Amiga Dos hard disk	Call
Cumana 3.5" external disk drive	£129	**Supra** hard disks 20MB - 250MB	Call
NEC internal drive (2000 only)	£129	**Citizen 120D** 120 cps, F/T, NLQ	£185
A2010 internal drive (2000 only)	£175	**Star LC10** 120 cps, F/T, NLQ	£225
Genlock B2000 video controller	£225	**Precision** printer 480 cps, NLQ	£399
A2052 2MB internal RAM card	£375	**Canon PJ1080A** colour, 80 dpi	£499
		Xerox 4020 colour, 240 dpi	£1125
		HP LaserJet laser, 300 dpi	£1995

CREATIVITY AMIGA

De Luxe Paint II (PAL)		£59.95
DigiPaint 4096 colours		39.95
De Luxe Music (PAL)		59.95
Page Setter		94.95
City Desk		89.95
Animator Apprentice		179.95
ProWrite	Wordprocessing fully integrated with graphics	89.95
VizaWrite Desktop	High performance desktop publishing wordprocessor	79.95
Word Perfect	Amiga version of the No.1 best selling wordprocessor	199.95
The Works	Analyze + Organize + Scribble, integrated desktop	139.95
Publisher Plus	Enhanced version of the original desktop publisher	99.95
Flow	The Idea Processor from New Horizons Software	69.95
PixMate	Professional image enhancement straight from NASA!	44.95
Prism Plus	4096 HAM colour paint pack 1024 x 1024 (needs 1MB)	54.95
Calligrapher	Professional font editor, fonts up to 160 x 256 pixels	74.95
De Luxe Video II	Create all types of video presentations with ease	59.95
Aegis VideoScape	Full 3D animations in all resolutions with overscan	124.95
Pro-Video CGI	Professional video titler with fonts, extra fonts available	159.95
Aegis Animator	Full storyboarding package, includes Aegis Images	94.95
TV Show	PAL image presentation in IFF or HAM with overscan	89.95
DigiPic	Fast frame-grabber, 32 colours or grey scale	299.95
Art of Chess	The best Amiga chess yet, packed with features	24.95

PRODUCTIVITY AMIGA

SAM Basic		£89.95
A/C Basic		154.95
A/C Fortran		229.95
Lattice C 4.0		144.95
Lattice C Professional		299.95
MCC Pascal		69.95
64 Emulator	Use your C64 programs and files! Includes cable	69.95
SuperBase Personal	Relational database power, without programming!	79.95
SuperBase Professional	With Forms Editor and DML program language	194.95
Acquisition (V1.3)	Relational database with programming language	224.95
Maxiplan 500	Ultimate Amiga spreadsheet, + text/graphics/speech	89.95
Maxiplan Plus	As Maxiplan 500 above, plus powerful Macro language	129.95
VIP Professional	1-2-3 compatible spreadsheet + database & graphs	99.95
Logistix	2048 x 1024 spreadsheet, database, graphs & calendar	99.95
Businessware Pack 1	Invoicing, Sales Ledger, Stock Control, by Panmead	159.95
Businessware Pack 2	General Ledger, Purchase Ledger, by Panmead	159.95
Intro Cad	Entry level CAD package, printer or plotter output	54.95
Aegis Draw Plus	Comprehensive CAD with multiple layers & windows	124.95
X-Cad	Professional CAD system (needs 2MB)	424.95
MCC Assembler	Professional development system with linker & libraries	59.95

128

SuperBase 128	£29.95	**Commodore 128D**	£399
SuperBase 64 & Plus/4	24.95	**Commodore 128**	199
SuperBase: The Book	11.95	**NEW 1581 disk drive 3.5"**	199
SuperBase Starter 64	14.95	**Commodore 1571 disk drive**	199
SuperScript 128	29.95	**Commodore 1541C disk drive**	169
SuperScript 64	24.95	**NEW Commodore PC-III**	Call
PetSpeed	Oxford Systems' best selling Basic compiler (state 64/128)	**VizaWrite 128 Classic**	59.95
Oxford Pascal	Complete J & W Pascal, with extensions (state 64/128)	**VizaWrite 64 (disk)**	39.95
Oxford Pascal 64 (tape)	As above, for C64 tape users	**VizaWrite 64 (cartridge)**	49.95
Cobol	Complete COBOL package from Abacus (state 64/128)	**VizaStar 128**	79.95
Super C	Complete C language to K & R standard (state 64/128)	**VizaStar 64 XL8**	59.95
Hack Pack	All-in-one programmer's Toolkit/Ram-disk (state 64/128)	**VizaStar 64 XL4**	49.95
Oxford Basic 64	All-in-one Basic compiler, Toolkit, compressor		19.95
1750 Expansion RAM	512K Expansion RAM cartridge for the C128		149.95
RamDos 128	Lightning-fast RAM-disk for 512K expansion RAM		29.95
1764 Expansion RAM	256K Expansion RAM cartridge for the C64		99.95
Anatomy of the 128	The 500-page insider's guide to the 128		9.95

■■■ IF YOU WANT IT TOMORROW... CALL US TODAY! ON 0483 - 504125 ■■■

Prices are POST FREE & include VAT. Order by phone with your credit card, or send cheque/PO or your credit card number. Official orders welcome. We despatch same day by FIRST CLASS post. Please allow 5 days for delivery of hardware orders. Prices quoted are subject to availability. Ref. AS6

Calco Software

LAKESIDE HOUSE, KINGSTON HILL, SURREY, KT2 7QT. TEL 01-546-7256

POOLSWINNER II

THE ULTIMATE POOLS PREDICTION PROGRAM

Boxed, with detailed instruction booklet

- **MASSIVE DATABASE** Poolswinner is a sophisticated Pools prediction aid. It comes complete with the largest database available – 22000 matches over 10 years.
- **PREDICTS** Not just SCOREDRAWS, but AWAYS, HOMES and NO SCORES.
- **SUCCESSFUL** SELEC guarantee that Poolswinner performs significantly better than chance.
- **ADAPTABLE** Probabilities are given on every fixture – choose as many selections as you need for your bet. The precise prediction formula can be set by the user – you can develop and test your own unique method.
- **SIMPLE DATA ENTRY** All team names are in the program. Simply type in the reference numbers from the screen. Or use FIXGEN to produce fixture list automatically (see below).
- **LEAGUE AND NON-LEAGUE** All English and Scottish League teams are supported, and also the non-league sides often used on pools coupons.
- **PRINTER SUPPORT** Full hard copy printout of data if you have a printer.

PRICE £18.00 (all inclusive)

NOW AVAILABLE

FIXGEN 88/9

AT LAST: No more struggling for hours to get the fixture list into the computer. FIXGEN has been programmed with all English and Scottish League fixtures for 1988/89. Simply type in the date, and the full fixture list is generated in seconds. Fully compatible with Poolswinner. Yearly updates available.

POOLSWINNER with FIXGEN £19.50 (for both)

COURSEWINNER V3

THE PUNTERS COMPUTER PROGRAM

NOT JUST A TIPSTER PROGRAM, Coursewinner V3 can be used by experts and occasional punters alike. You can develop and test your own unique winning system by adjusting the analysis formula, or use the program in simple mode. Coursewinner V3 uses statistical analysis of major factors including past form, speed ratings, course statistics, prize money, weight, going, trainer and jockey form etc, etc. It outputs most likely winners, good long odds bets, forecasts, tricasts etc. The database includes vital course statistics for all British courses. You can update the database – never goes out of date. *FULL PRINTER SUPPORT.*

PRICE £18.00 (all inclusive) includes Flat AND National Hunt versions.

AVAILABLE FOR

All supplied on tape ... (Automatic Conversion to disc) AMSTRAD CPCs, BBCs, COMMODORE 64/128, SPECTRUM

DISCS ... (Add £3.00) AMSTRAD PCW, IBM Format, COMMODORE AMIGA, ATARI ST

Send Cheques/POs for return of post service to ...

selec SOFTWARE

VISA ACCESS phone 24 hrs

62 ALTRINCHAM RD, GATLEY, CHEADLE, CHESHIRE SK8 4DP. ☎ 061-428 7425

(Send for full list of our software)

COMMODORE-16 & PLUS-4 PRODUCTS

BOOKS

Commodore Plus/4 Prog.Ref.Guide	£14.95
The Working Commodore-16	£ 5.95
Commodore C16/Plus-4 Companion	£ 5.95
C16/Plus-4 Reference Book (Anco)	£ 7.95

SOFTWARE ON CARTRIDGE

Pirate Adventure	£ 2.95
Strange Odyssey	£ 2.95
Triple Pack(above+Atomic Mission)	£ 5.95
Jack Attack	£ 2.95
Viduzales	£ 2.95
Script/Plus(Wordprocessor)	£ 9.95

SOFTWARE ON DISK

Zork I	£ 3.95
Zork II	£ 3.95
Zork III	£ 3.95
Starcross	£ 3.95
Suspended	£ 3.95
Any 3 of above £9.95 All 5 for	£14.95
Adventure Pack (4 adventures + book)	£14.95
Word Perfect	£14.95
Music Master	£14.95
Mikro Assembler	£14.95
Ace	£ 9.95

HARDWARE

Trojan Lightpen	£14.95
Dust cover(C16 or Plus/4)	£ 2.95
Joystick converter cable	£ 2.95
Cassette coverter cable	£ 2.95

GAMES ON TAPE

£ 1.95 each

Mayhem	(Commodore)
Harbour Attack	"
Crazy Golf	"
Firesnt	"
Exorcist	"
Enigma	"
Corsan	"
UBX	"
Pancho	"
Auriga	(Players)
Varmit	"
Bubble Trouble	"
Guzaler	"
Torpedo Alley	(Firebird)
Runner	"
Ten Little Indians	(Paxman)
Waxworks	"
The Time Machine	"
Circus	"
Escape from Pulsar 7	"
The Golden Baton	"
The Wizard of Akyrz	"
Perseus & Andromeda	"
BMX Racers	(Mastertronic)
Speed King	"
Finders keepers	"
Kane	"
Video Meanies	"
Master Chess	"
Fingers Malone	"

** Any 6 tapes for £ 9.95 **

Add 50p towards p&p on orders under £5 Overseas orders add £1 towards p&p

Access and Visa card orders accepted - telephone 0706 524304

Many more items in stock. Send SAE for complete list.
New descriptive catalogue in preparation-will be sent to all previous customers when ready.

ADAMSOFT 18 Norwich Avenue, Rochdale, Lancs. OL11 5JZ

Unlock Hidden 128 Powers



Learn how to use the full 128 keyset in 64 mode

By Dave Garside

Like a lot of 128s mine spends a fair amount of its time in 64 mode, and I've always been slightly annoyed that the keyset available in the other two modes of the computer is not implemented in 64 mode. Especially as there is actually no reason why the additional keys should not be available, except that to do so would have involved Commodore producing a patch for the 64 Kernal. This article shows how with a bit of prodding in the right place the full 128 keyset can be made to work in the 64 mode.

The standard 64 keyset is arranged in an 8 by 8 matrix. This matrix is read through the I/O ports of CIA 1; the relevant control registers are register 0 and register 1, which are mapped to $DC00 and $DC01 respectively. Briefly each bit in register 1 corresponds to the state of a key connected to each line. Now because we are dealing with an 8 bit machine, it should be clear that there can only be 8 lines of 8 keys: hence the 8 by 8 matrix, with simple arithmetic showing that only 64 keys can be read using this system. Note that the standard 64 keyset has 66 keys, but two, SHIFT-LOCK and RESTORE, are hardwired and separate from the main keyset.

In order to provide the additional keys, Commodore have built in an extra three control lines. Now, presumably in the interest of preserving compatibility, these lines are connected to the 40 column video chip and controlled through register 47 which is mapped onto the address $D02F and is active in 64 mode. Therefore by the use of appropriate software it is possible to read and process the full keyset.

Program 1 provides a wedge that will read extra keys and provide a value indicating which key has been pressed in the variable 'KEY'. The correspondance between key and value returned is given in Table 1. Program 2 provides an example of how the keys could be processed. The example places the ASCII value of the key pressed into the keyboard buffer in much the same way as standard key presses are processed. Non standard keys like 'ESC' are ignored. However a different set of processing could treat the additional keys as 24 extra function keys (more if 'shift' type operations are included).

As well as the source code for the two programs I've included two BASIC loaders which provide relocatable code for program 1 and Programs 1 and 2 combined for people without assemblers. To use, simply type in the programs, save and then run. The loader will then convert the BASIC data into a machine code file, prompt for a file name amd output device, and finally save out the machine code version of the program.

When the program is reloaded and run, the relocator will prompt for a start address, the address should be in normal RAM (i.e. not under BASIC) or the Kernal, or between $0800 and $OA00) and should be specified in hexadecimal starting at a page boundary (i.e. $4000, $4100, $4200 etc). The program will relocate to that address and then prompt for a decision on whether to run the program. A negative reply will result in the SYS address of the program start being supplied in decimal ready for later activation.

Table 1

Value in KEY	Key pressed
0	HELP
1	8
2	5
3	TAB
4	2
5	4
6	7
7	1
8	ESC
9	+
10	-
11	LINE FEED
12	ENTER
13	6
14	9
15	3
16	ALT
17	0
18	.
19	cursor up
20	cursor down
21	cursor left
22	cursor right
23	NO SCROLL
255	no key pressed

NB. CAPS LOCK and the 40/80 DISPLAY keys are hardwired and not detected through the keyboard matrix.

See listing on page 63

First Steps

How to make sense of errors and input operations



Although many computer error messages relate to communications with peripherals, the majority are linked to faults that can arise in Basic programs. These may be broken down into three main areas.

The first area is mathematical errors which are relatively easy to correct. Then there are errors relating to inputs and character strings which are normally the fault of the program user but ultimately the responsibility of the programmer. Finally, there are operational errors which is always the programmer's fault and can be very difficult to correct.

The final category will form the subject of a whole article in a later issue of Your Commodore. In this article we'll concentrate on the input errors.

String too long

The maximum length of a string is 255 characters. Input from the screen through the INPUT statement is limited to less than 80 characters but use of the GET statement or string concatenation should be carefully planned during programming.

Weak areas are open ended statements such as:

```
10 GET A$:IF A$ =""THEN10
20 IF A$=CHR$(13) THEN 40
30 B$=B$+A$:GOTO10
```

The computer will carry on building the B$ string as long as the user is willing to type away at the keyboard. it is possible that the 255 character limit would soon be exceeded so a trap is needed:

```
25 IF LEN(B$)=255 THEN PRINT"INPUT TOO LONG. PLEASE TRY AGAIN":B$=""
```

If the input is deliberately long a different approach can be employed by using a routine like this:

```
10 X=0
20 GET A$:IF A$="" THEN 20
30 IF A$=CHR$(13) THEN 60
40 IF B$(X)=255 THEN X=X+1
50 B$(X)=B$(X)+A$:GOTO20
60 FOR A=0 TO X:PRINT B$(A);:
NEXT
```

Type mismatch

This occurs when an alphabetic character is typed in instead of a number. It can also occur within a program when a statement such as A$=A or A=A$ is used. The correct syntax would be A$=STR$(A) or A=VAL(A$). In the second case, the value would only be those of any numbers at the beginning of the string. If A$ starts with a letter it will not be suitable, even a floating point number such as 2.1E+30 would only be returned as 2.1 by this construct.

Extra ignored

This means that an input statement has received too many items. For example:

```
10 INPUT"LENGTH, BREADTH";
L,B
```

The extra information would be ignored if the input was 12,10,12. Only two items were expected but three were received.

This is a particular nuisance when string inputs are required:

```
10 INPUT"THE SECRET OF LIFE";SL$
```

A possible response could be:

KEEP BREATHING, STUPID

The comma would confuse the computer into believing that STUPID was a separate input and this error would be flagged as extra ignored.

With strings it is usually best to use the GET A$ method because it's easier to error trap and accommodate commas, colons and semicolons.

Redo from start

Usually this arises when string data was typed in but numeric data was requested: a response such as 'seven' instead of '7'.

This error is fairly friendly because it does not crash the program but waits patiently for the user to twig to the correct keying-in procedure.

It can also occur when the HOME key is struck instead of DEL, sending the cursor to the top of the screen. This is read as a valid entry along with the copious keypresses which generally follow as the user replaces the cursor to the correct place.

As long as the user realises what the message means everything should be resolved by simply re-inputting the correct information.

Bad subscript

If any array element oversteps the preset limit the computer cannot cope and resorts to this message.

All variables automatically have the facility to have eleven elements such as A(0) to A(10). If A(11) is accessed the eleven is known as a bad subscript. If A(11) is needed, then a DIM statement will have to be placed at the beginning of the program.

The next set of errors contain the most commonly occurring messages of doom and form the operational error set. They can also be the hardest to track down so the next First Steps will be devoted to these important and irritating missives.

William Tell

Can you fight off the Austrian soldiers? Only time will tell

It's not often that a game meets our stringent standards but it was like a bolt from the blue when David Light made overtures with William Tell, we couldn't resist.

The program is entirely written in machine code and uses multiple sprite techniques to produce a game of fast reactions and joystick-gripping excitement.

William Tell's son has been captured by the Austrians and imprisoned in the deepest dungeon of the castle. Armed with a limited supply of crossbow bolts, you have to help Tell to rescue the apple of his eye.

The first stage of the game involves the collection of two keys which unlock the doors to the dungeons. Both keys are to be found hanging up outside the guardrooms located at either end of the battlements. The battlements are patrolled by armed guards who can either be shot with your crossbow or jumped over if your timing's good. Occasionally you must replenish your supply of crossbow bolts by jumping up and collecting them. Timing your jump is vital because arrows and cannonballs are whilstling overhead. Once you've got the keys, fight your way back to the ladder and then you can descend to the courtyard.

The second stage means fighting your way across the courtyard to one of the dungeon entrances which are at either side of the courtyard. It's up to you which entrance you choose but you must be in possession of both keys because the doors are double-locked. In addition to more swordsmen, you also have guards armed with longbows shooting arrows at you. The only way of avoiding these missiles is to jump over them but it's important that you replenish your supply of crossbow bolts during the first stage on the battlements because there are no more supplies until you enter the dungeons. If you have less than ten bolts remaining, the indicator starts flashing as a warning and you may have to return to the battlements to re-arm.

The final stage of the game takes place in the dungeons themselves. Here you have to collect 55 apples while being pursued relentlessly by intelligent guards who are also armed with longbows. You can shoot the archers and deflect their arrows with your own crossbow bolts but don't try to jump over the guards or their arrows. There are ample stocks of crossbow bolts distributed around the dungeons to replenish your supply.

Other hazards lurk deep within the dungeons, spinning blades appear that will chop you up if you walk or jump onto them. After frantically jumping over the blades and avoiding the guards, you may find an area in the dungeons where it seems you are safe from the pursuing guards but you could be in for a nasty surprise if you linger in one spot for too long! When you have collected all the apples you will be directed towards the exit where your son is waiting for you to shoot the final apple off his head.

Whether you complete the game, lose all your lives or the countdown timer reaches zero, you will be given the opportunity to enter your initials in the Hall of Fame as long as your score is greater than those already there. Use the joystick to scroll the alphabet left or right and press fire to select any three letters.

The program has 25 different screens (21 of which are scrolling) and three separate levels. Once the game has loaded, an animated title page which uses 24 sprites is displayed. When the animation is complete, the Hall of fame screen appears.

Getting it all in

Type in and save the programs in the order they are printed, following the instructions given. To start the game, press the fire button on the title or Hall of Fame screens. The title screen will be re-displayed at the end of each game once the Hall of Fame has displayed the top ten scores. Pressing RUN/STOP and RESTORE will abort the current game and return the title screen. The Hall of Fame scores will not be lost.

Are you bold enough to face this challenge? Can you save the boy? Who can? Tell!

DATEL ELECTRONICS

256K SUPEROM EXPANDER

- Now you can select from any of 8 32K EPROMs instantly.
- 8 sockets to accept upto 32K EPROM in each.
- On board operating system – no programs to load.
- Program your own EPROMs using our EPROM programmer.
- No need to have loads of cartridges – just make a selection from the Superom menu.
- Directory of utilities on power up.
- Fully menu driven on power up.
- Select any slot under software controls.
- Unique EPROM generator feature will take your own programs – basic or m/c and turn them into autostart EPROMs. (EPROM burner required).
- Accepts 2764/27128/27256 EPROMs.
- On board unstoppable reset.

ONLY £29.99

RESET CARTRIDGE

- Unstoppable reset button.
- Resets even so called "unstoppable" programs.
- Add pokes from magazines etc.
- Fits in cartridge port.
- Simply plug in.

ONLY £5.99

DUPLIKATOR™

- Copies whole disk in one pass – only one drive required!
- Makes back-up copies in eight seconds!!
- Duplikator is the fastest, most efficient and easiest to use disk copying system ever conceived.
- Comes complete with 256K on-board ram and it's own operating system – no software to load.
- Makes multiple copies from one original.
- Full disk verification during back-up process.
- Copies standard software as well as errors 21-29 and upto 40 tracks.
- Full disk error check in eight seconds.
- Full disk verify against ram in fifteen seconds.
- A must for clubs, user groups etc. How else can you copy over 250 disks and hour for less than $100.
- Comes complete with on/off switch and reset button.
- Fitted in minutes – no soldering usually required.

ONLY £89.99



16K EPROM BOARD

- Accepts 2 x 8K EPROMs.
- Switchable to configure as 2 x 8K or 16K or off.
- On board unstoppable reset.
- Full instructions.

ONLY £8.99

DISK NOTCHER

- Quickly and easily double your disk capacity.
- Use both sides of your disks.
- Simple to use.
- Takes seconds.

ONLY £4.99



4 WAY KERNAL BOARD

- This board fits in place of the kernal in your 64 and accepts a 16K or 32K replacement kernal giving 2 or 4 different operating systems.
- Just flick the switch supplied to select between systems.
- This is a carrier only – ready to accept your own chip.
- Now you can have all your different systems available at one time.
- Full instructions.
- Fitted in minutes.
- 5-Way Board

ONLY £12.99

DEEP SCAN BURST NIBBLER™

- The most powerful disk nibbler available anywhere, at any price!
- Burst Nibbler is actually a two part system – a software package **and** a parallel cable to connect the 1541/1570/1571 to 64/128 (state type).
- What gives Burst Nibbler its power? Conventional nibblers have to decode the data from the disk before it can transfer it using the serial bus – when non standard data is encountered they are beat. Burst Nibbler transfers data as raw GCR code via the parallel cable without the need to decode it so you get a perfect copy of the original.

- Will nibble upto 41 tracks.
- Copy a whole disk in under 2 minutes.
- Full instructions.
- Regular updates – we always ship the latest.
- Fitted in minutes – no soldering usually required.
- Full or ½ tracks.
- No need to buy parallel cable if you have Disk Demon/Dolphin etc.
- Cable has throughbus extension for other add ons.

- Whether to choose FastHack'em or Burst Nibbler? Fast Hack'Em is unbeatable value as an "all-rounder" – with nibblers, 1 or 2 drive copy, format, file copy, 1571 copy etc. etc., so if you have a more general requirement perhaps FastHack'Em is for you. Burst Nibbler is a pure nibbler second to none, for the reasons stated. So if it's just making backups you are interested in, there is no other product to beat it.

ONLY £24.99 COMPLETE
SOFTWARE ONLY £12.99 CABLE ONLY £14.99

BURST NIBBLER PARAMETERS DISK

- Burst Nibbler is the most powerful disk copier available – but there are still a few programs with very complicated protected, which makes it impossible to nibble copy. The Burst Nibbler Parameter Disk contains routines to copy individual programs.
- Used in conjunction with Burst Nibbler even the latest highly protected programs can be backed up.
- The disk contains over 100 parameters including many of the latest titles. Many of the titles can already be straight nibbled by burst nibbler – but can be used with the "Super Serial Nibbler" program (supplied) by users with drives that will not support parallel copier cables such as Excelerator, Oceanic etc.
- Simple to use – just nibble the disk then run the individual parameter for that program and the special routine will produce a perfect working copy – in some cases it will even de-protect it!
- Comes complete with "Super Serial Nibbler" program for users who can't fit a parallel copier such as Burst Nibbler to the drive (Excelerator, Oceanic etc)., not as fast as Burst Nibbler but when used in conjunction with parameters its formidable.
- Remember – this disk is by no means a must for Burst Nibbler owners since it already copes with over 90% of Software. But for those who want everything this is it. Also for none Burst Nibbler owners you get a "Super Serial Nibbler" which together with the parameters is a powerful utility.

COMPLETE PROGRAM DISK # 1 AVAILABLE NOW ONLY £12.99

TOOLKIT IV

The ultimate disk toolkit for the 1540/1541

- A disk toolkit is an absolute must for the serious disk hacker. Toolkit IV has more features than most for less.
- DISK DOCTOR V2 – Read and write any track and sector including extra and renumbered tracks. Repair damaged sectors. Look underneath read errors.
- HEADER/GAP EDITOR – Decodes and displays ALL header information including off bytes and header gap. Rewrite the entire header and header gap. Renumber sectors. Also edit any sector tail gap.
- DISK LOOK – Sort directory. Recover lost files. Display file start/end addresses. Disassemble any file program directly from the disk to SCREEN or PRINTER including undocumented opcodes. Edit Bam. Much, much more.
- FILE COMPACTOR – Can compact machine programs by up to 50%. Saves disk space. Compacted programs run as normal.
- FAST DISK COPY – Copy an entire disk in 2 minutes or less using single 1541.
- FAST FILE COPY – Selective file copy. Works at up to 6 times normal speed.
- FORMATTER – 10 second format an entire disk or format any individual track or half track 0 to 41. Redefine any of 30 parameters to create or recreate unique disk formats.
- ERROR EDIT – Quickly find and recreate read errors including extra and renumbered tracks or sectors and half tracks from 0 to 41. Even recreates data under errors and allows you to redefine any necessary parameters.

ONLY £9.99

DATEL ELECTRONICS



3 SLOT MOTHERBOARD

Save wear and tear on your Expansion Port

- Accepts 3 cartridges.
- Onboard safety fuse.
- Switch in/out any slot.
- High grade PCB.
- Fully buffered.
- Reset button.

ONLY £16.99

CENTRONICS PRINTER LEAD

- Connect your C64/128 to a full size Centronics Parallel Printer
- Suitable for use with Action Replay IV or Final Cartridge III
- Also works with any Software/Graphics package that has parallel driver software built-in – this includes many popular wordprocessors, databases, etc.
- Top quality connections – ribbon cable 1.5m long.

ONLY £12.99

TURBO ROM II

Turbo Rom II is a replacement for the actual kernal inside your 64. It provides superfast load/save routines.

- Loads most programs at 5-6 times normal speed.
- Saves at 5-6 times normal.
- Improved DOS support including 10 sec format.
- Programmed function keys:- load, directory, old, etc.
- Return to normal kernal at flick of a switch.
- FCOPY – 250 block file copier.
- FLOAD – special I/O loader.
- Plus lots more.
- Fitted in minutes – no soldering usually required. (On some 64's the old ROM may have to be desoldered).

ONLY £14.99

DIGITAL SOUND SAMPLER

- The new sampler allows you to record any sound digitally into memory and then replay it with astounding effects.
- Playback forwards/backwards with echo/reverb/ring modulation etc.
- Now with full sound editing module to produce outstanding effects.
- Full 8 bit D to A and ADC conversion.
- MIDI compatible with suitable interface. (I.e. Datel unit for £29.99, see ad).
- Live effects menu includes real time display of waveforms.
- Line in/mic in/line out/feedback controls.
- Powerful sequencer with editing features.
- Load/save sample.
- Up to 8 samples in memory at one time.
- Tape or disk (please state).
- Complete software/hardware package **£49.99**
- Com-Drum software is available separately at **£9.99** to turn your Sampler II into a Com-Drum system as well as a sampling system.

DATA RECORDER

- Quality Commodore compatible data recorder.
- Pause control.
- Suitable for 64/128.
- Counter.
- Send now for quick delivery.

ONLY £24.99



BLAZING PADDLES

A complete lightpen/graphics illustrator package.

- A fully icon/menu driven graphics package of a calibre which should cost much more.
- Complete with a fibre optical lightpen system for pin point accuracy.
- Multi feature software including:
  - Range of brushes • Airbrush • Rectangle • Circle • Rubberbanding • Lines • Freehand
  - Zoom mode • Printer dump • Load/save • Advanced colour mixing – over 200 hues!!
  - Cut and paste allows shapes/windows/pictures to be saved to/from tape/disk.
- Blazing Paddles will also work with many other input devices including; Joysticks, Mice, Graphics Tablets, Trackball etc.
- Pictures can be saved from Action Replay and edited with Blazing Paddles.

Complete Blazing Paddles & Lightpen **ONLY £24.99**

Blazing Paddles available separately for **£12.99**

SMART CART™

Now you can have an 8K or 32K cartridge that you program like RAM then acts like ROM!

- 8K or 32K pseudo ROM.
- Battery backed to last up to 5 years (lithium battery).
- Simply load the program you require – then flick the switch. The cartridge can then be removed just like a ROM cartridge.
- Make your own cartridges including autostart types – without an EPROM burner.
- Can be switched on or off board via software.
- I/O 2 slot open for special programming techniques.
- 32K version has 4 x 8K pages.
- Some knowledge of M/C is helpful – but full instruction are provided.

8K VERSION £14.99
32K VERSION £29.99

GRAPHICS SUPPORT UTILITIES DISKS

• A range of utilities to make the most of your high res pictures created with popular graphics utilities or captured with Action Replays unique picture grabber.

• SLIDE SHOW

- View your favourite screens in a slide show type display.
- Move from screen to screen – keyboard or joystick control. • Very easy to use.

• BLOW UP™

- A unique utility to allow you to take any part of your picture and 'blow it up' to full screen size.
- Even fills the border with powerful sprite handling techniques. • Very easy to use – simple commands
- An interesting utility.

• SPRITE EDITOR

- A complete sprite editor helps you create or edit sprites.
- Full colour display • Animate to view movements.
- Action Replay can capture/insert sprites with any program – this editor is a perfect companion.

• MESSAGE MAKER

- Takes your favourite screen – created with a graphics package or captured with action replay and turns it into a scrolling screen message complete with music.
- Send screens to your friends with music and text scrolling. • Simple text editor – easy to use.
- Choice of music. • An exciting utility.
- Finished screens stand alone.

Complete disk with all four utilities

ONLY £12.99

COM-DRUM

Digital Drum System

- Now you can turn your computer into a digital drum system. • Hardware/software package.
- 8 digital drum sounds in memory at one time.
- Complete with 3 drum kits.
- Real drum sounds – not synthesised.
- Create superb drum rhythms with real and step time. • Full editing. • Menu driven.
- Output to hi-fi or through tv speaker.
- Load/save facilities.

ONLY £29.99 (state tape or disk)

COM-DRUM EDITOR

- 24 drum sounds supplied on disk to enable you to construct your own drum kit.
- Re-arrange sounds supplied with a Com-Drum to make new kits.
- With sound sampler hardware you can record your own kits. • Load/save facilities.

ONLY £4.99 disk only

RAM DISK

- Turn your Smart Cart into a 32K RAM/disk.
- 32K of instant storage area for files/programs.
- Load/save instantly.
- Disk type commands: load, save, directory, scratch.
- Program data retained when computer is switched off!
- Full command set with instructions.

ONLY £9.99

ROBOTEK 64

Model & Robot Control made easy

- Robotek 64 is a comprehensive hardware/software package which enables you to connect your 64/128 to the outside world.
- 4 output channels – each with onboard relay
- 4 input channels – each fully buffered TTL level sensing.
- Analogue input with full 8 bit conversion.
- Voice input for voice control.
- Software features:- test mode/analogue measurement/voice activate/digital readout etc.
- Excellent value! **ONLY £39.99**

including hardware/software/mic etc. (State tape or disk)

MIDI 64

A Full Midi Interface for the 64/128 at a realistic price

- MIDI in. • MIDI thru. • 2 x MIDI out.
- Compatible with most leading software packages including: Sell, JMS, Advanced Music System, Joreth, Steinburg etc.

ONLY £29.99

DATEL ELECTRONICS



NEW CLONEMASTER™

The most effective tape to tape back-up board available.

- Makes perfect backups of your tapes easily and effectively!!
- No user knowledge at all needed.
- On board TTL logic circuitry actually shapes the program and sends a perfect signal to the record cassette – producing a copy better than the original in many cases.
- L.E.D. indicator shows when data is being transferred to avoid excessive tape winding.
- Works with almost any program including multi-loaders, turbos and even very unusual type turbos.
- Requires access to two CBM compatible data recorders
- Simply press 'Play' on one recorder and press 'Record' on the other – that's it!
- You can even make a backup while you are loading the program.
- This is a total hardware solution – no programs to load – the results are stunning!

ONLY £9.99

- **Datasettes are available for £24.99 (see other pages)**

BLUE CHIP DRIVE

- **Fully C64/128 compatible.**

- At last a top quality drive at a sensible price.
- Super slimline case
- External power supply for cool operation.
- Direct drive motor.
- Supplied complete with all cables – no more to buy.
- This drive is now probably the most compatible drive available for the Commodore. More so than even Commodores own 1541C. Much more so than other so called compatibles. In fact we have been unable to find a program including the latest that would not work. (At time of Press).
- **No need to look elsewhere – this is the best.**

ONLY £139.99 POST FREE
(If you require courier delivery add £5.00).

ULTRA CRUNCHER

- **The ultimate cartridge based program compactor.**

- Compacts by upto 30%!
- More programs for disk.
- 3 compacting programs on one cartridge.
- Fast loading/saving routines – works with Disc Demon.
- Can even further compact AR III files!
- 250 block file copy function.
- Full DOS support including fast format.

ONLY £12.99 on cartridge.
Available as chip only for 256K Superom Board for only £7.99

FAST HACK'EM™

- **Multi Module Disk Nibbler – all on one disk.**

- Single 1541 Nibbler – Copy a disk in 2 minutes.
- Auto Nibbler – Copy an entire protected disk in 3 minutes.
- Super fast File Copy – Under 9 seconds typically.
- Copes with Fat Tracks.
- Superfast Copy – Entire disk in 36 seconds with verify.
- Twin Drive Copier – Even faster!
- Plus unique "Parameters" mode. These files "Unlock" the more heavily protected programs with a parameter for a particular brand or even single program.
- **No other product is such a good "All Rounder" at this price its unbeatable.**

ONLY £9.99 POST FREE



ROBOTARM
– 5 Axis Movement
– Full Function

- Explore the fascinating science of Robotics with this full feature Robot Arm.
- Human like dexterity – with 5 Axis of movement it is so versatile. It can manipulate small objects with amazing ability.
- Easily controlled using 2 Joysticks (any 9 pin type) or connect to your computer with our Interface + Software to give Computer/Robotic control (see Interface offer).
- Comes with Accessories including 'Finger' Jaws, Magnetic Attachment, Shovel Scoop, 4 Stabilizing Suction Base Legs, etc.
- Uses 4 HP2 batteries (not supplied) to power motor movement so uses no computer power.
- Self contained, ready to use (except batts, joysticks).

ONLY £49.99

INTERFACE OFFER

- Unique Software/Hardware package to allow you to interface your computer with the Robotarm.
- Train mode allows you to store and then repeat movement sequences.
- Very easy to use.
- This Interface is not needed to use the Robotarm but interfacing with your computer has great possibilities

ONLY £24.99
COMPLETE WITH CABLES.



EPROMMER 64™

- A top quality, easy-to-use EPROM programmer for the 64/128.
- Fully menu driven software/hardware package make programming/reading/verifying/ copying EPROMs simplicity itself.
- Will program 2716, 2764, 27128 and 27256 chips. 12.5, 21 or 25 volts.
- Fits into user port for maximum compatibility with cartridges/Superom Board etc.
- Full feature system – all functions covered including device check/verify.
- We believe Eprommer 64 is the most comprehensive, most friendly and best value for money programmer available for the 64/128.
- Ideal companion for Superom Board, Cartridge Development System, our kernal expanders or indeed any EPROM base project.
- Comes complete with instructions – plus the cartridge handbook.

ONLY £39.99 COMPLETE

DISKS/STORAGE BOXES (Lockable)

For 5¼"	**ONLY**
DD 50 holds upto 50	**£6.99**
DD100 holds up to 100	**ONLY £8.99**
For 3½"	
DD 40 holds upto 40	**ONLY £7.99**
DD 80 holds upto 80	**ONLY £9.99**
Diskettes	
5¼" – DS/DD	**ONLY £24.00** for
3½" – DS/DD	**ONLY £49.00** for

ALL ORDERS NORMALLY DESPATCHED WITHIN 48 HRS

HOW TO ORDER . . . .

BY PHONE	BY POST	FAX
0782 744707 24 hr Credit Card Line	Send cheques/POs made payable to 'Datel Electronics'	0782 744292 UK ORDERS POST FREE – EUROPE ADD £1 OVERSEAS ADD £3

DATEL ELECTRONICS

DATEL ELECTRONICS LTD., FENTON INDUSTRIAL ESTATE, GOVAN ROAD, FENTON, STOKE-ON-TRENT, ENGLAND.

SALES ONLY	TECHNICAL ONLY
0782 744707	0782 744324

Constructing a COMPILER



To complete the FCL Compiler we present the all-important SYSLIB library file

The SYSLIB library file is given here as a Basic loader program. Unlike ASSEMBLE, you need not change the start of Basic because SYSLIB loads into memory at $C000, well out of reach of Basic.

Once assembled, your program is ready to be run on the computer; simply type LOAD "PROGRAM-NAME",8 and then RUN. At runtime, your program expects the library file SYSLIB to be present on the disk. SYSLIB provides most of the facilities required by your program such as error handling and file I/O. The SYSLIB program was written using the FCL assembler and I should point out that all of the problems mentioned back at the beginning of the series occur within this code.

A program can call SYSLIB by loading a service request function number into the accumulator and then calling the library via an indirect jump at memory address $005E (94). Many of the functions assume that parameters are to be found in one or more of the system variables in zero page and most results are returned in this way. SYSLIB also sets up several buffer areas for file and keyboard I/O, runtime stack and numeric conversion.

It is possible for an end user to 'Patch' into SYSLIB by altering the indirect jump vector mentioned earlier. In this way, extra functions may be added. The user patch would test the value of the accumulator and, if it was one of the new function numbers, would execute the appropriate subroutine, otherwise the normal SYSLIB routines would be called.

The library is first initialised at runtime by a call from the compiled program to the initialised routine at $C000 (the library lives between $C000 and $CFFF although there is some spare memory here). This sets up the memory pointers and buffer areas for runtime operation. The actual zero page addresses of the system variables and pointers are listed in Fig 1.

The addresses of these variables have been carefully chosen so that they don't interfere too much with the resident Basic system. This ensures that a safe return to Basic may be made following execution of a runtime FCL program.

SYSLIB library calls

Fig 2 lists the calls to the SYSLIB program.

To make a call to SYSLIB, Place the parameters required into the correct system variables, load the accumulator with the function number and execute a JSR $005E instruction. After execution, any parameters are returned in the stated variables.

As you can see SYSLIB does quite a bit! As I have already mentioned SYSLIB also provides an error messaging facility. When an error occurs, the program will normally halt. When a warning is printed, execution continues although the operating conditions may change and results may not be as expected. All errors and warnings are listed in Fig 3.

Compiler complete

So there you have it. A complete compiler system, albeit a rather simple one. Given time and a lot of patience, many of you may be able to come up with bigger and better (and faster!) compiler systems.

In Fig 4, you will find a couple of example programs to try. They are pretty simple routines but may give you the feel of the language and show you the sort of things you can do.

If you do go on to write a compiler, good luck!

Fig 1 System variables

System name	Purpose	Address
AC1	Numeric accumulator 1	$03
AC2	Numeric accumulator 2	$05
SD1	String descriptor 1	$26
SD2	String descriptor 2	$3F
UP1	Utility pointer 1	$FB
UP2	Utility pointer 2	$FD
APT	Array pointer	$45
TT1	Temporary variable	$47
CALLVEC	SYSLIB call vector	$5E
MEMTOP	Top-of-strings pointer	$49

The buffer areas are as follows:

OUTBUF	Output buffer (write)	$9B00
INBUF	Input buffer (read)	$9C00
STACK	Runtime stack	$9D00

OUTBUF and INBUF are each 256 bytes in length while STACK is 768 bytes long. The pointer for STACK is held within the area of the stack routines and should not be changed even if you can find it!

Fig 4. Example programs

Program 1. Simple typewriter.

This program uses the charin and charout elements to construct a simple typewriter program which may be terminated by pressing the RUN/STOP key.

```
begin
  cls
  loop
    charout charin (0)
  endloop when stop (0)
end
```

Program 2. Multiplication tables program.

Back to school with this short program to display a multiplication table of your choice.

```
var int count,mult
;
begin
  count=1
  write "Enter table:";
  read mult
  loop
    write count, count*mult
    count++
  endloop when count 12
end
```

Fig 2 SYSLIB library function calls

Function number (A)	Action
00	PHOENIX. This call will reset SYSLIB and is used by the initialisation routines. The strings pointer will be reset to the end of the program and the stack will be cleared.
01	Place the contents of accumulator AC2 onto the system runtime stack. Contents of AC2 are preserved.
02	Remove the topmost runtime stack member and place it in AC1.
03	Copy the contents of AC2 into pointer UP1.
04	Copy the contents of AC2 into pointer UP2.
05	Copy the contents of string descriptor SD2 onto the top of the runtime stack.
06	Remove the topmost runtime stack member and place it in SD1.

Functions 07 to 12 assume that the two string descriptors, SD1 and SD2 contain pointers to two strings. Results from these functions are returned in accumulator AC2 where TRUE is a value of 1 and FALSE is a value of 0.

07	Compare the two strings and return TRUE if they are exactly equal.
08	Compare the two strings and return TRUE if they are NOT equal.
09	Compare the two string and return TRUE if SD1 = SD2.
10	Compare the two strings and return TRUE if SD1 = SD2.

11 Compare the strings and return TRUE if SD1 <SD2.
12 Compare the strings and return TRUE if SD1 SD2.
13 Concatenate (join) string SD2 to string SD1 returning the combined descriptor for the new string in SD2.

Functions 14 and 15 assume that the I/O channel has been opened previously by function 37 (open).

14 Select the channel number in AC2 for input.
15 Select the channel number in AC2 for write.
16 Convert the number in AC2 to an ASCII-numeric literal and output to the current (output) channel.
17 Write the string currently described by SD2 to the current (output) channel.
18 Write a carriage return (ASCII 13) to the current output channel.
19 Applies to screen output. Move the cursor to the next screen tab position; tabs set at positions 8,16,24 and 32.

Functions 20 to 22 calculate and check array addressing requests.

20 TT1 should contain the start address of the array. The first two bytes at this address contain the maximum number of elements. This function checks that the program is trying to address a valid element by comparing these bytes to the contents of the array pointer APT. An error will result if the element being addressed is invalid.
21 Calculate the address of the element in an integer array. Element number is in APT.

Functions 22 to 28 perform operations on arrays. You must use functions 20 followed by 21 or 22 to calculate the address of the array element to be used by these functions.

22 Calculate the address of the element in a string array. Element number is in APT.
23 Load AC2 with the value of the integer array element at the address calculated by function 21.
24 Save AC2 to the integer array element whose address was calculated by function 21.
25 Load SD2 with the descriptor from the string array element whose address was calculated by function 22.
26 Save SD2 to string array element whose address was calculated by function 22.
27 Increment the integer array element.
28 Decrement the integer array element.
29 Remove the topmost stack element and place it in the array pointer APT.
30 Copy the contents of AC2 to APT.
31 Read a literal numeric string from the current input channel and convert it into a value in AC2.
32 Read a string literal from the current input channel and place descriptor in SD2.
33 BSET. Move the contents of UP1 to the memory address contained in AC1.
34 WSET. Similar to 33.
35 Check if AC2 contains a FALSE value of zero.
36 CHAROUT. Output the ASCII character whose code is in AC2.
37 FOPEN. Opens an I/O channel. Either of functions 39 or 40 must be called first!
38 FCLOSE. Close channel AC2.

Functions 39 and 40 set up parameters for function 37, the open statement, and expect the filename string in SD2 and the channel number in UP1.

39 INPUT. Define a channel for input.
40 OUTPUT. Define a channel for output.
41 CLS. Clear the screen and home the cursor.
42 WAIT. Uses the value in AC2 to cause a delay calculated by 60*AC2.
43 HALT. Forces a terminate sequence. Similar to function call 78.
44 SYSCALL. Call a machine code routine at address in AC2.

Functions 45 to 58 perform operations between AC1 and AC2, returning the result in AC2. The exception is function 48 which uses only AC2. Functions 49 to 54 compare AC1 and AC2 and return a TRUE (1) value in AC2 if the condition is satisfied.

45 OR. Perform AC1 OR AC2→AC2.
46 XOR. Perform AC1 XOR AC2→AC2.
47 AND. Perform AC1 AND AC2→AC2.
48 NOT. Perform NOT (AC2)→AC2.
49 Test for AC1 = AC2.
50 Test for AC1<>AC2.
51 Test for AC1 < = AC2.
52 Test for AC1 > = AC2.
53 Test for AC1<AC2.
54 Test for AC1>AC2.
55 Plus (+). Perform AC1 + AC2→AC2
56 Subtract (-). Perform AC1 - AC2→AC2.
57 Multiply (*). Perform AC1 * AC2→AC2.
58 Divide (/). Perform AC1 / AC2→AC2.
59 Autoincrement (++). NOT IMPLEMENTED.
60 Autodecrement (--). NOT IMPLEMENTED.
61 BYTE. Get the contents of the memory location (AC2) into AC2 (single byte only).
62 WORD. Similar to 61 but gets a word.
63 LEN. The length of the string whose descriptor

	is in SD2 is returned in AC2.
64	CHAR. The ASCII character code in AC2 is converted to a string in SD2.
65	STR. The literal of the value in AC2 is converted to a string in SD2.
66	ASCII. The ASCII code of the first character of the string in SD2 is placed in AC2.
67	STOP. A TRUE value is returned in AC2 if the RUN/STOP key has been pressed.
68	KEY. A TRUE value is returned in AC2 if a key other than SHIFT, COMMODORE, RUN/STOP or CONTROL has been pressed.
69	CHARIN. The current input device is polled for a character which is returned in AC2.
70	LEFT. Places in SD2 the substring of the leftmost (UP1) characters of string (SD2).
71	RIGHT. Places in SD2 the substring of the rightmost (UP1) characters of string (SD2).
72	MID. Places in SD2 the substring of (SD2) of length (UP1) starting at (UP2).
73	SYSFN. Calls a machine code routine at address in AC2. The string (SD2) contains the values of the A,X,Y and flags registers to be passed to the routine. Upon return, string (SD2) contains the return values of these registers.
74	IOSTAT. Return the value of the I/O status byte in AC2.
75	DSTAT. Return the disk drive error code in AC2.
76	DERR. Return the disk status string in SD2.
77	Clear all I/O channels but do not close them.
78	Terminate. Calling this function terminates the current program. There is no return from this function!

Fig 3 SYSLIB error messages

SYSLIB warnings

Numeric overflow
A calculation has exceeded the integer limit of 65535 and may not contain a valid value.

Numeric underflow
A calculation has gone 'negative'; i.e. has effectively gone less than zero. In fact the value will be 2's complement.

WARNING Disk not present. Subsequent I/O attempts will cause errors
May be printed during the init phase. Indicates that a disk drive is not present.

SYSLIB errors — non I/O

Bad array subscript
An array has been illegally addressed.

Illegal quantity
Some value (possibly during a read) has exceeded the valid limits.

String too long
Strings must not exceed 255 characters.

Data type mismatch
May occur during a read. Indicates that incorrect data has been assigned to a particular variable.

System I/O error
General I/O error. More detailed messages follow later.

Reserved I/O channel
Certain channel numbers are reserved by the system. This messages is printed when you try to use one of them (See the FCL Programmers' Manual for a list of invalid channels).

Device not found
Disk drive is not present.

Null FID
A filename was null.

Out of memory
There is no more room for strings.

Division by zero
You cannot divide by zero!

Stack overflow
Unlikely, but occurs if the runtime stack fills up. This may indicate an error in COMPILE.

SYSLIB I/O errors

These I/O errors are more specific and are actually used to report Kernal I/O errors (See Commodore 64 Programmers' Reference Guide for details of Kernal routines).

STOPed
An I/O operation was terminated by the RUNSTOP key being pressed

Too many open files
The system cannot maintain more than about 6 concurrently open files

File already open
You have used the same channel as a previous (still open) I/O

File not open
A channel you have used has not been opened

File not found
The system cannot find the file you have requested for INPUT

Device not present
The device asked for was not available

File is not an INPUT file
You have tried to read from an OUTPUT file

File is not an OUTPUT file
You have tried to write to an INPUT file

File name is missing
You cannot open a disk file with no name

Illegal device number
The device number specified is not legal. May indicate a problem with SYSLIB itself.

NEW FROM TRILOGIC

BACK-UP AND TRANSFER PROGRAMS
FROM DISK TO TAPE TAPE TO DISK
DISK TO DISK TAPE TO TAPE

LAUNCH AHEAD!

WITH THE NEW
'ROCKET POWERED'
Including V3.2R Software

Expert
CARTRIDGE

ONLY **£29.99** POST FREE
state disk or tape when ordering.

COMPLETE BACK-UP SYSTEM
MAIN FUNCTIONS

- Freezes all Programs.
- Creates a back-up onto Disk or Tape. Regardless of whether the original was loaded from Disk or Tape.
- Independent tests show the Expert to have the most effective compactor so you can save more games per Disk and have faster reloading.
- Saves a back-up in one file.
- Expert is not needed for reloading a back-up
- Programs reload in less than 10 seconds using New Rocket Loader.

UTILITY FUNCTIONS

- Sprite Saver & Editor with 'Animator'.
- Infinite Lives Command
- Joystick Autofire mode — even better than Autofire Joysticks
- Joystick Port Swap — Your back-ups can use the same port.
- Powerful & Professional 64k M/Code Monitor
- Printout Hires & Lores Screens.
- Expert Express — Use the Expert as a Disk Turbo Loader.

ROCKET — A SUPER-FAST DISK TURBO LOADER

- Loads independently of the Cartridge.
- Reload on average back-up in 6 seconds.
- Loads any size of file. • One file format.

COMPUTER PROBLEMS? CALL A DOCTOR!

64 DOCTOR

A professional diagnostic CARTRIDGE for your C64.

TESTS: **£18.99**

• Keyboard	• Joystick Port
• Serial Port	• User Port
• Cartridge Port	• Basic Rom
• Kernal Rom	• CIA Chips
• Video Chip & Video Banks	• Sound Chip
• NMI & IRO Interrupts	• Cassette Key Press
• Cassette Data	• Even tests your Joystick.

COMPRISES, 64 DOCTOR CARTRIDGE, USER & SERIAL PORT TESTERS. AND – **FREE** — *The only comprehensive fault diagnosis and Repair Guide available.*

- Explains step by step, how to locate faults and identify chips.
- How to dismantle the keyboard.
- Includes Commodore part number guide.
- Full of tips and hints many known only to the trade.
- How to desolder chips the professional way.
- Written by professionals with a vast knowledge of 64 faults and repairs.

LOADING PROBLEMS?

DATASETTE DOCTOR £8.99

THE ONLY COMPLETE DATASETTE SERVICE & ALIGNMENT KIT.

- Check and adjust alignment — Two Tests with very precise adjustment.
- Check Datasette Circuitry — Shows up electronic faults
- Check for Electrical Interference — Shows up noise from TV's & main wiring.
- Check Saving Performance — Special high Baud rate saving test.
- Check Loading Performance — Special Turbo loading test.
- Clean & Demagnetise Tape Head. — Cleaner/Demagnetiser supplied.

DRIVE DOCTOR £14.99

With this complete kit you can check:-

- HEAD ALIGNMENT — Unique test makes accurate setting easy.
- HEAD MOVEMENT - Shows up wear and friction.
- BACK-STOP SETTING .Critical but easy to adjust.
- MOTOR SPEED — Show speed errors.
- ALSO shows up free play & faulty S/motor.

COMES COMPLETE WITH PROGRAMME TAPE, SPECIAL ALIGNMENT DISK AND FULL INSTRUCTIONS.

ALL 3 DOCTORS ARE HIGH PERFORMANCE, ORIGINAL TRILOGIC PRODUCTS OUTPERFORM SIMILAR RIVAL PRODUCTS OFTEN COSTING MUCH MORE.

BARGAINS ON DISKS, BOXES, JOYSTICKS, DUSTCOVERS ETC.

DISK BOX FOR 50 51/4" DISKS, LOCKABLE	£8.99
DISK BOX FOR 100 5/14" DISKS, LOCKABLE	£10.99
DISK NOTCHER — USE BOTH SIDES OF D/SIDED DISKS	£4.99
51/4" DS/DD DISKS PACKS OF 10 WITH LABELS	£6.75
51/4" DS/DD DISKS SEALED PACKS OF 25 WITH LABELS	£14.99
QUICKSHOT MK 2 JOYSTICK WITH AUTOFIRE	£8.99
QUICKSHOT 2 TURBO JOYSTICK — FAST ACTION MICROSWITCH TYPE WITH AUTOFIRE	£13.49
JOYSTICK 3m EXTENSION LEAD	£3.99
C64/C64C DUST COVER *(STATE WHICH)*	£3.49
C128/128D DUST COVER *(STATE WHICH)*	£4.99
1541/1571 DUST COVER *(STATE WHICH)*	£4.99
1701/1901 DUST COVER *(STATE WHICH)*	£6.99
MPS801/MPS803 DUST COVER *(STATE WHICH)*	£5.99
CBM COMPATIBLE DATARECORDER	£17.99
DCL1 BACK-UP BOARD FOR 2 DATARECORDERS	£7.99
C15 DATACASSETTES, PACKS OF 5	£3.75
TITAN HEAVY DUTY C64 POWER UNITS	£31.95
TITAN POWER UNIT WITH SUPPRESSORS	£39.95
4 WAY 3m EXTENSION LEAD WITH SPIKE SUPPRESSORS	£8.99

SHOWROOM NOW OPEN!

FREE CATALOGUE WITH EVERY ORDER!

TRILOGIC
Trilogic, Dept. Y.C. Unit 1
253 New Works Road
Bradford BD12 0QP
Tel - 0274 - 691115

BARCLAYCARD VISA

Fax 0274 - 600150

FAST MAIL ORDER SERVICE. PROMPT DESPATCH. ALL PRICES FULLY INCLUSIVE PLUS 10 DAY MONEY BACK GUARANTEE ON ALL ITEMS. PAYMENT BY CASH, CHEQUES PAYABLE TO TRILOGIC BY POSTAL ORDER, ACCESS OR VISA. ADD £1 EXTRA FOR EXPORT ORDERS. PAYMENT IN STERLING ONLY PLEASE.

EXPRESS DELIVERY £1.95

COMING SOON – CBM 64. (DISC) £14.95. ATARI ST/ AMIGA £19.95. AMSTRAD £9.95, IBM – P.O.A



From the Designer of 'The Double' comes . . .

TRACK SUIT MANAGER

The first ever football game with real match tactics.

REVIEWS SAY

Commodore User says . . . The match is the best I've ever seen . . . T.S.M. is the most playable game of its genre . . . One of the most frustrating, fun, compelling, exciting and addictive games I've ever played. **8/10**

C & V Games says . . . The best ever football managerial game ever, in the history of the world, no messing, straight up . . . A very impressive start for Goliath. **9/10**

Zzap says . . .
Presentation **96%** Lastability **88%**
Hookability **93%** Overall **89%**
Easily the best of its type . . .

Sinclair User says . . . The best ever managerial game, the one your speccy has been waiting for. **93%**

Your Sinclair says . . . I'm amazed at this one . . . Some day all footie games will be made this way . . . If you don't like T.S.M. your dead from the neck up. **8/10**

Your Commodore says . . . T.S.M. is one of the best games I've ever played and certainly highlights the problems of a national team manager.

WE SAY

Sophisticated Match Play with ... Adjustable Team Formations ★ Free Kicks ★ Throw In's ★ Offside's ★ Individual Player Abilities ★ Goal Kicks ★ Corners ★ Penalties ★ Tackles ★ Fouls ★ Select Player for 'Set Pieces' ★ Injuries ★ Booking's ★ Sending Off's ★ Suspensions ★ Substitutes ★ Heading ★ Genuine Penalty Shoot Out in Quarter, Semi & Final Matches ★ Extra Time ★

Individual Player & Team (Defence, Midfield, Attack) tactics ... Defensive ★ Attacking ★ Normal ★ Quick Counter Attacks ★ Zonal Marking ★

GOLIATH GAMES is a 'NEW' Software House specialising in ... ADVANCED ... INVOLVED ... ORIGINAL SOFTWARE.

ORDER NOW ... £9.95 Including V.A.T. Plus 50p post & packing

GOLIATH GAMES
The GIANTS amongst software

PLEASE SEND CHEQUES/P.O. TO:-

46 LOCKING ROAD
WESTON-SUPER-MARE
AVON BS23 3DN
0934 622538

COMMODORE 64, SPECTRUM

The Vindicator

Guess who has got to save the world again? Invaders from a distant star have smashed the Earth to bits. As the sole survivors, you and a few like-minded individuals have pledged to uphold the laws of justice, revenge and other clichés. One man has to face the final challenge and become the Vindicator. Have you noticed how it is always one man. What's happened to the rest of the survivors? Perhaps they are not so keen on upholding the laws of justice, revenge and other clichés as they claim to be – but I digress.

A quote from the packaging blurb gives you some insight into the enormity of the task facing you. 'Across a tortured landscape, against incredible odds, he must battle through to the enemy stronghold, down into a maze-like corridor filled with mutated guardians until he reaches the inner sanctum of the dark overlord to strike the final blow of retribution...' It's beginning to sound as if you drew the short straw.

The task comes in three sections. In part one, you have to blow up the Alien Vanguard and their base. This complex is set out as a four-level maze in which you must find the computer rooms. These, in turn, will give details to the whereabouts of the bomb parts necessary for the destruction of the base.

Before you can access the computers though, you must first kill off vast numbers of aliens that patrol the rooms off the corridors. Green ones are easy to kill – you can just duck out of the way of their bullets – but the red ones are much harder to despatch and you will need bigger and better weapon cartridges if you are not to sustain considerable damage yourself.

Having killed the alien, you can then pick up his lift pass, computer access card or an extra cartridge. Other items to be acquired include oxy-gum – a health restorer used to repair damage either from being shot or simply from inhaling the poisonous atmosphere.

Once you have found a computer terminal and accessed it with the correct card, you then have to solve an anagram before you are given the information you desire. The solutions to these are not immediately obvious but a reference to some of the names connected with the design of the game may put you on the right track. Losing one of your lives also results in the loss of any cards you are carrying at the time.

Having blown up the base, you now have to fly a commandeered fighter plane across enemy terrain blowing up as many of the installations as possible. The problem is that there is nowhere to land so you must return to the start and then make the journey again, this time in your jeep. Hordes of tanks and helicopters are out to get you but that shouldn't prove too difficult for a budding superhero. Once you reach the other end, all that remains is for you to defeat the Mutoid Guardian before gaining access to the final part of the game.

The Catacombs lead you to the bowels of Hell itself. Apart from avoiding the hordes of evil minions, it is purely a case of keeping on going until you come to the final confrontation with Gog – the personification of evil and the ultimate objective of your quest.



Here is your chance to live up to the title of the game and become THE VINDICATOR.

The game looks good and plays very well. The controls are easy to get to grips with, unlike some other games of this type. The only real problem you are going to encounter is that of orientating yourself properly in the corridors. The easiest way round that is to make a note of the co-ordinates of all the key installations – these are constantly updated as you wander around the mazes.

If I have one major grumble, it is that you cannot store supplies of oxy-gum in a pocket (surely even superheroes have pockets) but have to leave it where it is until required. That apart though, The Vindicator is an excellent challenge and anyone enjoying this type of game will surely want it in his or her collection.



Touchline:

Title: *The Vindicator.* ***Supplier:*** *Imagine Software, 6 Central Street, Manchester M2 5NS.* ***Tel:*** *061-832 6633.* ***Price:*** *£8.95 (cass), £14.95 (disk).*

LOOKING FOR SOMETHING OUT OF THIS WORLD?



You'll find it at

The 12th Official

commodore *computer show*

10am-6pm Fri, Nov 18
10am-6pm Sat, Nov 19
10am-4pm Sun, Nov 20

Book your ticket now for the show that has everything:

- ★ The complete Commodore hardware range.
- ★ All the very latest in software – both entertainment and business.
- ★ Peripherals that will add totally new dimensions to your machine.
- ★ Technical advice from the UK's leading Commodore experts.

. . . and, most important of all, you'll discover bargains in the form of many hundreds of special show offers.

You can even save £1 a head before you get there by using this advanced ticket form.

Advance ticket order SAVE £1

Please supply:

☐ Adult tickets at £4 (save £1) ..... £.....

☐ Under-16s tickets at £2.50 (save £1) ..... £.....

Total £.....

☐ Cheque enclosed payable to Database Exhibitions Ltd.

Please debit my credit card account: ☐ Access ☐ Visa

Expiry date: /

Admission at door: £5 (adults) £3.50 (under 16s)

Advance ticket orders must be received by November 9, 1988

Name .....

Address .....

.....

.....Signed.....

POST TO: Database Exhibitions, Europa House, Adlington Park, Adlington, Macclesfield SK10 4NP.

PHONE ORDERS: Ring Show Hotline: 0625 879920
PRESTEL ORDERS: KEY *89, THEN 614568383
MICROLINK ORDERS: MAILBOX 72:MAG001

Please quote credit card number and full address

A582

Champagne Suite & Exhibition Centre
Novotel, Hammersmith, W6

And you just mustn't miss the wonderful world of Amiga – where you'll be able to see for yourself the ultimate in personal computing.

No matter which Commodore machine you use – from the C64 up – you'll find just what you are looking for.

All the leading companies servicing each sector of the Commodore market will be on hand to demonstrate their latest developments.

Traditionally the liveliest Commodore event of the year, this pre-Christmas show is one you can't afford to miss.

How to get there

By Underground: Nearest tube station is Hammersmith (Piccadilly, Metropolitan & District Lines).

By Bus: 266, 714, 716, 290, 30, 72, 73, 74.

Car parking facilities available at the Novotel.

DATABASE EXHIBITIONS

Barbarian

Not the Palace hit, but a conversion which is already a 16-bit cult.



When it first appeared on the Amiga and Atari ST, Psygnosis' Barbarian immediately gained cult status and I suppose it was only natural that it would be converted to eight bit formats. The conversion has now appeared on the Melbourne House label and I am sorry to say that they have made something of a botch of it.

The storyline is convoluted to say the least, running to some twenty pages in the instruction booklet. What follows is a (very) potted history. You are Hegor the Barbarian. When you were young, your father, Thoron, trained you in the use of various weapons. One day, you return home to see him being beaten to a pulp by a dragon which he had just lured away from the village thereby gaining, but posthumous, hero status. You immediately vow your revenge.

To while away a few years, you go off practising all the usual barbarian-type habits such as drinking and wenching a lot while killing the odd monster. During these travels, you discover that your father's enemy, the controller of the dragon, was in fact your Uncle Necron, your father's twin brother. Your father had killed Necron once but, because of the family ties, let his soul regenerate.

Necron is now terrorising the world again and there is a prize of a kingdom to anyone who can defeat him and his dragon Vulcuran. This seems to interest you rather more than your previous vow of vengeance but the ghost of your father appears and reminds you of your duty. Confused? Don't worry, it's all incidental to the game.

Hegor is controlled via a series of icons although the instructions cunningly don't bother to tell you what they are for. At least not in English they don't! They do in French, German and Italian although one of the French commands is also missing. This is obviously a plot by Mastertronic/Melbourne House to get everyone learning a foreign language.

For non linguists, the available commands include left/right, up/down, jump, stop, run away, attack, defend, pick up, drop and use. A cursor is moved over the appropriate choice and the fire button is pressed to execute an action. Being used to the Amiga version using the mouse, I found the joystick response to be very slow and got killed several times through being unable to execute combination moves quickly enough.

The game involves traversing a number of screens by killing off monsters or by trying to leap over falling masonry, collapsing bridges and the like. Amongst the monsters to be encountered are tin men, strange rhinos and woolly bears. You start off armed only with a sword but must find and pick up other weapons en route, such as a bow and arrow which is required to dispose of the dragon. Eventually, you will find the crystal that represents Necron's soul and you must drop this in the volcano. You then have only a limited amount of time to make your escape before the volcano erupts.

The traps appear one at a time at first but soon they are found acting in combination with monsters. One trap I didn't like involved a falling slab of spiked stonework which could be avoided by standing underneath it and jumping upwards!

Although comparisons between eight and sixteen bit versions are difficult, the graphics and sound effects on the C64 version are poor, especially the graphics which look very fuzzy. Even the stunning Amiga title screens, which could have been reasonably reproduced, have been replaced with Invade-a-load.

It is the gameplay that has suffered most. The monsters have lost all their aggression and there is a general woolliness about the controls. Coupled with the very shoddy instruction booklet, this all makes for a very disappointing product.

The Amiga version was on the office machine all the time. Everybody wanting to have just one more go. On the C64, I found no addictive qualities whatsoever and couldn't wait to turn the machine off. **GRH**

Touchline:
Title: *Barbarian.* ***Supplier:*** *Melbourne House, 2-4 Vernon Yd, Portobello Rd., London W11 2DX.* ***Tel:*** *01-727 8070.*
Machine: *C64.* ***Price:*** *£9.99 (cass) £14.99 (disk).*

YOUR

COMMODORE

READERSHIP SURVEY

25 Free subscriptions must be won!

If you would like to receive a copy of your favourite magazine FREE for 6 months, simply complete this questionnaire and return by 11th November 1988 and you could be one of the lucky 25 people to win a 6 month subscription to YOUR COMMODORE.
Some of the questions are of a more personal nature and do not directly relate to the magazine. Answers to these questions help us present an overall profile of our readers and their lifestyles to advertisers who require such data for selecting suitable magazines for their products.
No names and addresses will be supplied to third parties and all details will be treated in the strictest confidence by the publisher.
We would like to thank you in advance for your time, and remind you that only fully completed questionnaires received by 11th November 1988 will be eligible for the FREE draw.

---

1. How long do you keep your copies of YOUR COMMODORE for:

- Less than one month ☐
- One month ☐
- Three months ☐
- Six months ☐
- A year or more ☐

2. If kept, how often do you refer back to issues of YOUR COMMODORE?

- Once a week or more ☐
- About once a month ☐
- Once every three months ☐
- Less often ☐
- Never ☐

3. How long do you spend reading your copy of YOUR COMMODORE?

- Over 2 hours ☐
- 1½ - 2 hours ☐
- 1 - 1½ hours ☐
- ½ - 1 hour ☐
- Less than ½ hour ☐

4. How long have you been a YOUR COMMODORE reader?

- Less than 3 months ☐
- 3 - 6 months ☐
- 7 - 12 months ☐
- 1 - 2 years ☐
- 2 - 4 years ☐

5. How often do you buy YOUR COMMODORE?

- Occasional issues ☐
- Most issues ☐
- Every issue ☐

6. How much of YOUR COMMODORE do you read?

- Read only some articles ☐
- Read most articles ☐
- Read all articles ☐

7. With regard to the advertisements in YOUR COMMODORE do you?

- Read or look though most or nearly all the ads ☐
- Read or look through some of the ads ☐
- Just read or look through the occasional ad ☐
- Very rarely/never look at the ads ☐

8. Which of the following would you most like to see featured with the magazine (please tick one box only)?

- Cover mounted gifts ☐
- Additional supplements ☐
- Competitions ☐
- Money saving offers ☐

9. Does anyone else read your copy of YOUR COMMODORE?

- No, only myself ☐
- One or two other people ☐
- Three or four other people ☐
- More than four other people ☐

10. If your copy of YOUR COMMODORE is read by other people, please give details of their age and sex:

	PERSON 1	PERSON 2	PERSON 3	PERSON 4
AGE: 9-14 YRS	☐	☐	☐	☐
15-24 YRS	☐	☐	☐	☐
25-34 YRS	☐	☐	☐	☐
35-44 YRS	☐	☐	☐	☐
45-54 YRS	☐	☐	☐	☐
55-64 YRS	☐	☐	☐	☐
OVER 64 YRS	☐	☐	☐	☐
SEX: Male	☐	☐	☐	☐
Female	☐	☐	☐	☐

11. With respect to the articles in YOUR COMMODORE, how do you rate the following:

	POOR	AVERAGE	GOOD	EXCELLENT
News	☐	☐	☐	☐
General features	☐	☐	☐	☐
Technical/ programming feats	☐	☐	☐	☐
Business features	☐	☐	☐	☐
Utility & hardware reviews	☐	☐	☐	☐
Book reviews	☐	☐	☐	☐
Business & educational reviews	☐	☐	☐	☐
Competitions	☐	☐	☐	☐
Letters page	☐	☐	☐	☐
Games listings	☐	☐	☐	☐
Serious/utility listings	☐	☐	☐	☐
Amiga coverage	☐	☐	☐	☐
Readers offers/ Software for sale	☐	☐	☐	☐
Music	☐	☐	☐	☐

12. Thinking specifically about the advertising content, would you please rate the two main types of advertisement:

	Display	Classified		
Very useful	☐	☐	Not very useful	☐ ☐
Useful	☐	☐	Not at all useful	☐ ☐
Quite useful	☐	☐		

13. Would you like to see more or less coverage given to the following:

	MORE	LESS	SAME
News	☐	☐	☐
General features	☐	☐	☐
Technical/ programming feats	☐	☐	☐
Business features	☐	☐	☐
Utility & hardware reviews	☐	☐	☐
Book reviews	☐	☐	☐
Business & Educational reviews	☐	☐	☐
Competitions	☐	☐	☐
Letters page	☐	☐	☐
Games listings	☐	☐	☐
Serious/ utility listings	☐	☐	☐
Amiga coverage	☐	☐	☐
Readers offers/ Software for sale	☐	☐	☐
Music	☐	☐	☐

14. Which other computer magazines do you read and how often?

	NEVER READ	READ OCCASIONALLY	READ REGULARLY
Commodore	☐	☐	☐
Computing Int.	☐	☐	☐
Commodore User	☐	☐	☐
Zzap! 64	☐	☐	☐
Amiga User Int.	☐	☐	☐
Amiga Computing	☐	☐	☐
Your Amiga	☐	☐	☐
Amiga World	☐	☐	☐
Popular Computing Weekly	☐	☐	☐
Personal Computer World	☐	☐	☐
Commodore Disk User	☐	☐	☐

15. If read, how do they compare with YOUR COMMODORE?

	NOT AS GOOD AS Y.C.	AS GOOD AS Y.C	BETTER THAN Y.C.
Commodore	☐	☐	☐
Computing Int.	☐	☐	☐
Commodore User	☐	☐	☐
Zzap! 64	☐	☐	☐
Amiga User Int.	☐	☐	☐
Amiga Computing	☐	☐	☐
Your Amiga	☐	☐	☐
Amiga World	☐	☐	☐
Popular Computing Weekly	☐	☐	☐
Personal Computer World	☐	☐	☐
Commodore Disk User	☐	☐	☐

16. Please give any further comments or criticisms that you feel will help us improve YOUR COMMODORE.

.....

.....

17. How much do you normally spend in a 12-month period on the following types of software? (please tick one box on any line)

	Nothing	£50	£51-100	£101-200	£201-300	£300+
Games	☐	☐	☐	☐	☐	☐
Business	☐	☐	☐	☐	☐	☐
Educational	☐	☐	☐	☐	☐	☐
Graphics/Music	☐	☐	☐	☐	☐	☐
Utilities/Language	☐	☐	☐	☐	☐	☐

18. What sort of listings do you type in?

	All	Some	None
Games	☐	☐	☐
Utilities	☐	☐	☐
Music	☐	☐	☐
Business (WP, Spreadsheet, etc)	☐	☐	☐

19. How much of the time do you use your computer for the follow purposes? (please tick one box on each line):

	All the time	More than half the time	Sometimes	N
Writing programmes	☐	☐	☐	
Typing in games listings	☐	☐	☐	
Typing in utility listings	☐	☐	☐	
Playing games	☐	☐	☐	
Graphics or music	☐	☐	☐	
Educational	☐	☐	☐	
Business (wordprocessing, data-base, etc)	☐	☐	☐	

20(a). Have you used the YOUR COMMODORE software service?

Yes (please answer part c) ☐
No (please answer part b) ☐

(b) IF YOU HAVEN'T USED IT, why not?

Too expensive ☐
Limited Choice ☐
Delivery period too long ☐
Other reason – (please state)

.....

(c) IF YOU HAVE USED IT, have you been satisfied with the software and the service you have received?

Yes ☐ No ☐

21. Put a tick next to the magazine you think offers the best coverage of the following areas (YC=Your Commodore, CCI=Commodore Computing International, CU=Commodore User, Z64=Zzapp! 64 CDU=Commodore Disk User).

(a) News
YC ☐
CCI ☐
CU ☐
Z64 ☐
CDU ☐

(b) General features
YC ☐
CCI ☐
CU ☐
Z64 ☐
CDU ☐

(c) Technical features and reviews of utilities and hardware
YC ☐
CCI ☐
CU ☐
Z64 ☐
CDU ☐

(d) Games features
YC ☐
CCI ☐
CU ☐
Z64 ☐
CDU ☐

(e) 'Serious' computing (word-processing, personal finance, art etc.)
YC ☐
CCI ☐
CU ☐
Z64 ☐
CDU ☐

22. Do computers or a related activity provide you with an income?

Yes ☐ No ☐

23. Do you attend computer exhibitions/shows?

Yes ☐ No ☐

24. If your answer to the previous question is YES, please specify which ones.

.....

.....

.....

25. (a). Which computer(s) do you own?

C16 ☐
Plus/4 ☐
C64/64C ☐
C128/128D ☐
Amiga ☐
Spectrum ☐
Amstrad CPC ☐
Amstrad PCW ☐
IBM PC or clone ☐
BBC ☐
Electron ☐
Atari ST ☐
Other Atari ☐
Other (please specify) ☐

.....

(b) How long have you had a Commodore computer?

Less than 3 months ☐
3 to 6 months ☐
7-12 months ☐
1-2 years ☐
Over 2 years ☐

26(a). Do you own a disk drive that you use with your Commodore computer?

Yes ☐ No ☐

If 'Yes' please answer the next part.

(b) What make/model is your disk drive?

1541 ☐
1551 ☐
1570 ☐
1571 ☐
Other made by Commodore ☐
Other not made by Commodore ☐

27(a). Do you own a printer that you use with your Commodore computer?

Yes ☐ No ☐

If 'Yes' please answer the next part.

(b) What type of printer is it?

Commodore ☐
Epson Compatible ☐
Other ☐

28.(a) Do you think you are likely to buy a new computer during the next year?

Yes ☐ No ☐

(b) If 'Yes', which do you think you are likely to buy?

C128/D ☐
Amiga ☐
IBM PC or clone ☐
Atari ST ☐
Other (please specify) ☐

.....

.....

29. Which of the following types of software do you own and use:

Word-processor ☐
Data-base ☐
Spreadsheet ☐
Assembler ☐
'Art' package ☐
Music package ☐
Games ☐

30. Do software reviews influence your buying?

Yes ☐ No ☐

31. Do software charts influence your buying?

Yes ☐ No ☐

32. Are you aware of the scheduled publication day?

Yes ☐ No ☐

33. If the answer to the previous question is YES, do you attempt to purchase the magazine on that day?

Yes ☐ No ☐

34. How do you normally obtain your copy?

Chance purchase ☐
Newsagent shop collection ☐
Newsagent home delivery ☐
Subscription ☐
Passed on copy ☐

35. If you are a subscriber, on which date did you receive this issue?

☐☐/☐☐/☐☐

36. If you are a subscriber, how long have you subscribed to this magazine?

1-6 months ☐
7-12 months ☐
1-2 years ☐
3-4 years ☐

37. If you do not obtain your copy by subscription, is it due to one of the following:

Subscription too expensive ☐
Not every issue required ☐
Not aware subscription service available ☐

38. Are you aware that to subscribe to this magazine in the U.K. is the same cost as purchasing it in a shop?

Yes ☐ No ☐

39. Would you like to receive further details on taking a subscription?

Yes ☐ No ☐

40. If you do not subscribe, from which type of newsagent do you most often obtain your copy?

High Street shop ☐
Estate shop ☐
Corner Shop ☐
Travel Point ☐
Other (please specify) ☐

.....

41. If you have subscribed to this magazine but now lapsed, is it due to:

Subscription too expensive ☐
Every issue no longer required ☐
Lateness in receiving subscription copy. ☐
Poor service from our subscription bureau ☐

42. What is your marital status?

Married ☐
Single ☐
Divorced ☐

43. Age (please tick)

Under 15 Yrs ☐
15-18 Yrs ☐
19-21 Yrs ☐
22-24 Yrs ☐
25-34 Yrs ☐
35-44 Yrs ☐
45-54 Yrs ☐
55-64 Yrs ☐
Over 64 Yrs ☐

44. Sex:

Male ☐ Female ☐

45. Are you.....?

In full-time employment ☐
In part-time employment ☐
Not employed at present ☐
Retired ☐
Student – full-time ☐
Student – part-time ☐

46. If in full-time employment, please state your occupation:

.....

47. If student, what subjects studied?

.....

.....

48. Please tick the box which represents the annual total of your gross income:

Under £6,500 ☐
£6,501-£8,000 ☐
£8,001-£10,000 ☐
£10,001-£12,500 ☐
£12,501-£15,000 ☐
£15,001-£19,000 ☐
£19,001-£25,000 ☐
Over £25,000 ☐

49. Which of the following do you have?

Bank current account ☐
Bank deposit or savings account ☐
Life assurance policy ☐
Any stocks or shares ☐
Access card ☐
Barclaycard (Visa) ☐
American Express ☐
Diners Club ☐
Unit Trusts ☐
Private medical ins. ☐
Personal Accountant ☐
Building Society account ☐
A mortgage ☐
Any H.P. agreements ☐
Telephone ☐

50. Do you own your home, rent or live with your parents?

Own ☐
Rent ☐
Live with parents ☐
Other (please specify) ☐

.....

51. If you own your own home, what is the approximate value (your principal residence if you have more than one)?

Under £50,000 ☐
£50,000-£74,999 ☐
£75,000-£99,999 ☐
£100,000-£149,999 ☐
£150,000-£200,000 ☐
Over £200,000 ☐

52. How many rooms does your home (or principal residence) have?

	1	2	3	4	5	6
Bedrooms	☐	☐	☐	☐	☐	☐
Reception rooms	☐	☐	☐	☐	☐	☐

53. If you have children, please indicate their age and sex (give details of the four youngest if you have more than four.)

	FIRST	SECOND	THIRD	FOURTH
AGE: 1-3 yrs	☐	☐	☐	☐
4-8 yrs	☐	☐	☐	☐
9-12 yrs	☐	☐	☐	☐
13-16 yrs	☐	☐	☐	☐
Over 16 yrs	☐	☐	☐	☐
SEX: Male	☐	☐	☐	☐
Female	☐	☐	☐	☐

54. How many of the following items do you buy, on average, over a month?

	LESS THAN 1 PER MONTH	1 or 2	3 or 4	5 or 6	MORE	NEVER BUY
A book	☐	☐	☐	☐	☐	☐
A record	☐	☐	☐	☐	☐	☐
A tape	☐	☐	☐	☐	☐	☐

55. Please indicate below when you last did any of the following:

	IN LAST WEEK	IN LAST MONTH	LONGER AGO
Ate out at a Restaurant	☐	☐	☐
Entertained at home	☐	☐	☐
Went to the theatre/opera/ ballet	☐	☐	☐
Went to a music concert	☐	☐	☐
Went to the cinema	☐	☐	☐
Attended at sporting event	☐	☐	☐
Visited an art gallery/museum	☐	☐	☐
Went to a pub	☐	☐	☐
Had a short break in a hotel.	☐	☐	☐
Overseas holiday (in last 12 months.)	Yes ☐	No ☐	

56. Which of the following do you drink?

	MORE THAN ONCE A WEEK	ONCE A WEEK	LESS OFTEN
Beer	☐	☐	☐
Lager	☐	☐	☐
Wine	☐	☐	☐
Sherry	☐	☐	☐
Port	☐	☐	☐
Brandy	☐	☐	☐
Gin	☐	☐	☐
Rum	☐	☐	☐
Vodka	☐	☐	☐
Whisky	☐	☐	☐
Liqueurs	☐	☐	☐

DON'T DRINK ☐

57. Where do you buy most of your drink from?

An Off-licence ☐
A supermarket ☐
A Public House ☐
Other (please spcify) ☐

.....

58. Do you have any of the following cards either yourself or jointly with another person?

Cash dispenser card ☐
Retailer card/store card ☐

59. Name the three television programmes you watch most regularly

.....

.....

.....

60. Do you listen to commercial radio stations?

Yes ☐ No ☐

61. How many cars are there in your household?

None ☐
One ☐
Two ☐
Three or more ☐

62. What cars do you own?

.....

.....

63. Is one or more of your cars a company vehicle?

Yes ☐ No ☐

64. Do you usually buy your cars new?

Yes ☐ No ☐

65. How often do you tend to change your car(s)?

Once a year or more often ☐
About every two years ☐
About every three years ☐
Less often ☐

66. Do you smoke?

Cigarettes ☐
Cigars ☐
Pipe ☐
Don't smoke ☐

67. Other than items purchased for your computing, have you bought any other types of goods by mail-order during the past 12 months.?

Yes ☐ No ☐

68. If the answer to the previous question is YES, please state the type(s) of goods purchasesd.

.....

.....

69. Which of the following newspapers do you read?

The Times ☐
The Daily Telegraph ☐
The Financial Times ☐
The Guardian ☐
The Independent ☐
The Daily Express ☐
The Daily Mail ☐
The Daily Mirror ☐
The Sun ☐
Today ☐
None of the above ☐

70. Which of the following Sunday newspapers do you read?

The Sunday Times ☐
The Observer ☐
The Sunday Telegraph ☐
The Sunday Express ☐
The Mail on Sunday ☐
The Sunday Mirror ☐
The People ☐
The News of the World ☐
News on Sunday ☐
None of the above ☐

71. Are you a member of a book club?

Yes ☐ No ☐

72. Are you a member of a record club?

Yes ☐ No ☐

73. Which, if any, of these sports and activities do you play or take part in nowadays?

Cricket ☐
Fishing ☐
Golf ☐
Rugby ☐
Soccer ☐
Sailing ☐
Skiing ☐
Shooting ☐
Swimming ☐
Squash ☐
Tennis ☐
Weight training ☐
Windsurfing ☐

74. Which of the stores listed below have you been shopping in during the last six months?

Boots ☐
W.H. Smith ☐
John Menzies ☐
Dixons ☐
Currys ☐
Laskys ☐
Rumbelows ☐
Burtons ☐
Austin Reed ☐
Hornes ☐
Next ☐
Fosters ☐

75. Do you own a:

Stereo/Hi-Fi system ☐
Tape player/recorder ☐
Video recorder ☐
T.V. ☐
None of the above ☐

To enter our FREE draw, fill in your name and address details and fold as shown below. Remember all entries must be returned by 11th November 1988

NAME .....

ADDRESS .....

.....

COUNTY .....

POSTCODE .....

To post, fold on the dotted line A. Fold again at B and C and tuck B into flap formed by C. A

Postage will be paid by licensee

Do not afix postage stamps if posted in Gt. Britain, Channel Islands, N. Ireland or the Isle of Man.

B

BUSINESS REPLY SERVICE
Licence No. WC3970

2

YOUR COMMODORE
ASP Ltd.
No 1. Golden Square,
LONDON
W1R 3AB

C

A LOT OF STYLE FOR A LOT LESS FROM ARGUS AND GRATTAN

Argus Specialist Publications and Grattan have got together to bring you two superbly stylish offers at prices which you won't beat anywhere. Order today and discover just how little it costs to have style.

Casual Jackets

£32·99 EACH

More than just good-looking, these colourful padded jackets are also very practical.

Both are made from easy-care polyester/cotton fabric and come in a choice of colourways.

Look at the jackets then look at the price and you'll realise that this is one garment you can't afford to be without.

1 Padded jacket with draw string hood, collar and two flap pockets. Front zip and stud fastening.
Polyester 65%, cotton 35%.
Available in Blue/Navy and Jade/Black.
Chest sizes: 34/36, 38/40, 42/44 ins.

2 Padded jacket with concealed hood, zip fastening and two slant side pockets.
Polyester 65%, cotton 35%.
Available in Grey/Black/Burgundy and Grey/Black/Yellow. Chest sizes: 34/36, 38/40, 42/44 ins.

Telephone orders direct on 0274 521126
Credit card holders please phone your order quoting ref: **U0010**

MOON Phase Watches

£49·99 EACH RECOMMENDED PRICE £99.99

All watches tell the time. Many give the date. But here's one which also tells the phase of the moon.

The Zeon Lunar Moon Phase Watch has a precision quartz movement, three hands, a date display PLUS a fascinating moving skyscape which corresponds to the sky and phase of the moon on any particular night.

These beautiful looking and intriguing watches are water resistant to 100 feet and come in ladies' and gents' styles, complete with a Burgundy leather strap.

The recommended price is £99.99 but we're offering them for an incredible £49.99 each so you can save £50.

Now that's real style.

HALF PRICE

EXCLUSIVE OFFER HOW TO ORDER

Please send me	Code	Size	Price	Qty	Total Value of Order
Blue/Navy Jacket	50G273HB3		£32.99		
Jade/Black Jacket	50K274HB3		£32.99		
Grey/Black/Burg. Jacket	50C105HB3		£32.99		
Grey/Black/Yellow Jacket	50H106HB3		£32.99		
Ladies Moon Phase Watch	76H902HB3		£49.99		
Gents Moon Phase Watch	76T905HB3		£49.99		
				p&p	£1.50
				GRAND TOTAL	

I enclose cheque/postal order payable to GRATTAN RESPONSE ("Argus Offer") or please debit my Credit Card

Access ☐ VISA ☐ **U0010**

Card No. ☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐

Expiry Date: Month _____ Year _____

Signature _____ Date _____

Send to; Grattan Response, ("Argus Offer"), Admail 79, Leeds LS1 1XE.

Name _____

Address _____

_____ Postcode _____

Grattan plc, Anchor House, Ingleby Road, Bradford BD99 2XG. Reg. No. 249001 England. Delivery subject to availability.



Talking Computers

How to program a mini Max Headroom into your favourite program

Its all very well being able to hear your prose spoken by a disembodied voice through a voice synthesiser. How much better it would be to see who the voice belonged to.

Creating a simple face on the screen is easy; getting it to talk is a touch more difficult. Even the creators of the television presenter, Max Headroom, had to rely on an actor made-up to look as though he was computer generated and enhanced by a few clever TV tricks. Armed only with some speech software, the odd sprite and a C64, I considered the possibilities of creating a talking head!

It seemed like a good idea because a talking head in an adventure would allow the users to not only see the guide but it would also tell them what was going on; a game show host could read out the questions and answers; cartoon characters designed by you, working in your own programs could be seen and heard to speak just like Fred Flintstone or Yogi Bear. Imagine your own program being introduced by a talking head explaining how to use the program...it's easy to get carried away by the possibilities but what about the practical problems?

The key to your character being seen to talk is lipsync. Lipsync means that the speaker's lips move precisely at the same time as each syllable is spoken. If the timing of these two events is not perfect then the results will look very strange. A character in the distance can be seen simply to open and close its mouth but at closer quarters this technique looks rather bad. It can be disguised by large movements of the head as in the TV program 'Spitting Image' and with ventriloquists' dolls, but those who remember the TV series, 'Thunderbirds', will recall how unconvincing the puppet's speech was because of too limited lipsync and simplistic mouth movement.

Cartoon animators recognised this problem as soon as they started adding speech to their characters and devised a number of lip movments for saying different letters. For example, the letters B and P are spoken with the lips closed and then immediately opened as they are pronounced. Similarly, the letter O requires the lips to form a different shape and so on. The problem's not getting easier is it! Fortunately such lip movements can be reduced to just a few key 'frames' to produce a reasonably convincing result.

Blinking nuisance

To add to the realism, as the lips of your character move, you should also be able to see other facial movements. The eyelids blinking or the eyes moving from side to side add realism but also create more problems.

Sprites are the ideal solution for displaying both lip and eye movement. In creating the lip movements, its possible to use just five mouth shapes to provide an acceptable result. This may not be adequate for lip-readers but it does give a convincing display. To narrow down the range of movements, I have taken groups of letters that use similar lip movements and grouped them together. The letters U,Y,W use basically the same mouth shapes but F and V share their own particular mouth shape. When the character is speaking the movements will have to blend with each other in a fairly natural way.

To achieve a convincing blink, it's important to realise that a blink is performed unconciously and at random. The program can't rely on a set delay and must therefore look to some other form of control to give a realistic result. I could have chosen to use the random number generator in the computer but it seemed a neater idea to control the blink through the string of characters to be spoken. Taking advantage of the random occurrence of the letters within a sentence, I selected the letter 'O' to cue the blink. So every time the program reads an 'O' the character will blink.

The Lipsync program that accompanies this article works by reading a string and, by scanning each character in turn, instructs a predefined sprite to be printed accordingly.

Controlling the delay is critical to lipsync but the speech synthesiser transfers a string to its own buffer and speaks as it reads each character from this buffer. The actual speech slows down the emptying of the buffer to its own slower speed as it calculates which sound goes with which character and this also makes it sound more realistic. If it didn't do this, the buffer would empty in a fraction of a second.

Because of this inbuilt sluggishness, the interrupt-driven speech software frees the computer to get on with another task, in this case reading the string for the Lipsync program. At this point I should mention that the speech buffer should always be filled just prior to the SYS call for the Lipsync routine.

The Talking Head listing is sprite data made up with four individual sprites to produce a talking head for use with Lipsync. Run the Talking Head Demo to see it in operation.

Only the first four sprite pointers are used for the head leaving the other

sprites for you to use for the body or whatever else may be required. The talking head could be used in various applications including games. The beauty of only using sprites for the head is that any text printed on the screen can scroll up without affecting the positioning of the head. Feel free to redesign the head with a sprite editor but be careful not to alter the mouth shapes too much because they must relate to the characters read from the strings.

The final program Monster Talks, is a complete program controlled from Basic. Persons of a nervous disposition should not copy this listing.

Getting it all in

Type in the BASIC loader in the normal manner. When the checksum adds up correctly, it will save it self as LIPSYNC MC, so make sure you're prepared.

Lipsync is called by SYS49333, SPRITE LOC, TIME DELAY, STRING.

SPRITE LOC is the first byte of the current sprite location. This permits you to store your talking head sprites in any location which is more convenient for your own programs. The TIME DELAY controls the lipsync timing. The STRING is where the Lipsync program finds which string to read. This can either be a string of characters in quotes or a string variable. The Lipsync Demo should be a guide and you can adapt it to your own needs in the future.

Talking Head

The loader program consists of sprite data and again will save automatically if the data has been typed incorrectly. Talking Head is for use with Lipsync only and should not be used in conjunction with the next program. Make sure that you have the Lipsync programs following on in the correct order if you're using tape, or that they are on the same disk if you're not. Sprites parameters such as positioning, size, etc. are controlled from Basic. (See Lipsync Demo.) The talking head sprites are located in memory at $3C80 (15488).

Monster Talks

Type and save Monster Talks Ldr. Before you run it, reset the computer and type in the following in direct mode (if you don't do this the Basic loader will corrupt itself).

```
POKE43,0:POKE44,32:POKE
40959,0:NEW
```

As with the other programs, it's best to study the demo and experiment for yourself. The program Monster Talks resides at the start of Basic so as to avoid any memory conficts with any of the speech software.

Once saved as a working program, the program should be run before using, or writing, a Basic program. The reason being that it raises the start of Basic to protect itself from being over written.

Controlling Monster Talks

When you have loaded Monster Talks, run it before loading the demos or entering your own programs. SYS 3650 will initalise and print the Monster onto the screen.

SYS 3650+3, TIME DELAY, STRING.

Will co-ordinate the lipsync after any call to your voice synthesiser.

SYS 3650+6 will return you to Basic.

WIN WITH
COURSEMASTER
THE COMPUTER HORSERACING PROGRAMME

★ RATES ANY RACE IN SECONDS - ANY DAILY NEWSPAPER IS ALL YOU NEED
★ NEVER out of date - Both N. Hunt and Flat - Fast data entry
★ AMAZING ACCURACY!! - Now you CAN BEAT THE BOOKIE!!
★ Works on the simple principle that FAST HORSES BEAT SLOW ONES !!!!!
★ Clearly identifies best selection in every race plus these AMAZING Features:-
★ First, Second and Third choice shown for forecasts and Tricasts etc. Recommends most suitable type of bet.
★ Actually works out your WINNINGS on most popular bets including SINGLES and DOUBLES, win and each way, PATENTS, YANKEES, CANADIANS, HEINZ etc. Good EACH WAY and LONG ODDS bets clearly shown
★ Will PRINT out your BETTING SLIP for you
★ Maintains a BANK ACCOUNT - BET Like PROFESSIONALS Do! Records all your bets in any number of accounts. Keeps a complete record of your betting or compare COURSEMASTER against your favourite tipster.
★ PLUS!! - THE AMAZING COURSEMASTER SYSTEM. This superb betting system is included in the programme. A system which regularly produces huge wins from small stakes. try it! Can pay for itself many times over on the first day!
★ Supplied with 20 page BETTING GUIDE and MANUAL.

FREE HOT TIP OF THE MONTH TO EVERY PURCHASER

All for **£14.95** inc Post & packing (Disc Users please add £2.00 for disc)
Available now for all Spectrums (inc +3 disc version), Commodore 64/128 Sinclair QL, (add £1 for mdrive), Amstrad CPC, All PCW's, BBC and Electron, IBM/PC compatibles. Please state which.

£ PROFIT FROM YOUR MICRO

★ WHATEVER your MICRO is you can use it to make a good income! Even if you only have a couple of hours spare each week!
★ We have put together a package of easy, sensiblie and practical business ideas which can easily be used by anyone with any micro No computer expertise required!!
★ Earn ££'s from home doing what you enjoy doing - using your COMPUTER! It doesn't matter which model.
★ You probably already have all you need to start earning.
★ THOUSANDS of potential customers in your area who will GLADLY for your services. We will show you how to find them!

Full step by step guide to EARNING MONEY FROM YOUR MICRO.
FREE BUSINESS IDEAS CASSETTE TAPE WITH EVERY COPY
£12.95 inc p&p

SPECIAL OFFER:- Buy both of the above - discount **£2.00**

INTRASET Ltd. Dept (YC1) FREEPOST (No stamp needed), 6 Gilderdale Close, Gorse Covert, Birchwood, Warrington, Cheshire, WA3 2BR. (Large SAE for further details)

It's easy to complain about advertisements. But which ones?

Every week millions of advertisements appear in print, on posters or in the cinema.

Most of them comply with the rules contained in the British Code of Advertising Practice.

But some of them break the rules and warrant your complaints.

If you're not sure about which ones they are, however, drop us a line and we'll send you an abridged copy of the Advertising Code.

Then, if an advertisement bothers you, you'll be justified in bothering us.

The Advertising Standards Authority.
If an advertisement is wrong, we're here to put it right.

ASA Ltd, Dept 2 Brook House, Torrington Place, London WC1E 7HN

This space is donated in the interests of high standards of advertising.



Echelon

Your orders are to report to the top secret flight facility known as Echelon and be trained to operate the Lockhead C-104 Tomahawk which is the most awesome combat and exploration craft in the 21st Century. So begins this 3D spaceflight simulator, from the authors of Leaderboard.

This task shouldn't be any problem to someone who's mastered the controls of a 20th Century craft such as a Gunship helicopter or a civil or military aircraft because you have standard controls over the craft's pitch and roll, thrust and attitude. In fact the game comes with a Gunship-style keyboard overlay to help you find the right keys without delving continually into the extensive 72 page instruction manual.

Squeezed inside the presentation box is a lipstick, which sets Echelon apart from other combat flight simulators. No, it's not the latest shade from Max Factor but a voice-activated, headset microphone (lipstick) which you use to fire your weapon systems. It's important to realise that it's only voice-activated and does not employ voice recognition, it simply waits for some noise to activate it. In other words saying FIRE will launch a missile, as will LAUNCH, WOMBAT, or a whistle or cough. The headphones supplied with the Lipstick don't actually work but *do* create an interesting atmosphere.

With your headset on and your joystick primed you're ready for action. After a brief security check to make sure the Lipstick and joystick are in the correct joystick ports, the main game loads and you are launched into the massive vector graphics landscape. A grid that corresponds to your map references is superimposed on the ground to help you navigate around the various sectors as you carry out one of three missions.

In scientific mode, your job is to explore the planet, collect and identify curious objects and solve a series of mysteries to unearth what exactly is going on in this sector and what, if anything, is the significance of the pirate maps. I'm not giving anything else away about this mission as it's the main one in the game but it will suit those gamers who prefer a logical approach which engages their minds more than their lasers.

Patrol mode adds some action for itchy fingered combat pilots while they're exploring the unknown and Military mode is all-combat for those who want to try out their missiles, lasers and photon cannons. These are selected by pressing the function keys and then fired using the Lipstick.

As a combat game, Echelon quickly reached a limit where hurling missiles at only one type of alien became tiresome and so I decided to concentrate on the scientific mission and began exploring the unknown. In this mode you can hover and land or even launch the RPV and remote vehicle from which you can watch the Tomahawk itself to get a different angle on the action.

The game now comes into it's own as you find a massive playing area to explore which includes buildings satellites and towers, some of which hold the keys that could unlock the mystery of the private maps.

T.H.

Touchline:
Title: *Echelon.* ***Supplier:*** *Access (US Gold), Units 2/3, Holford Way, Holford, Birmingham, B6 7AX.* ***Tel:*** *021 356 3388.* ***Machine:*** *C64* ***Price:*** *£14.99.*

Software for Sale

If you think that one of our programs looks very interesting, but you can't afford the time to type it in then our software service will help you out

It's three o'clock in the morning. You sit at the computer keyboard having just finished a marathon typing session entering one of the superb programs from *Your Commodore*. Your fingers reach for the keyboard and press the letters R, U and N. You press RETURN, sit back and nothing happens.

Everyone has probably faced this problem. When it does happen it's a matter of spending hours searching through the program for any typing mistakes. No matter how long you look or how many people help you, you can usually guarantee that at least one little bug slips through unnoticed.

The *Your Commodore* Software Service makes available all of the programs from each issue on both cassette and disk at a price of £6.00 for disk and £4.00 for cassette. None of the documentation for the programs is supplied with the software since it is all available in the relevant magazine. Should you not have the magazine then back issues are available from the following address:

INFONET LTD, 5 River Park Estate, Berkhamsted, Herts HP4 1HL.
Tel: (04427) 76661

Please contact this address for prices and availability.

The Disk

Programs on the disk will also be supplied as totally working versions, i.e. when possible we will not use Basic Loaders thus making use of the programs much easier. Unfortunately at the moment we cannot duplicate C16 and Plus/4 cassettes. However programs for these machines will be available on the disk.

What programs are available?

At the top of each article you will find a strap containing the article type, C64 Program etc. So that you can see which programs are available on which format, you will also find a couple of symbols after this strap. The symbols have the following meaning:

This symbol means that the program is available on cassette.

These programs are available on disk.

Please Note

Since the programs supplied on cassette are total working versions of the program, we do not put disk-only programs on tape. There is no sense in placing a program that expects to be reading from disk on to tape.

JUNE '88

DIRECTORY EDITOR — A superb utility that allows you to alter your disk directories as well as add comments (C64 disk only).

30K RAM DISK — Turn unused memory on your C64 into a pseudo disk.

BASIC LISTER — List a Basic program stored on disk without having to load it into memory (disk only).

EASY BASIC TOOLKIT — Give your C64 over 30 new basics - including the ability to store libraries of subroutines.

DISK SECTOR EDITOR — Examine the contents of your Commodore 1541 disks (disk only).

ORDER CODE
DISK YDJUN 88 £6.00
TAPE YCJUN88 £4.00

JULY '88

EASIPRINT — Now C16 and Plus/4 owners can access their printer functions with a set of 60 easy to use Basic commands (available on disk only).

HANDY INPUT ROUTINES — Make your Basic programs idiot-proof and more attractive with these two Basic input routines (C64).

MAKING MUSIC — A simple C64 synthesiser to accompany our popular series.

DIY PARALLEL INTERFACE — Use this software and a lead of your own manufacture to drive a Centronics printer (C64).

CP/M CENTRONICS INTERFACE — Give your 128 in CP/M mode access to a Centronics printer..

CASSETTE INLAY PRINTER — Use your printer to produce neat inlays for your cassette collection (C64).

DISKASSEMBLER — Dissassemble your programs direct from disk with this program for the C64 (Disk Only).

ORDER CODE
DISK YDJUL88 £6.00
TAPE YCJUL88 £4.00

AUGUST '88

MAKING MUSIC — Programs to accompany August's installment of our super music series (C64).
SHORT INTERLUDE — Overcome the problems of handling more than one interrupt with this handy routine for machine code programmers (64).
TAPE ORGANISER — A high speed program filing system for cassette users. (C64).
SPILT BAUD RATE TERMINAL — Drive an RS232 modem with this TTY software for C64 or C128.
SPRITE LIBRARY — Aeroplanes are the subject of this installment (C64).
EDUCATING SYDNEY — Create an image of the SID chip in memory so that you can see what it's up to whenever you require (C64).
SIMPLE — Give your Plus/4 the facility to use Icons and pull down menus. Available on disk only.

ORDER CODE
DISK YDAUG88 £6.00
TAPE YCAUG88 £4.00

SEPTEMBER 1988

MUSIC COMPOSER – Compose your own three part harmonies on your C64 with this superb package – disk only.
MUSICAL FX – An excellent effects generator that allows you to produce sound effects in your own C64 programs.
SAMPLER 64 – The quality may not be suitable for studio use but you can have great fun using this C64 sound sampler.
C16 Disk Monitor – A superb disk utility for C16 and Plus/4 owners (available on disk only)

ORDER CODE
DISK YDSEP88 £6.00
TAPE YCSEP88 £4.00

OCTOBER 1988

SPRITE LIBRARY – In this instalment our sprites take on the look of the alphabet (C64)
SAMPLER 64 – See September 1988 for details (full program on both September and October disks and tapes.)
SET THE ALARM – Use the C64's in-built clock as an alarm.
JACK IN THE BOX – A handy box utility for Basic and machine code programmers (C64).
FILE EXTENSION – Modify your disk directory so that you can load all your programs with ease. (C64 disk only)
HI-RES/MULTI/COLOUR PLOTTER – A selection of plot routines for both Basic and machine code programmers. (C64)
JOYSTICK CURSOR – Let your joystick emulate the cursor keys (C64).
HI-RES FILL – A superb machine code fill routine for all graphics programmers. (C64)
CODE RELOCATION – Change your machine code programs so that they will run in any area of your C64's memory.

ORDER CODE
TAPE YCOCT88 £4.00
DISK YDOCT88 £6.00

Cassettes or disks are available from March 1986. Please ring the editorial office (01-437 0626) for details of these.

ORDER FORM – PLEASE COMPLETE IN BLOCK CAPITALS

NAME	QTY	TAPE/DISK	ORDER CODE	PRICE
NOVEMBER 88		**TAPE (£4.00)**	**YCNOV88**	
NOVEMBER 88		**DISK (£6.00)**	**YDNOV88**	
OVERSEAS POST £1				
			TOTAL	

NAME. . . . . .

ADDRESS. . . . . .

POSTCODE. . . . . .

I enclose a cheque/postal order for £. . . . . made payable to ARGUS SPECIALIST PUBLICATIONS LTD.

All orders should be sent to: YOUR COMMODORE, READERS SERVICES, ARGUS SPECIALIST PUBLICATIONS, 9 HALL ROAD, HEMEL HEMPSTEAD, HERTS HP2 7BH.
Please allow 28 days for delivery.

Letters

Your opinions are what count. So put pen to paper and let us know how you feel about the industry, and of course the magazine!

I would like to pass on some criticism of *Your Commodore* magazine. The broad coverage of your magazine serves the interests of many readers known to me. The odd printing error or so is no problem and is usually remedied on the Back Page.

Our complaint would only be the poor presentation of some programmes. A recent example is the C64 Utilities Unlimited series. The February program Turbo Menu Maker was very hard to read and I found several cases where "66" entered produced the same checksum as "55". However, after borrowing the magazines of fellow readers most of the errors were resolved. The program runs but I'm sure it still has an error or two.

The March issue continued the series with three more potentially useful utilities. The second program however, proved impossible to read in certain sections. After borrowing magazines from friends again, buying a second copy from a different newsagent (I tried to get away from my neswagent's obviously bad batch); and then being loaned a copy from my original newsagent the program still remains unfinished. I have even resorted to making blown-up copies of the unreadable parts on a copier and still failed.

Given the high quality of other program formats used in *Your Commodore* e.g. Popper and Spelling Checker along with Joystick Read in the same issue, supporters of Your Commodore should be able to enjoy the same high quality presentation in all program presentations.

On another topic, your review Write On (Nov '86) re: Script/Plus for Plus/4 and C16 owners was glowing in its praise. I subsequently obtained this program and am using it for this letter. It is much more convenient than Easy Script on the C64, however I wonder if English versions have the same problems with two minor bugs in the program acknowledged by Commodore in Australia. One, Save with Replace?, does not work, a new file name has to be used, Two, it is necessary to exit Disk Mode and return again to execute a second disk command.

Thank you for a well-balanced magazine, for all Commodore owners including Plus/4 and C16, forgotten by lesser magazines.

G.K. Polson, Australia.

In the next few months you should be seeing a marked difference in the listings of Your Commodore. *We will be starting to print many of our programmes using lower case. This will avoid confusion between certain letters and numbers, for example 8 and B.*

The 'poor presentation' that you mention in your letter was due to a grey tint being placed behind the listings. Steps have already been taken to prevent this happening again.

We have already mentioned in the magazine that 'clean' photocopies of the DISKIT series (1-5) are available from this office. If anyone would like a copy then send a large stamped, self-addressed envelope to:
DISKIT PHOTOCOPIES
Your Commodore
1 Golden Square
London
W1R 3AB

As for your question about Script Plus, we have not experienced this problem. Maybe some of our readers have?

Calling all knitters

I have been using and following Commodore for nearly two years, and reading *Your Commodore* for a year and really enjoy the coverage given to all aspects of computing. But I have one moan at the moment, and this is that there is a Sinclair and an Amstrad program for knitting, but there is nothing from Commodore programmers. My wife enjoys knitting and would like to see a program for knitting as I'm sure would the many wives of other male computer maniacs.

Is there any one that has an idea about such a program? Or perhaps one of the programmers from *Your Commodore* can put together a program for knitting.

I can even understand the fact that there is practically no programmes for the C128 (of which I own and am proud off) and it is the same with some utility programmes; there seems to be more for BBC computers and Amstrad, etc, than there is for Commodore? It is not as if the Commodore does not have the capabilities for such programmes, the blame lies with the programmers who keep pumping out games and don't give us the chance to use and

appreciate and enjoy some different utility programmes.
Norman Stone, Chelmsford, Essex.

Knitting and computing don't normally go hand in hand and I'm afraid that I don't know any knitting computer buffs who could produce such a program.

I'm sure that one of our readers somewhere will have, or could, produce such a program. So come on send it in, we may even publish it!

Cutting down the Workload

As a small businessman now getting to grips with computing I would like to express my thanks to you for publishing a magazine that covers the whole field of Commodore computing.

Many of your article/programs have helped me now to make computing profitable and labour saving, by showing me how to write my own detailed programs in Basic that get the desired results in half the time required by a certain well-known make of PC and clones.

Might I hope that in the not too distant future as the 128 becomes more established, we shall see some programmes to make greater use of its ability to read other formats and thereby saving hundreds of poor overworked users the never ending problems of incompatible disks.

Having over the years had a great deal of experience with many makes of so called business computers, I have come to appreciate that instructions to employees can in fact be written directly into a computer in Basic and be carried through, without further help from any human hand. The speed at which the computer works is of little importance if there is not the need for an operator to sit watching it. What is important is be able to communicate with your computer in a way that it understands. Your magazine articles and programmes about Basic help tp show how simple it is to communicate and programmes about Basic help to powerful and reliable employee in its own right. It also shows that a businessman can still be the boss and need not be the slave to the computer and its software.

During the past four years I have been able to increase my clientele and profits and have more spare time and I owe all this to two very important factors. Firstly my good fortune to finally purchase a Commodore computer and secondly to reading *Your Commodore* every month.
Mike Gray, Leatherhead, Surrey.

Making Music?

I am a musician interested in the musical possibilities of computers and I have been struggling with my 64 for sometime, so I was pleased to see the inclusion of a new series on music in the August issue.

However, I was disappointed after reading the article by Peter Gerrard. The article is supposed to be an introduction but I found it irritating that a couple of errors were made that would either confuse or baffle a newcomer.

Firstly terminology: the term waveform was confused with the term wavelength, waveform refers to the shape of the sound wave i.e. triangular, sawtooth, etc. Wavelength is the length of one complete cycle of the wave, i.e. from one peek of the wave to next. Physicists will know that wavelength is measured in metres like the dial on your radio and is inversely proportional to the frequency.

Finally the few lines of the program between the text which is supposed to make a sound will not work, because a value of zero is in the SID registers (54272 & 54273) that control the frequency. The first line of the program clears the SID chip by poking zeros into all the registers. A paragraph explaining the frequency control registers should have been included in this introductory article, after all if this was your first attempt at a sound program on the 64 you could have been put off for life.

For readers who are still in need of a little help I can recommend Ian Waugh's book Music for Commodore 64 (Sunshine Press).

Despite the fact I am complaining, I think *Your Commodore* magazine is probably the best Commodore computing magazine around at the moment. There have been numerous useful utility programmes for the serious user so I am looking forward to more music articles in the future particularly interrupt driven music routines.
V.H. Berry, London.

We've had many letters praising Pete Gerrard's attempt at clarifying the quagmire of programming the Commodore sound chip.

Thanks, for pointing out the errors, anyway. Be assured that Pete has had his hands slapped.

As for interrupt music routines, these will be covered in a later part of Pete's series.

I wish to take this opportunity to congratulate you on your marvellous publication *Your Commodore*. I have purchased every edition and have found it extremely helpful. My previous computer was a 64 and I now own a 128. Therein lies the problem.

The really excellent utilities published, it seems to me, are for the most part aimed at 64 users. WIMP is an example of this. I hope that future issues will include 128 Utilities similar to WIMP.

Also your articles mention references to future articles, eg. single pixel hi-res smooth scrolling "à la Crowther". As I am obsessed with scrolling, I buy each issue in anticipation that this will be the one containing smooth scrolling, only to be disappointed. These future articles never seem to materialise. I hope some consideration might be given to continuity of a series.
Michael Vocale, Australia.

Many thanks for your kind comments about the magazine.

I'm sorry that you feel that most of our programmes are for the C64 and not the C128. Don't forget that all C64 programmes should work on the C128.

Obviously since most Commodore owners have a C64 the large majority of the submissions are for this machine. So come on you owners of other Commodore computers, send your programmes/articles in to us.

Sometimes authors of articles do promise us second, and even third parts, which unfortunately don't always materialise in our office; sometimes due to pressures of work. Even so, we do always try to bring you as many articles on programming as we can. Maybe this letter will provoke Mr Crowther into producing some new prose/programs for our readers to mull over.

By Gordon Davis

Touchline:
Supplier: *Financial Systems Software Ltd, 18 High Street, Pershore, Worcs WR10 1BG.* ***Tel:*** *(0386) 553153.*
Machine: *C64/128.* ***Price:*** *£34.95.*



Warp Speed is the latest contender in the cartridge wars which have spawned the Expert and the Final Cartridge. It's not to be confused with the Warp 25 fast load system inside the Action Replay Mk IV cartridge from Datel which received the speed accolade in a recent comparative test by Commodore Disk User. I'd like to have put Warp Speed through an identical procedure, but I didn't have the precise test programs available.

I did however run some tests on a 47-block Basic program of my own. With no assistance from the cartridge, this program loaded on a 1541 drive in 35 seconds. The manual claims that Warp Speed can load such a file roughly 500 per cent faster. In 10.6 per cent faster. This can be improved on because the fast save on Warp Speed writes files to disk in 1571 format on a 1541 drive. Using the cartridge these can be reloaded, the manual says, up to 1000 per cent faster.

When tested, the fast save itself took just over seven seconds, while reloading took six seconds in this format. That's not 1000 per cent, more like 600, but to be fair, the claim is *up to* 1000 per cent faster. Frankly, this is rather sluggish. Warp Speed is doing the bare minimum of fast loading. Most rival cartridges use relatively sophisticated crunch/decrunch systems to reduce the number of byes that they have to read and write. As a result, Action Replay's Warp 25 is able to do things at an incredible 35.6 bits per second. That's approximately 2000 per cent faster.

Warp Speed at its fastest is loading at about 10 bps (as against 1.8 bps for a naked system) which makes it comparable with the Freeze Machine in its slowest mode. Since this latter was the slowest loader during the cartridge speed trials, Warp Speed's performance is not good.

Clean cut

Perhaps Warp Speed has other good points? Well if you're on the lookout for a cartridge that does naughty things don't look at this one. You can't grab anything, freeze it or twiddle with it in any way.

Cinemaware have kept this little box squeaky clean, so unlike other companies they won't be getting slapped wrists from the software houses.

All this makes Warp Speed a little worthy-but-dull. Nonetheless it does have useful features. Disk or file copy and multi-scratch commands are included, plus a very respectable sector editor and an extensive range of utility commands.

There's also a built-in machine code monitor. Cinemaware says 'one of the most advanced monitors ever produced for the Commodore 64 and 128.' Could've fooled me! I must be missing some little thing or other, because to me it looks just like a monitor, neither better nor worse than a host of other monitors. Worse, the manual describes it as a monitor/assembler. An incredible achievement because what we have here is an assembler with one command! In fact what it does is to take a mnemonic and operand in immediate mode and convert them to machine code, that's all. Useless for entering more than about 8 bytes of code, and not even that if you need to branch. Hype, do they mean us?

All things considered, the most useful thing about Warp Speed is that it has a little switch which enables it to work in either C128 or C64 mode. Apart from that it's a rather dull, pedestrian product far surpassed by other cartridges on the market.

Disk Contents

How is information stored on a disk and where does GCR come in? ***By Eric Doyle***

Commodore disk drives are classed as 'intelligent' drives because they contain their own disk operating system (DOS) which maximises on the amount of free space for programming within the computer's memory. All of the operations are translated and executed by the 6502 based circuitry inside the drive making it effectively a dedicated computer in itself. Contained on the board is a 16K ROM operating system and 2K of RAM for temporary storage of information for transmission to the computer (buffers) and for variables generated by the 6502.



Diagram 1: *Track arrangement on 5.25 disk*

Information is stored on disk in short bursts of data (sectors) which are arranged around the disk in concentric rings known as tracks. There are 35 tracks across the disk surface but the number of sectors varies with the circumferal length of the track. Obviously the track around the centre of the disk is shorter than the first track around its rim. On most other disk systems the number of sectors is the same on each track but the concept of the Commodore system is one of effective use of storage space. Where other systems leave large tracts of wasted space on the outer tracks, the 1541 system packs in extra sectors and increases the disk capacity.

Table 1 — Tracks and Sectors

TRACK NUMBERS	SECTORS	TOTAL
1-17	21	357
18	19 (directory)	19
19-24	19	114
25-30	18	108
31-35	17	85

Total number of sectors = 683
Number of usable sectors = 664

Most people know that each sector stores around 256 bytes of information but the data is not stored in the usual binary or hexadecimal format. A system known as Group Coded Recording (GCR) is used which displays certain features that enable the storage system to be even more compact than would be possible otherwise. GCR is an unambiguous system which reduces the number of extra data bytes required by most other storage systems.

GCR is based on binary bits in groups of five (extended nybbles) arranged in such a way that no consecutive bytes will result in a series of eight ones or eight zeros. The reason for this will soon become clear but first the GCR system must be explained.

To convert from eight binary to five bit GCR, the binary byte is split into two four bit nybbles. For example the number 158 is represented in binary by 1001 1110. Taking each nybble in turn, Table 2 shows that these convert to 11001 and 11110. Information is still stored on the disk in eight bit bytes so the GCR value becomes a full byte of 1100111 and the top three bits of the next byte is formed by 110 and the first five bytes of the next GCR converted nybble.

Sector Dissection

A sector consists of an eight part header section, a fixed length gap, a seven part data section followed by another gap which leads to the next sector as shown in Table 2.

The first section of the sector consists of a synchronisation mark consisting of five bytes of value 255 which is immediately followed by a byte of value 8. The second section of the sector starts with an identical sync mark but this is followed by a value of seven. This means that when the head detects a 255 byte the operating system is alerted to the fact that some important information will follow. The next byte, the designation byte, indicates whether it is a data (7) or a header block (8).

On a header block the designation byte is followed by the two ID bytes specified in the formatting formula NO:DISKNAME,ID. This is why it is important to vary the ID from one disk to another.

The next two values pinpoint the actual track and sector values and finally a checksum byte is included as

Diagram 2: *Sector information storage*



an error check. The checksum is derived by applying the EOR command to the track, sector and two ID values in turn.

When converted to GCR the block count does not equal a whole number so a pad of two coverted bytes (20 bits GCR) is used to give a total header block of 15 full GCR bytes which converts to exactly 12 decimal bytes.

To allow time for the calculation and evaluation of the checksum, there is a short padding gap of eight bytes (10 bytes GCR).

After this gap comes the data header sync signal followed by the data designation byte (7) indicating the start of the data block. The following 320 GCR bytes convert to what we know as the 256 normal binary bytes which form the data store, the first two bytes of which are a pointer to the next track and sector of program information.

The next byte is a checksum for the data block and is followed by a block equalising padding sector of 20 GCR bits. The intersector gap follows but its length depends on which track the sector is found and the speed of the drive.

The sector is 355 bytes long but when converted to true decimal this becomes 284 bytes. Of this only 254 bytes are of relevance to the computer so you can see that a sector is much more complicated than you may at first think. The complexity results in a very accurate and reliable basis for the operating system to latch onto.

As you can see the five bit GCR numbers are stored in the normal eight bit format so that the sequence 144, 0, 255, 7 would convert directly from GCR to decimal as 202, 148, 170, 165, 87, five bytes instead of four.

Why is such a complicated system necessary? The disk drive can cope with conversions very easily and the avoidence of bytes of 11111111 or 00000000 means that these can be used for special purposes. To examine this in depth means a study of the format of a single sector.

Disk Organisation

As you've seen, the disk has a rigid structure of tracks and sectors which must be organised by the DOS. To do this the system claims a full track for its own exclusive use –track 18. This is not counted when the 'blocks free' value is calculated so an empty,

Table 2 – Standard Systems to GCR Conversion

DEC	HEX	BIN	GCR	DEC	HEX	BIN	GCR
0	$01	%0000	01010	8	$08	%1000	01001
1	$01	%0001	01011	9	$09	%1001	11001
2	$02	%0010	10010	10	$0A	%1010	11010
3	$03	%0011	10011	11	$0B	%1011	11011
4	$04	%0100	01110	12	$0C	%1100	01101
5	$05	%0101	01111	13	$0D	%1101	11101
6	$06	%0110	10110	14	$0E	%1110	11110
7	$07	%0111	10111	15	$0F	%1111	10101

To make this clearer we'll consider how the following four decimal bytes would be stored:

Table 3 – Decimal to Eight bit GCR Conversion

DECIMAL	BINARY nybbles	GCR EXTENDED nybbles	EIGHT BIT GCR
144	1001 0000	11001 01010	11001010/10
0	0000 0000	01010 01010	010100/1010
255	1111 1111	10101 10101	1010/110101
7	0000 0111	01010 10111	01/01010111

Table 4 – Header format

Track 18 Sector 0

BYTE	CONTENTS	DEFINITION
0	Next track	Normally value 18
1	Next sector	Normally value 4
2	Format ident	For 1541 value is 65
3	Unused	Value zero
4-143	Block allocation map	See Table 5 for details
144-161	Start of disk name	Padded with 160 values if less than 16 bytes
162-163	Disk ID	Two byte ID also uses byte
164	Shifted space	Value 160
165-166	DOS version and format type	50 and 65 for 1541
167-168	Shifted spaces	Value 160
169-179	Not used	Value zero
180-191	Message	BLOCKS FREE characters on some versions, otherwise value zero
192-255	Not used	Value zero

Table 5 – Block Allocation Map (BAM)

Track 18, Sector 0: Bytes 4-143

BYTE	CONTENTS	DEFINITION
4	Number of free blocks	Blocks free on track 1
5	Bit map of sectors 0-7	
6	Bit map of sectors 8-15	
7	Bit map of sectors 16-23	
8-143	As for 4-7	Each track in turn in groups of four

e.g. BYTE	4	5	6	7
VALUE	OF	F8	E3	FF
BIT	15 blocks free	11111000	11100011	11111111
SECTOR		7-0	15-8	23-16

1 = block free 0 = block used

Table 6 – **Directory Format**

BYTE	CONTENTS	DEFINITION
0	Next directory block track	Always value 18
1	Next directory block sector	Value between 2 and 18
2	File type	128 = DEL 129 = SEQ 130 = PRG 131 = USR 132 = REL
3-4	Start track and sector	First file block pointer
7-20	First filename	Padded with value 160 if less than 16 characters
21-22	Side sector track	REL files only otherwise zero
24-27	Not used	Value zero
28-29	Track and sector of	Only used when 0: save is in use replacement file
30-31	Number of file blocks	Length of file in lo-hi format
32-33	Not used	Value zero
34-63	Second file	Similar to bytes 2-31
62-95	Third file	Similar to bytes 32-63
96-127	Fourth file	Similar to bytes 32-63
128-159	Fifth file	Similar to bytes 32-63
160-191	Sixth file	Similar to bytes 32-63
192-223	Seventh file	Similar to bytes 32-63
224-255	Eight file	Similar to bytes 32-63

Table 7 – Sequential files

BYTE	CONTENTS	DEFINITION
0-1	Next track and sector	Pointer to next SEQ block
2-255	Data bytes	254 file bytes

Table 8 – Program files

BYTE	CONTENTS	DEFINITION
0-1	Next track and sector	Pointer to next PRG block
2-3	Computer load location	Only on first block otherwise data
4-255	Program data	252 bytes

Table 9 – Relative Files

Record block

BYTE	CONTENTS	DEFINITION
0-1	Next track and sector	Pointer to next record block
2-255	254 bytes of data	Empty records contain 255 in the first byte followed by zeros. Partially filled records are padded with zeros

Side sector block

BYTE	CONTENTS	DEFINITION
0-1	New track and sector	Next side sector
2	Side sector number	Value 0 to 5
3	Record length	Maximum 255
4-5	Track and sector (0)	First side sector pointer
6-7	Track and sector (1)	Second side sector pointer
8-9	Track and sector (2)	Third side sector pointer
10-11	Track and sector (3)	Fourth side sector pointer
12-13	Track and sector (4)	Fifth side sector pointer
14-15	Track and sector (5)	Six side sector pointer
16-255	Track and sector pointers	Pointers to record blocks

formatted disk only has 664 blocks free and not 683 as you might expect.

The DOS uses sector 0 as a space to store the disk header name and ID and an area to map out which sectors have been used and which are still available. In common with every other used block on the disk, the first two bytes indicate the location of the next block in track and sector order. On the header block this is always $12 and $01 or track 18, sector 1 in decimal terms.

Track 18,1 is the first block of the directory index and each entry occupies 32 bytes. On the first file entry in a block the first two bytes (0 and 1) point to the next track and sector in the chain (usually 18,4). On all other entries the first two bytes are both zeros.

The third byte is where the directory really starts with a byte which denotes the type of file – PRG (program), SEQ (sequential), REL (relative), USR (user) or DEL (deleted).

The next two bytes are pointers to the first track and sector of the file proper, then sixteen bytes are reserved for a name and bytes 30 and 31 contain the number of blocks in the file in hexadecimal low byte, high byte order.

Relative files need a special sector or series of sectors (called side sectors) and their location is stored in bytes 21 and 22 (track and sector) and byte 23 stores the fixed record length.

The file blocks start with the usual track and sector pointer followed by data in SEQ and REL files but the PRG files reserve two bytes in the first sector for the load location in the computer's memory in hi-lo byte hex format. All the following PRG sectors resemble SEQ and REL file formats with the two pointers being followed by 254 bytes of solid program data.

This continues through the chain of blocks until the last sector in the file is reached. Here the first byte is always zero and the next byte indicates where the byte after the last byte of the file can be found so that DOS knows when to hand control back to the computer.

Going back to the side sector, this is principally a list of where each record of the file is located in track, sector format. The first two bytes will form the link to the next side sector but the record length is also included so that the DOS can calculate which sector on which track and on which byte of that sector a particular record starts.

Listings

Get it right first time with our deluxe program system for the C64.

You may have noticed that our listings are free of those horrible little black blobs which send you searching around the keyboard for a suitable graphic symbol. You may also have noticed the funny numbers by the side of each line of the listing. Fret no more, it's all part of our easy entry aid.

Instead of those nasty graphics and rows of countless spaces in PRINT statements and strings we use a special coding system. The code, or mnemonic, is always contained in square brackets and you'll soon learn to decipher their meanings.

For example, [SA] would mean type in a Shifted A, or an ace of spades in layman's terms, and [SA10] would mean a row of ten of these symbols.

[S+2] means hold down the shift key and press the plus key twice. It doesn't take a great leap of logic to realise that [C+2] means exactly the same thing except that the Commodore key (bottom left of the keyboard) is held down instead of the shift key.

If more than two spaces appear in a statement then this will be printed as [SPC4] or, exceptionally, [SSPC4]. Translated into English this means press the spacebar four times or in the latter case hold the shift key down while you do it.

A string of special characters could appear as:

[CTRL N, DOWN2,LEFT5,BLUE, F3,C3]

This would be achieved by holding down the CTRL key as you press N, press the cursor key down twice, the cursor left key five times, press the key marked BLUE while holding down the CTRL key, press the F3 key and, finally hold the Commodore key down while pressing the number two key (C2 would of course make the computer print in brown).

Always remember that you should only have a row of graphics characters on your screen with no square brackets and no commas, unless something like this appears:

[SS],[C*]

In this case the two characters should have a comma between them.

On rare occasions [REV T] will appear in a listing. This is a delete symbol and is created by entering the line up to this mnemonic. Then type a closing quotation mark (SHIFT & 2) and delete it. This gets the computer out of quotes mode. Hold down CTRL and press the number nine key (RVSON), type the relevant number of reversed T's and then hold down CTRL and press zero (RVSOFF). Next type another quotation mark and delete it again. Now finish the line and press RETURN.

A list of these special cases is given in the table but remember that only one of these mnemonics will appear outside of a PRINT string: the symbol for pi. This may appear when its value is needed in a calculation so this may look something like:

:CC=2*[PI]*R:

Ignore the square brackets and just type in a shifted upward pointing arrow (ie. the pi symbol).

PROGRAM: SYNTAX CHECKER

```
5 REM SYTAX CHECKER - ERIC DOYLE

10 BL=10    :LN=70    :SA=49152
20 FOR L=0 TO BL:CX=0:FOR D=0 TO
 15
30 READ A:IF A>255THENPRINT"NUMB
ER TO LARGE";LN+(L*10):STOP
40 CX=CX+A:POKE SA+L*16+D,A:NEXT
 D
50 READ A:IF A><CX THENPRINT"ERR
OR IN LINE";LN+(L*10):STOP
60 NEXT L:SYS 49152:NEW
70 DATA 173,5,3,201,165,208,31,1
20,169,9,141,32,208,141,33,208,1
847
80 DATA 169,7,141,134,2,169,13,3
2,210,255,169,64,141,4,3,169,168
2
90 DATA 192,141,5,3,88,96,120,16
9,124,141,4,3,169,165,141,5,1566

100 DATA 3,169,14,141,134,2,141,
32,208,169,6,141,33,208,88,96,15
85
110 DATA 32,124,165,72,138,72,15
2,72,162,0,165,20,133,254,165,21
,1747
120 DATA 24,101,254,133,254,189,
0,2,240,18,69,254,133,254,232,18
9,2346
130 DATA 0,2,240,8,24,101,254,13
3,254,232,208,233,169,1,141,134,
2134
140 DATA 2,165,254,74,74,74,74,3
2,156,192,32,210,255,165,254,41,
2054
150 DATA 15,32,156,192,32,210,25
5,169,13,32,210,255,169,13,32,21
0,1995
160 DATA 255,169,7,141,134,2,104
,168,104,170,104,96,24,105,48,20
1,1832
170 DATA 58,16,1,96,24,105,7,96,
0,0,0,0,0,0,0,0,403
```

by Eric Doyle

Checksum Program

The hexadecimal numbers appearing in a column to the left of the listing should not be typed in with the program. These are merely checksum values and are there to help you get each line right. Don't worry if you don't understand the hexadecimal system, as long as you can compare two characters on the screen with the corresponding two characters in the magazine you can use our line checking program.

Type in the Checksum Program, make sure that you've not made any mistakes and save it to tape or disk immediately because it will be used with most of the present and future listings appearing in Your Commodore.

At the start of each programming session, load Checksum and run it. The screen will turn brown with yellow characters and each time you type in a line and press the RETURN key a number will appear on the screen in white. This should be the same as the corresponding value in the magazine.

If the two values don't relate to one another, you have not copied the line exactly as printed so go back and check each character carefully. When you find the error simply correct it and press RETURN again.

If you want to turn off the checker simply type SYS49152 and the screen will return to the familiar blue colours. You can then do whatever it was you wanted to do and if this doesn't use the area where Checksum lies you can go back to it with the same SYS command.

No system is foolproof but the chances of two errors cancelling one Many of the listings are presented in lower case. To turn your computer to lower case mode press the Commodore key and the SHIFT key at the same time. YC

Mnemonic	Symbol	Keypress
[RIGHT]		CRSR left/right
[LEFT]		SHIFT & CRSR left/right
[DOWN]		CRSR up/down
[UP]		SHIFT & CRSR up/down
[F1]		f1 key
[F2]		SHIFT & f1 key
[F3]		f3 key
[F4]		SHIFT & f3 key
[F5]		f5 key
[F6]		SHIFT & f5 key
[F7]		f7 key
[F8]		SHIFT & f7 key
[HOME]		CLR/HOME
[CLR]		SHIFT & CLR/HOME
[RVSON]		CTRL & 9
[RVSOFF]		CTRL & 0

Mnemonic	Symbol	Keypress
[BLACK]		CTRL & 1
[WHITE]		CTRL & 2
[RED]		CTRL & 3
[CYAN]		CTRL & 4
[PURPLE]		CTRL & 5
[GREEN]		CTRL & 6
[BLUE]		CTRL & 7
[YELLOW]		CTRL & 8
[POUND]		£
[LARROW]		←
[UPARROW]		↑
[PI]		SHIFT & ↑
[INST]		SHIFT & INST/DEL
[REV T]		see text
[Cletter]		CBM + letter
[Sletter]		SHIFT + letter

YOUR COMMODORE Listings

SECRET WRITING

PROGRAM: CAESAR CIPHER

```
3B  10 REM ************************
    **********
41  20 REM *          CAESAR CIPHE
    R       *
6E  30 REM *----------------------
    ---------*
4B  40 REM *  BY N.HIGGINS APRIL
     1988     *
73  50 REM ************************
    **********
B3  60 REM
33  70 POKE53280,6:POKE53281,6
D5  80 PRINT"{CLR,C7,RIGHT5,C@29
    }"
9A  90 PRINT"{RVSON,RIGHT5} ** C
    AESAR CIPHER PROGRAM ** "
8C  100 PRINT "{WHITE,DOWN3,RIGH
    T5}WHICH OPTION DO YOU REQUI
    RE?"
6D  110 PRINT"{WHITE,DOWN3,RIGHT
    10,RVSON}E{RVSOFF,C7}NCIPHER
     OR {RVSON,WHITE}D{RVSOFF,C7
    }ECIPHER."
FA  120 GETMD$:IFMD$=""THEN120
03  130 IFMD$<>"D"ANDMD$<>"E"THE
    N120
66  140 INPUT"{CLR,WHITE,DOWN2,R
    IGHT2}ENTER KEYNUMBER (1-25)
    :";N
64  150 IFN>0ANDN<26ANDN=INT(N)T
    HEN170
3D  160 PRINT"{UP,RIGHT2}ONLY NU
    MBERS BETWEEN 1-25 !!":FORI=
    1TO1200:NEXT:GOTO140
94  170 PRINT"{CLR,DOWN2,RIGHT2}
    ENTER TEXT (LETTERS A-Z):":I
    NPUT"{DOWN,RIGHT2}";T$
1A  180 LK=LEN(T$):IFLK<1THEN170

50  190 FORI=1TOLK
F2  200 IFMID$(T$,I,1)=" "THEN23
    0
8F  210 IFMID$(T$,I,1)>="A"ANDMI
    D$(T$,I,1)<="Z"THEN230
7B  220 PRINT"{CLR,DOWN2,RIGHT2}
    LETTERS A-Z ONLY !!":FORJ=1T
    0800:NEXTJ:RUN
AD  230 NEXTI
A7  240 J=N:PRINT"{CLR,DOWN}"
CA  250 GOSUB740
54  260 IFMD$="E"THENPRINT"{DOWN
    2,RVSON,C7} DECIPHERED TEXT
    {RVSOFF}:{WHITE}";T$:GOTO300

66  270 N=-N:J=J-1
85  280 J=J+1:IFJ>25THENJ=1
2C  290 PRINT"{DOWN2,RVSON,C7} E
    NCIPHERED TEXT {RVSOFF}:{WHI
    TE}";T$
9C  300 PRINT"{RVSON,C7} KEYNUMB
    ER{SPC7,RVSOFF}:{WHITE}";J
57  310 IFMD$="E"THENPRINT"{RVSO
    N,C7} ENCIPHERED TEXT {RVSOF
    F}:{WHITE}";:GOTO330
8E  320 PRINT"{RVSON,C7} DECIPHE
    RED TEXT {RVSOFF}:{WHITE}";
89  330 FORI=1TOLK
E2  340 D$=MID$(T$,I,1)
34  350 IFD$>="A"ANDD$<="Z"THENG
    OTO390
6F  360 PRINT" ";
4C  370 GOTO420
F2  380 REM
CB  390 C=ASC(D$)-65+N
96  400 GOSUB570
21  410 PRINTCHR$(C+65);
70  420 NEXTI
68  430 IFMD$="E"THEN490
B4  440 PRINT:PRINT"{DOWN2,RIGHT
    5,YELLOW} CONTINUE DECIPHERI
    NG? Y/N."
10  450 GETA$:IFA$<>"Y"ANDA$<>"N
    "THEN450
C3  460 IFA$="N"THEN490
16  470 GOSUB720:IFD=1THENC=1:GO
    TO540
DE  480 GOTO530
FE  490 PRINT:PRINT"{DOWN2,RIGHT
    7,YELLOW} CONTINUE PROGRAM?
    Y/N"
28  500 GETA$:IFA$<>"Y"ANDA$<>"N
    "THEN500
B5  510 IFA$="Y"THENRUN
```

```
F2  520 PRINT"[CLR]":END
AD  530 C=1-N
2F  540 GOSUB570
F6  550 N=-C
05  560 GOTO280
34  570 IFC<=25THENGOTO600
E3  580 C=C-26
6D  590 GOTO620
BF  600 IFC>=0THENGOTO620
AC  610 C=C+26
E0  620 RETURN
9C  630 PRINT"[DOWN2,RVSON,C7] A
    LPHABET [RVSOFF]:[WHITE] ABC
    DEFGHIJKLMNOPQRSTUVWXYZ"
D6  640 PRINT"[RVSON,C7,SPC3]CIP
    HER [RVSOFF]:[WHITE] ";
D7  650 FORI=0TO25
74  660 IFB=26THENB=0
D7  670 PRINTCHR$(B+65);
B3  680 B=B+1
7F  690 NEXTI
27  700 PRINT
46  710 RETURN
5C  720 D=D+1:IFD=26THEND=1
FE  730 B=D:GOTO630
7C  740 B=N:D=N:GOTO630
```

PROGRAM: COLUMNAR CIPHER

```
3B  10 REM ********************
    **********
D9  20 REM *      COLUMNAR CIPHE
    R        *
6E  30 REM *--------------------
    ---------*
4B  40 REM *  BY N.HIGGINS APRIL
     1988    *
73  50 REM ********************
    **********
B3  60 REM
33  70 POKE53280,6:POKE53281,6
CC  80 PRINT"[CLR,C7,RIGHT4,C@31
    ]"
39  90 PRINT"[RVSON,RIGHT4] ** C
    OLUMNAR CIPHER PROGRAM ** "
8C  100 PRINT "[WHITE,DOWN3,RIGH
    T5]WHICH OPTION DO YOU REQUI
    RE?"
6D  110 PRINT"[WHITE,DOWN3,RIGHT
    10,RVSON]E[RVSOFF,C7]NCIPHER
     OR [RVSON,WHITE]D[RVSOFF,C7
    ]ECIPHER."
FA  120 GETMD$:IFMD$=""THEN120
03  130 IFMD$<>"D"ANDMD$<>"E"THE
    N120
1E  140 INPUT"[CLR,WHITE,DOWN2,R
    IGHT2]ENTER KEYWORD:";M$
C0  150 LK=LEN(M$):IFLK<1THEN140

70  160 B=0:FORI=1TOLK
92  170 IFMID$(M$,I,1)=" "THENB=
    B+1:GOTO200
4A  180 D$=MID$(M$,I,1)
98  190 IFD$<"A"ORD$>"Z"THENPRIN
    T"[CLR,DOWN2,RIGHT]LETTERS A
    -Z ONLY!":FORI=1TO1200:NEXT:
    RUN
93  200 NEXTI
6F  210 IFB=LKTHENRUN
AC  220 IFLK-B>1THEN240
0D  230 PRINT"[CLR,DOWN2]KEYWORD
     MUST BE AT LEAST 2 LETTERS
    LONG!":FORI=1TO1200:NEXT:RUN

14  240 DIMKW(LK)
7C  250 A=64:D=1
70  260 FORI=1TO26
DA  270 A=A+1
50  280 FORC=1TOLK :REM ** SORT
    KEYWORD INTO ORDER IN KW **
A1  290 IFMID$(M$,C,1)=CHR$(A)TH
    ENKW(D)=C:D=D+1
F2  300 NEXTC
FE  310 NEXTI
C3  320 IFMD$="D"THENPRINT"[CLR,
    DOWN2,RIGHT]ENTER TEXT TO BE
     DECIPHERED:":GOTO340
72  330 PRINT"[CLR,DOWN2,RIGHT]E
    NTER TEXT TO BE ENCIPHERED:"

A7  340 INPUT "[RIGHT2]";T$
49  350 LT=LEN(T$)
08  360 FORI=1TOLT
5B  370 IFI>LTTHEN400
95  380 IFMID$(T$,I,1)>="A"ANDMI
    D$(T$,I,1)<="Z"THEN400
5B  390 PRINT"[CLR,DOWN,RIGHT2]L
    ETTERS A-Z ONLY !":FORI=1TO8
    00:NEXT:RUN
5C  400 NEXTI
7F  410 IFLT>1THEN440
2F  420 RUN
B9  430 LT=LEN(T$)
DD  440 IFLT/LK=INT(LT/LK)THEN46
    0
73  450 T$=T$+"X":GOTO430
75  460 PRINT"[CLR,DOWN4,RVSON,C
    7] KEYWORD[SPC8]:[RVSOFF,WHI
    TE] ";M$
B2  470 IFMD$="D"THENPRINT"[RVSO
    N,C7] ENCIPHERED TEXT:[RVSOF
    F,WHITE] ";T$:GOTO590
4F  480 PRINT"[RVSON,C7] DECIPHE
    RED TEXT:[RVSOFF,WHITE] "T$
7A  490 PRINT"[RVSON,C7] ENCIPHE
    RED TEXT:[RVSOFF,WHITE] ";
7A  500 REM
09  510 REM *** ENCIPHERED HERE
    ***
34  520 FORI=1TOLK
E1  530 FORF=KW(I)TO LTSTEPLK
4C  540 PRINTMID$(T$,F,1);
F0  550 NEXTF
F9  560 NEXTI
B3  570 REM
67  580 GOTO710
A5  590 PRINT"[RVSON,C7] DECIPHE
    RED TEXT:[RVSOFF,WHITE] ";
51  600 REM ** DECIHERING HERE *
    *
C4  610 DIMDT$(LT):CB=0
20  620 FORI=1TOLK
C4  630 FORC=KW(I)TOLTSTEPLK
51  640 CB=CB+1
37  650 DT$(C)=MID$(T$,CB,1)
57  660 NEXTC
6B  670 NEXTI
CB  680 FORI=1TOLT
BE  690 PRINTDT$(I);
85  700 NEXTI
7B  710 PRINT:PRINTTAB(12)"[DOWN
    4]TRY ANOTHER Y/N"
70  720 GETA$:IFA$=""THEN720
A4  730 IFA$="Y"THENRUN
85  740 IFA$="N"THENPRINT"[CLR]"
    :END
B2  750 GOTO720
```

PROGRAM: FRACTION CIPHER

```
3B  10 REM ********************
    **********
F7  11 REM *      FRACTION CIPHE
    R        *
10  12 REM *--------------------
    ---------*
92  13 REM *  BY N.HIGGINS APRIL
     1988    *
37  14 REM ********************
    **********
80  15 REM
7B  30 POKE53280,6:POKE53281,6
94  40 PRINT"[CLR,C7,RIGHT4,C@31
    ]"
FA  50 PRINT"[RVSON,RIGHT4] ** F
    RACTION CIPHER PROGRAM ** "
44  60 PRINT "[WHITE,DOWN3,RIGHT
    5]WHICH OPTION DO YOU REQUIR
    E?"
45  70 PRINT"[WHITE,DOWN3,RIGHT1
    0,RVSON]E[RVSOFF,C7]NCIPHER
    OR [RVSON,WHITE]D[RVSOFF,C7]
    ECIPHER."
E7  80 GETMD$:IFMD$=""THEN80
F0  90 IFMD$<>"D"ANDMD$<>"E"THEN
    80
26  100 INPUT"[CLR,WHITE,DOWN2,R
    IGHT2]ENTER KEYWORD:";M$
3B  105 LK=LEN(M$):IFLK<1THEN100

A3  120 DIMK(26),P(26)
53  150 A=0:B=0
AA  160 FORI=1TOLEN(M$)
B9  165 IFMID$(M$,I,1)=" "THENB=
    B+1:GOTO240
24  170 D$=MID$(M$,I,1)
9C  180 IFD$<"A"ORD$>"Y"THENPRIN
    T"[CLR,DOWN2,RIGHT]LETTERS A
    -Y ONLY!":FORI=1TO900:NEXT:R
    UN
81  190 C=ASC(D$)-64
91  200 IFP(C)>0THEN240
9F  210 A=A+1
67  220 K(A)=C:P(C)=A
BB  240 NEXTI
16  245 IFB=LKTHENRUN
00  250 FORI=1TO25
ED  260 IFP(I)>0THEN300
DA  270 A=A+1
1F  280 K(A)=I
8A  290 P(I)=A
F8  300 NEXTI
F1  310 PRINT"[CLR]"TAB(10)"KEYW
    ORD & ALPHABET [DOWN]"
5F  320 PRINTTAB(15)"[RVSON,C7]
     12345  "
88  330 PRINTTAB(15)"[RVSON] "SP
    C(7)" "
3D  340 PRINTTAB(15)"[RVSON]1"SP
    C(7)" "
06  350 PRINTTAB(15)"[RVSON]2"SP
    C(7)" "
63  360 PRINTTAB(15)"[RVSON]3"SP
    C(7)" "
DC  370 PRINTTAB(15)"[RVSON]4"SP
    C(7)" "
21  380 PRINTTAB(15)"[RVSON]5"SP
    C(7)" "
1C  390 PRINTTAB(15)"[RVSON] "SP
    C(7)" "
18  400 PRINTTAB(15)"[RVSON,SPC9
    ]"
43  410 PRINT"[WHITE]"
DF  420 FORI=0TO4
88  430 FORF=1TO5
81  440 POKE782,16+F:POKE781,4+I
    :SYS65520:PRINTCHR$(K(I*5+F)
    +64)
87  450 NEXTF
98  460 NEXTI
50  470 PRINT"[DOWN2]"
FD  480 IFMD$="D"THENPRINT"[DOWN
    ,RIGHT]ENTER TEXT TO BE DECI
    PHERED:":GOTO500
9E  490 PRINT"[DOWN,RIGHT]ENTER
    TEXT TO BE ENCIPHERED:"
07  500 INPUT "[RIGHT2]";T$
BE  510 LT=LEN(T$):G=LT*2
6B  520 DIMG(G)
D1  530 FORI=1TOLT
EA  540 IFI>LTTHEN570
9F  550 IFMID$(T$,I,1)>="A"ANDMI
    D$(T$,I,1)<="Y"THEN570
51  560 PRINT"[CLR,DOWN,RIGHT2]L
    ETTERS A-Y ONLY !":FORI=1TO8
    00:NEXT:RUN
07  570 NEXTI
```

```
40  580 IFLT>1THEN600
DA  590 RUN
77  600 FORY=11TO24:POKE781,Y:SY
    S59903:NEXTY
2C  610 POKE782,0:POKE781,12:SYS
    65520
05  620 PRINT"[RVSON,C7] KEYWORD
    [SPC8]:[RVSOFF,WHITE] ";M$
6C  630 IFMD$="D"THENPRINT"[RVSO
    N,C7] ENCIPHERED TEXT:[RVSOF
    F,WHITE] ";T$:GOTO810
54  640 PRINT"[RVSON,C7] DECIPHE
    RED TEXT:[RVSOFF,WHITE] "T$
FD  650 PRINT"[RVSON,C7] ENCIPHE
    RED TEXT:[RVSOFF,WHITE] ";
17  660 FORI=1TOLTSTEPG
BD  670 T=G-1
BA  680 IFI+T>LTTHENT=LT-I
B1  690 FORF=0TOT
AB  700 D$=MID$(T$,I+F,1):L=ASC(
    D$)-64
08  710 A=P(L)
9E  720 G(F+1)=INT((A-1)/5)+1
59  730 G(F+T+2)=A-5*(G(F+1)-1)
AA  740 NEXTF
9C  750 FORF=0TO2*TSTEP2
34  760 C=(G(F+1)-1)*5+G(F+2)
32  770 PRINTCHR$ (K(C)+64);
D3  780 NEXTF
E4  790 NEXTI
05  800 GOTO960
DE  810 PRINT"[RVSON,C7] DECIPHE
    RED TEXT:[RVSOFF,WHITE] ";
5C  820 FORI=1TOLTSTEPG
1A  830 T=G-1
FF  840 IFI+T>LTTHEN T=LT-I
D0  850 FORF=0TOT
37  860 D$=MID$(T$,I+F,1):C=ASC(
    D$)-64
1A  870 A=P(C)
A3  880 G(F*2+1)=INT((A-1)/5)+1
B8  890 G(F*2+2)=A-5*(G(F*2+1)-1
    )
4B  900 NEXTF
04  910 FORF=0TOT
2C  920 L=(G(F+1)-1)*5+G(F+T+2)
A9  930 PRINTCHR$ (K(L)+64);
73  940 NEXTF
84  950 NEXTI
32  960 PRINT:PRINTTAB(12)"[DOWN
    4]TRY ANOTHER Y/N"
76  970 GETA$:IFA$=""THEN970
AD  980 IFA$="Y"THENRUN
C2  990 IFA$="N"THENPRINT"[CLR]"
    :END
DC  1000 GOTO970
```

PROGRAM: P.PROTECTOR-DATA

```
E1  100 REM ********************
    ***********
B8  110 REM *      PASSWORD PROTE
    CTOR      *
84  120 REM *--------------------
    ----------*
91  130 REM *  BY N.HIGGINS APRI
    L 1988    *
90  140 REM *--------------------
    ----------*
F6  150 REM *--------------------
    ----------*
43  160 REM *  M/C PROGRAM TO PR
    OTECT A   *
4E  170 REM *  BASIC PROGRAM IN
    MEMORY;   *
BC  180 REM *  WITH A SECRET PAS
    SWORD !   *
E7  190 REM ********************
    ***********
47  200 REM
2B  210 PRINTCHR$(147):POKE53281
    ,0:POKE646,7
68  220 PRINT"[DOWN2,RIGHT]PLEAS
    E WAIT - POKEING IN MACHINE
    CODE"
D1  230 GOSUB470:POKE53280,0
BD  240 PRINT"[CLR,DOWN2,RIGHT]P
    ASSWORD PROTECTOR M/C NOW IN
     MEMORY"
30  250 PRINT"[DOWN2,RIGHT2]SELE
    CT OPTION (1-3)"
72  260 PRINT"[DOWN2,RIGHT2](1)
    SAVE CODE TO DISK"
63  270 PRINT"[DOWN,RIGHT2](2) S
    AVE CODE TO TAPE"
E3  280 PRINT"[DOWN,RIGHT2](3) E
    XIT"
DD  290 GETA$:IFA$=""THEN290
8A  300 A=VAL(A$):IFA<1ORA>3THEN
    290
9A  310 IFA=3THEN430
E3  320 A$="PREPARE CASSETTE FOR
     SAVING":D=1
F2  330 IFA=1THENA$="PLACE REQUI
    RED DISK IN DRIVE":D=8
CC  340 PRINT"[CLR,RIGHT]";A$:PR
    INT"[DOWN3,RIGHT3]PRESS ANY
    KEY WHEN READY"
E2  350 POKE198,0:WAIT198,1:POKE
    198,0
C6  360 REM ------ SAVE MACHINE
    CODE -------
36  370 SYS57812"P.PROTECTOR M/C
    ",D,1:REM * FILENAME *
F3  380 POKE193,0:POKE194,192:RE
    M * START ADDRESS TO SAVE ($
    C000) *
79  390 POKE174,159:POKE175,199:
    REM * END ADDRESS TO SAVE-1
    ($C79E) *
1E  400 REM
B1  410 SYS62957:REM * PERFORM S
    AVE *
2A  420 REM
F3  430 PRINT"[CLR,DOWN,RIGHT]OK
    AY - SYS49152 TO PROTECT A P
    ROGRAM"
39  440 END
0E  470 FORL=0TO122:CX=0:FORD=0T
    O15:READA:CX=CX+A:POKE49152+
    L*16+D,A:NEXTD
68  480 POKE53280,(PEEK(53280)AN
    D15)+1
7C  490 READA:IFA<>CXTHENPRINT"E
    RROR IN LINE";510+(L*10):STO
    P
87  500 NEXTL:RETURN
F4  510 DATA165,157,48,1,96,173,
    32,208,174,33,208,172,134,2,
    141,92,1836
60  520 DATA192,142,91,192,140,9
    3,192,169,0,141,32,208,141,3
    3,208,169,2143
B9  530 DATA54,160,196,32,30,171
    ,32,228,255,201,133,208,3,76
    ,36,193,2008
5C  540 DATA201,134,208,3,76,94,
    192,201,136,208,235,32,68,22
    9,173,91,2281
9D  550 DATA192,141,33,208,173,9
    2,192,141,32,208,173,93,192,
    141,134,2,2147
9F  560 DATA24,162,20,160,0,32,2
    40,255,76,116,164,246,254,14
    ,32,68,1863
88  570 DATA229,32,250,192,169,4
    8,133,252,169,2,133,253,169,
    0,133,144,2308
8A  580 DATA169,36,133,251,169,2
    51,133,187,169,0,133,188,165
    ,253,133,183,2553
58  590 DATA169,8,133,186,169,96
    ,133,185,32,213,243,165,186,
    32,180,255,2385
4B  600 DATA165,185,32,150,255,1
    64,144,208,74,160,6,132,251,
    32,165,255,2378
51  610 DATA166,252,133,252,164,
    144,208,59,164,251,136,208,2
    38,164,252,32,2823
91  620 DATA205,189,32,59,171,32
    ,165,255,166,144,208,39,170,
    240,6,32,2113
B4  630 DATA210,255,76,181,192,3
    2,215,170,32,250,192,32,228,
    255,201,3,2524
E5  640 DATA240,34,201,32,208,9,
    32,228,255,240,251,201,3,240
    ,21,160,2355
E3  650 DATA4,208,184,32,70,246,
    169,3,160,193,32,30,171,32,2
    28,255,2017
4D  660 DATA240,251,208,3,32,70,
    246,76,31,192,162,6,32,59,17
    1,202,1981
D0  670 DATA208,250,96,5,13,32,3
    2,32,32,32,32,32,32,32,32,65
    ,957
0E  680 DATA78,89,32,75,69,89,32
    ,84,79,32,67,79,78,84,73,78,
    1118
E7  690 DATA85,69,13,0,160,1,177
    ,43,208,49,169,52,160,193,32
    ,30,1441
02  700 DATA171,76,230,192,147,5
    ,17,32,32,32,32,32,32,32,69,
    82,1213
58  710 DATA82,79,82,32,45,32,78
    ,79,32,66,65,83,73,67,32,80,
    1007
D4  720 DATA82,79,71,82,65,77,13
    ,13,13,13,0,169,21,160,197,3
    2,1087
75  730 DATA30,171,32,228,255,20
    1,68,240,6,201,84,240,7,208,
    243,162,2376
E4  740 DATA8,76,118,193,162,1,3
    2,186,255,169,15,160,196,32,
    30,171,1804
7B  750 DATA169,0,133,2,32,8,196
    ,32,228,255,240,251,201,13,2
    40,44,2044
FE  760 DATA201,32,240,12,201,20
    ,240,24,201,48,144,235,201,9
    1,176,231,2297
D3  770 DATA166,2,224,14,176,225
    ,157,37,196,32,210,255,230,2
    ,208,215,2349
38  780 DATA166,2,240,211,32,210
    ,255,198,2,76,135,193,166,2,
    240,199,2327
C3  790 DATA169,40,157,37,196,23
    2,169,88,157,37,196,232,138,
    162,37,160,2207
6C  800 DATA196,32,189,255,169,1
    ,133,204,32,63,171,32,215,17
    0,32,68,1962
33  810 DATA229,169,199,160,198,
    32,30,171,169,0,133,2,32,8,1
    96,32,1760
7D  820 DATA228,255,240,251,201,
    13,240,43,201,20,240,27,201,
    65,144,239,2608
DA  830 DATA201,90,176,235,166,2
    ,224,15,176,229,32,210,255,5
    6,233,64,2364
B9  840 DATA157,7,199,230,2,208,
    216,166,2,240,212,32,210,255
    ,198,2,2336
3C  850 DATA76,236,193,166,2,240
    ,200,169,0,157,7,199,32,63,1
    71,169,2080
CC  860 DATA1,133,204,32,215,170
    ,32,59,195,160,0,152,153,7,1
    99,200,1912
7E  870 DATA192,80,208,248,169,9
    0,133,251,169,10,133,252,24,
    165,45,133,2302
88  880 DATA98,133,105,105,89,13
```

```
    3,253,133,100,165,46,133,99,
    133,106,105,1936
68  890 DATA0,133,254,133,101,23
    0,254,230,254,230,101,230,10
    1,56,165,253,2725
9B  900 DATA229,251,133,107,133,
    109,165,254,229,252,133,108,
    133,110,230,108,2684
5D  910 DATA230,110,160,0,177,98
    ,145,253,165,107,208,6,198,1
    08,165,108,2238
D1  920 DATA240,21,198,107,165,9
    8,208,2,198,99,198,98,165,25
    3,208,2,2260
54  930 DATA198,254,198,253,76,1
    32,194,169,90,133,43,169,10,
    133,44,165,2261
C5  940 DATA100,133,45,165,101,1
    33,46,32,51,165,32,89,166,17
    3,90,10,1531
21  950 DATA73,255,141,103,199,1
    69,0,141,90,10,162,0,189,64,
    197,157,1950
BC  960 DATA1,8,189,64,198,157,1
    ,9,232,208,241,189,64,199,15
    7,1,1918
40  970 DATA10,232,224,89,208,24
    5,169,1,133,43,169,8,133,44,
    32,89,1829
FA  980 DATA225,169,1,133,251,16
    9,8,133,252,169,90,133,253,1
    69,10,133,2298
58  990 DATA254,160,0,177,253,14
    5,251,165,109,208,6,198,110,
    165,110,240,2551
81  1000 DATA17,198,109,230,253,
    208,2,230,254,230,251,208,2,
    230,252,76,2750
F0  1010 DATA3,195,169,1,133,43,
    169,8,133,44,165,105,133,45,
    165,106,1617
A8  1020 DATA133,46,32,51,165,32
    ,89,166,76,31,192,169,7,133,
    253,169,1744
92  1030 DATA199,133,254,169,0,1
    33,2,169,221,133,251,169,198
    ,133,252,162,2578
01  1040 DATA1,160,0,177,253,240
    ,44,209,251,240,16,200,192,5
    ,208,247,2443
CD  1050 DATA72,32,250,195,232,1
    60,0,104,76,87,195,200,152,7
    2,164,2,1993
E1  1060 DATA138,153,23,199,104,
    153,39,199,230,2,230,253,208
    ,2,230,254,2417
43  1070 DATA76,71,195,169,23,13
    3,251,169,199,133,252,162,0,
    134,2,169,2138
62  1080 DATA150,141,194,195,160
    ,0,177,251,240,23,166,2,157,
    55,199,200,2310
BE  1090 DATA177,251,240,8,157,7
    1,199,230,2,200,208,234,169,
    160,141,194,2641
25  1100 DATA195,165,251,201,39,
    240,13,169,39,133,251,169,19
    9,133,252,160,2609
59  1110 DATA0,76,150,195,160,0,
    132,2,169,221,133,251,169,19
    8,133,252,2241
7B  1120 DATA164,2,185,55,199,24
    0,20,32,236,195,185,71,199,1
    68,136,177,2264
7A  1130 DATA251,164,2,153,247,1
    98,230,2,76,200,195,96,201,1
    ,240,9,2265
A8  1140 DATA170,32,250,195,202,
    224,1,208,248,96,24,165,251,
    105,5,133,2309
7D  1150 DATA251,165,252,105,0,1
    33,252,96,169,0,133,204,133,
    207,96,147,2343
69  1160 DATA17,17,17,32,32,69,7
    8,84,69,82,32,70,73,76,69,78
    ,895
FB  1170 DATA65,77,69,58,0,0,0,0
    ,0,0,0,0,0,0,0,0,269
6D  1180 DATA0,0,0,0,0,0,147,17,
    158,32,32,32,32,32,32,32,546
A6  1190 DATA228,228,228,228,228
    ,228,228,228,228,228,228,228
    ,228,228,228,228,3648
8E  1200 DATA228,228,228,228,228
    ,228,228,228,228,228,13,32,3
    2,32,32,32,2453
AE  1210 DATA32,32,18,32,42,42,3
    2,80,65,83,83,87,79,82,68,32
    ,889
52  1220 DATA80,82,79,84,69,67,8
    4,79,82,32,42,42,32,13,13,32
    ,912
65  1230 DATA32,32,32,32,32,32,3
    2,32,32,32,40,67,41,32,78,46
    ,624
B9  1240 DATA72,73,71,71,73,78,8
    3,32,49,57,56,56,13,13,13,13
    ,823
4D  1250 DATA32,32,32,32,32,32,3
    2,32,32,32,32,32,32,32,32,32
    ,512
DD  1260 DATA83,69,76,69,67,84,1
    3,13,13,32,32,32,32,32,40,70
    ,757
D2  1270 DATA49,41,32,32,80,82,7
    9,84,69,67,84,32,66,65,83,73
    ,1018
E5  1280 DATA67,32,80,82,79,71,8
    2,65,77,13,13,32,32,32,32,32
    ,821
12  1290 DATA40,70,51,41,32,32,8
    2,69,65,68,32,68,73,83,75,32
    ,913
D4  1300 DATA68,73,82,69,67,84,7
    9,82,89,13,13,32,32,32,32,32
    ,879
D9  1310 DATA40,70,55,41,32,32,6
    9,88,73,84,32,84,79,32,66,65
    ,942
E7  1320 DATA83,73,67,13,0,147,1
    7,17,17,17,17,32,32,32,32,32
    ,628
AC  1330 DATA83,65,86,69,32,84,7
    9,32,68,73,83,75,32,79,82,32
    ,1054
95  1340 DATA84,65,80,69,46,46,4
    6,46,40,84,47,68,41,13,0,0,7
    75
59  1350 DATA71,8,0,0,158,50,49,
    50,49,58,20,20,20,20,20,20,6
    13
E8  1360 DATA20,20,20,20,5,42,42
    ,32,80,65,83,83,87,79,82,68,
    828
0B  1370 DATA32,80,82,79,84,69,6
    7,84,79,82,32,42,42,13,13,29
    ,909
B3  1380 DATA29,29,40,67,41,32,7
    8,46,72,73,71,71,73,78,83,32
    ,915
DF  1390 DATA49,57,56,56,13,0,0,
    0,32,68,229,169,0,141,32,208
    ,1110
63  1400 DATA141,33,208,169,234,
    141,40,3,169,136,160,9,32,30
    ,171,169,1845
E0  1410 DATA226,133,106,169,252
    ,133,107,169,0,133,2,133,204
    ,133,207,32,2139
97  1420 DATA228,255,240,251,201
    ,13,240,43,201,20,240,27,201
    ,65,144,239,2608
24  1430 DATA201,90,176,235,166,
    2,224,15,176,229,32,210,255,
    56,233,64,2364
69  1440 DATA157,200,9,230,2,208
    ,216,166,2,240,212,32,210,25
    5,198,2,2339
7B  1450 DATA76,112,8,166,2,240,
    200,169,0,157,200,9,169,1,13
    3,204,1846
FC  1460 DATA32,68,229,169,200,1
    33,253,169,9,133,254,169,0,1
    33,2,169,2122
9E  1470 DATA158,133,251,169,9,1
    33,252,162,1,160,0,177,253,2
    40,44,209,2351
A9  1480 DATA251,240,16,200,192,
    5,208,247,72,32,122,9,232,16
    0,0,104,2090
44  1490 DATA76,208,8,200,152,72
    ,164,2,138,153,216,9,104,153
    ,232,9,1896
F4  1500 DATA230,2,230,253,208,2
    ,230,254,76,192,8,169,216,13
    3,251,169,2623
E6  1510 DATA9,133,252,162,0,134
    ,2,160,0,177,251,240,23,166,
    2,157,1868
C7  1520 DATA248,9,200,177,251,2
    40,8,157,8,10,230,2,200,208,
    234,169,2351
2A  1530 DATA20,141,54,9,165,251
    ,201,232,240,13,169,232,133,
    251,169,9,2289
8B  1540 DATA133,252,160,0,76,10
    ,9,160,0,132,2,169,158,133,2
    51,169,1814
1E  1550 DATA9,133,252,164,2,185
    ,248,9,240,22,32,108,9,185,8
    ,10,1616
03  1560 DATA168,136,177,251,164
    ,2,217,184,9,208,13,230,2,76
    ,60,9,1906
EF  1570 DATA185,184,9,208,3,76,
    24,10,76,56,10,201,1,240,9,1
    70,1462
0F  1580 DATA32,122,9,202,224,1,
    208,248,96,24,165,251,105,5,
    133,251,2076
78  1590 DATA165,252,105,0,133,2
    52,96,158,17,17,17,29,29,69,
    78,84,1501
F8  1600 DATA69,82,32,80,65,83,8
    3,87,79,82,68,58,0,14,5,9,89
    6
2A  1610 DATA12,8,7,19,15,11,1,2
    5,2,3,4,6,10,13,16,17,169
C3  1620 DATA18,20,21,22,23,24,0
    ,0,0,0,0,0,0,0,0,0,128
17  1630 DATA0,0,0,0,0,0,0,0,0,0
    ,0,0,0,0,0,0,0
1D  1640 DATA0,0,0,0,0,0,0,0,0,0
    ,0,0,0,0,0,0,0
2B  1650 DATA0,0,0,0,0,0,0,0,0,0
    ,0,0,0,0,0,0,0
31  1660 DATA0,0,0,0,0,0,0,0,0,0
    ,0,0,0,0,0,0,0
3F  1670 DATA0,0,0,0,0,0,0,0,0,0
    ,0,0,0,0,0,0,0
4D  1680 DATA0,0,0,0,0,0,0,169,2
    37,141,40,3,169,90,133,43,10
    25
82  1690 DATA169,10,133,44,160,0
    ,169,0,73,255,145,43,169,174
    ,133,106,1783
90  1700 DATA169,167,133,107,32,
    89,166,169,1,133,251,169,8,1
    33,252,162,2141
AC  1710 DATA2,160,0,152,145,251
    ,200,208,251,230,252,202,208
    ,246,145,251,2903
45  1720 DATA200,192,76,208,249,
    108,106,0,0,0,0,0,0,0,0,99,1
    238
F2  1730 DATA99,51,106,107,170,4
    1,126,119,106,247,46,63,40,1
    04,106,54,1585
```

HIDDEN POWERS

PROGRAM: PROG1/BL

```
16  10 GOTO 50000
78  15993 DATA 10,8,10,0,158,50,
    48,54
62  16001 DATA 49,0,0,0,32,68,22
    9,162
03  16009 DATA 0,142,133,9,32,17
    3,8,174
B8  16017 DATA 133,9,189,195,8,2
    40,6,32
C1  16025 DATA 210,255,232,208,2
    45,232,189,195
1A  16033 DATA 8,208,230,32,207,
    255,201,13
8A  16041 DATA 208,249,160,0,195
    ,2,5,201
98  16049 DATA 48,176,8,201,7,17
    6,38,105
83  16057 DATA 9,208,7,56,233,48
    ,201,10
E8  16065 DATA 176,28,192,1,240,
    10,10,10
EC  16073 DATA 10,10,141,133,9,2
    00,208,220
A1  16081 DATA 13,133,9,141,129,
    9,169,0
F1  16089 DATA 141,128,9,76,109,
    8,238,32
F7  16097 DATA 208,76,13,8,234,1
    69,136,133
99  16105 DATA 73,169,9,133,74,1
    73,130,9
61  16113 DATA 133,75,173,131,9,
    133,76,160
D8  16121 DATA 0,162,0,177,73,20
    5,132,9
7F  16129 DATA 208,14,161,75,24,
    109,129,9
30  16137 DATA 145,73,230,75,208
    ,2,230,76
6C  16145 DATA 200,208,2,230,74,
    204,130,9
62  16153 DATA 208,225,165,74,20
    5,131,9,208
3C  16161 DATA 218,76,248,8,162,
    0,189,187
BA  16169 DATA 8,240,6,32,210,25
    5,232,208
69  16177 DATA 245,96,13,13,29,2
    9,29,29
96  16185 DATA 29,0,42,80,82,79,
    71,82
4A  16193 DATA 65,77,32,82,69,76
    ,79,67
1A  16201 DATA 65,84,79,82,42,0,
    76,69
4A  16209 DATA 78,71,84,72,61,32
    ,36,48
40  16217 DATA 48,55,70,0,82,69,
    76,79
30  16225 DATA 67,65,84,69,32,84
    ,79,58
6B  16233 DATA 36,67,48,48,48,0,
    0,169
16  16241 DATA 0,133,73,173,129,
    9,133,74
49  16249 DATA 169,136,133,75,16
    9,9,133,76
74  16257 DATA 160,0,177,75,145,
    73,230,73
60  16265 DATA 208,2,230,74,230,
    75,208,2
F9  16273 DATA 230,76,165,75,205
    ,130,9,208
59  16281 DATA 233,165,76,205,13
    1,9,208,226
BB  16289 DATA 32,173,8,162,0,18
    9,95,9
DD  16297 DATA 240,6,32,210,255,
    232,208,245
C0  16305 DATA 32,228,255,240,25
    1,201,89,240
A9  16313 DATA 26,32,173,8,162,0
    ,189,111
71  16321 DATA 9,240,6,32,210,25
    5,232,208
AB  16329 DATA 245,174,128,9,173
    ,129,9,32
9B  16337 DATA 205,189,96,108,12
    8,9,82,85
BF  16345 DATA 78,32,78,79,87,63
    ,32,40
A0  16353 DATA 89,47,78,41,32,0,
    83,89
24  16361 DATA 83,32,65,68,68,82
    ,69,83
6A  16369 DATA 83,32,73,83,58,32
    ,0,0
74  16377 DATA 0,7,10,4,0,0,0,12
    0
56  16385 DATA 173,0,3,141,37,4,
    173,1
A2  16393 DATA 3,141,38,4,173,20
    ,3,141
F7  16401 DATA 39,4,173,21,3,141
    ,40,4
70  16409 DATA 169,41,141,0,3,16
    9,4,141
D1  16417 DATA 1,3,88,96,139,227
    ,49,234
EC  16425 DATA 169,54,141,20,3,1
    69,4,141
F7  16433 DATA 21,3,108,37,4,169
    ,248,141
80  16441 DATA 47,208,160,0,169,
    255,141,0
C5  16449 DATA 220,141,167,2,173
    ,1,220,201
38  16457 DATA 255,240,37,169,25
    4,141,47,208
A0  16465 DATA 162,8,72,173,1,22
    0,205,1
8F  16473 DATA 220,208,248,74,14
    4,14,200,192
04  16481 DATA 24,240,9,202,208,
    245,104,56
A0  16489 DATA 42,76,78,4,104,14
    0,167,2
7F  16497 DATA 169,255,141,47,20
    8,169,127,141
99  16505 DATA 0,220,108,39,4,0,
    0,0
B9  16513 DATA 0,0,0,0,0,0,0,255
    ,256
99  50000 M=2049:PRINT"[CLR,DOWN
    2,RIGHT3,RVSON]LOCATION:[RVS
    OFF]"
33  50010 FORL=0TO1:L=0
A1  50020 READV:IFV=256THENL=1:G
    OTO50050
B7  50030 POKEM,V:PRINT"[HOME,DO
    WN2,RIGHT12]";M
3E  50040 M=M+1
C7  50050 NEXT
86  50060 INPUT"[CLR,DOWN3,RIGHT
    2]FILENAME";F$
D0  50070 INPUT"[DOWN2,RIGHT2]TA
    PE(T)/DISC(D)";D$
FB  50080 IFF$=""ORD$<>"T"ANDD$<
    >"D"THEN50060
06  50085 D=1*ABS(D$="T")+8*ABS(
    D$="D")
29  50090 PRINT"[CLR,DOWN2]SAVE"
    CHR$(34);F$;CHR$(34);",";D
CC  50094 H=INT(M/256):L=M-H*256
    :POKE252,L:POKE253,H
8C  50095 POKE45,PEEK(253):POKE4
    5,PEEK(252)
8D  50100 POKE631,13:POKE198,1:P
    RINT"[HOME]";
```

PROGRAM: PROG2/BL

```
16  10 GOTO 50000
78  15993 DATA 10,8,10,0,158,50,
    48,54
62  16001 DATA 49,0,0,0,32,68,22
    9,162
03  16009 DATA 0,142,133,9,32,17
    3,8,174
B8  16017 DATA 133,9,189,195,8,2
    40,6,32
C1  16025 DATA 210,255,232,208,2
    45,232,189,195
1A  16033 DATA 8,208,230,32,207,
    255,201,13
8A  16041 DATA 208,249,160,0,195
    ,2,5,201
98  16049 DATA 48,176,8,201,7,17
    6,38,105
83  16057 DATA 9,208,7,56,233,48
    ,201,10
E8  16065 DATA 176,28,192,1,240,
    10,10,10
EC  16073 DATA 10,10,141,133,9,2
    00,208,220
A1  16081 DATA 13,133,9,141,129,
    9,169,0
F1  16089 DATA 141,128,9,76,109,
    8,238,32
F7  16097 DATA 208,76,13,8,234,1
    69,136,133
99  16105 DATA 73,169,9,133,74,1
    73,130,9
61  16113 DATA 133,75,173,131,9,
    133,76,160
D8  16121 DATA 0,162,0,177,73,20
    5,132,9
7F  16129 DATA 208,14,161,75,24,
    109,129,9
30  16137 DATA 145,73,230,75,208
    ,2,230,76
6C  16145 DATA 200,208,2,230,74,
    204,130,9
62  16153 DATA 208,225,165,74,20
    5,131,9,208
3C  16161 DATA 218,76,248,8,162,
    0,189,187
BA  16169 DATA 8,240,6,32,210,25
    5,232,208
69  16177 DATA 245,96,13,13,29,2
    9,29,29
96  16185 DATA 29,0,42,80,82,79,
    71,82
4A  16193 DATA 65,77,32,82,69,76
    ,79,67
1A  16201 DATA 65,84,79,82,42,0,
    76,69
4A  16209 DATA 78,71,84,72,61,32
    ,36,48
B6  16217 DATA 48,67,55,0,82,69,
    76,79
30  16225 DATA 67,65,84,69,32,84
    ,79,58
6B  16233 DATA 36,67,48,48,48,0,
    0,169
16  16241 DATA 0,133,73,173,129,
    9,133,74
49  16249 DATA 169,136,133,75,16
    9,9,133,76
74  16257 DATA 160,0,177,75,145,
    73,230,73
60  16265 DATA 208,2,230,74,230,
    75,208,2
F9  16273 DATA 230,76,165,75,205
    ,130,9,208
59  16291 DATA 233,165,76,205,13
```

```
    1,9,208,225
BB  16299 DATA 32,173,8,162,0,18
    9,95,9
DD  16297 DATA 240,6,32,210,255,
    232,208,245
C0  16305 DATA 32,229,255,240,25
    1,201,89,240
A9  16313 DATA 26,32,173,8,162,0
    ,189,111
71  16321 DATA 9,240,6,32,210,25
    5,232,208
AB  16329 DATA 245,174,129,9,173
    ,129,9,32
95  16337 DATA 205,189,96,108,12
    8,9,82,85
BF  16345 DATA 78,32,78,79,87,63
    ,32,40
A0  16353 DATA 89,47,78,41,32,0,
    83,89
24  16361 DATA 83,32,65,68,68,82
    ,69,83
6A  16369 DATA 83,32,73,83,58,32
    ,0,0
08  16377 DATA 0,79,10,5,0,0,0,1
    20
55  16385 DATA 173,0,3,141,37,5,
    173,1
A3  16393 DATA 3,141,38,5,173,20
    ,3,141
67  16401 DATA 39,5,173,21,3,141
    ,40,5
69  16409 DATA 169,41,141,0,3,16
    9,5,141
D1  16417 DATA 1,3,88,96,139,227
    ,49,234
ED  16425 DATA 169,54,141,20,3,1
    69,5,141
F6  16433 DATA 21,3,108,37,5,169
    ,248,141
80  16441 DATA 47,208,160,0,169,
    255,141,0
C5  16449 DATA 220,141,167,2,173
    ,1,220,201
38  16457 DATA 255,240,37,169,25
    4,141,47,208
A0  16465 DATA 162,8,72,173,1,22
    0,205,1
8F  16473 DATA 220,208,248,74,14
    4,14,200,192
04  16481 DATA 24,240,9,202,208,
    245,104,56
1D  16489 DATA 42,76,78,5,104,14
    0,167,2
7F  16497 DATA 169,255,141,47,20
    8,169,127,141
5C  16505 DATA 0,220,234,172,167
    ,2,48,38
3D  16513 DATA 204,168,2,208,14,
    192,19,144
75  16521 DATA 29,206,197,5,208,
    24,169,4
13  16529 DATA 141,197,5,166,198
    ,165,173,5
1D  16537 DATA 201,255,240,10,15
    7,119,2,232
6C  16545 DATA 224,11,176,2,134,
    198,140,168
A3  16553 DATA 2,108,39,5,255,56
    ,53,255
79  16561 DATA 50,52,55,49,255,4
    3,45,141
05  16569 DATA 13,54,57,51,255,4
    8,46,145
24  16577 DATA 17,157,29,255,4,0
    ,0,0
1E  16585 DATA 0,0,0,0,0,0,0,0
7F  16593 DATA 0,0,0,255
99  50000 M=2049:PRINT"[CLR,DOWN
    2,RIGHT3,RVSON]LOCATION:[RVS
    OFF]"
33  50010 FORL=0TO1:L=0
A1  50020 READV:IFV=256THENL=1:G
    OTO50050
B7  50030 POKEM,V:PRINT"[HOME,DO
    WN2,RIGHT12]";M
3E  50040 M=M+1
C7  50050 NEXT
86  50060 INPUT"[CLR,DOWN3,RIGHT
    2]FILENAME";F$
D0  50070 INPUT"[DOWN2,RIGHT2]TA
    PE(T)/DISC(D)";O$
F8  50080 IFF$=""ORO$<>"T"ANDO$<
    >"D"THEN50060
06  50085 D=1*ABS(O$="T")+8*ABS(
    O$="D")
29  50090 PRINT"[CLR,DOWN2]SAVE"
    CHR$(34);F$;CHR$(34);",";D
CC  50094 H=INT(M/256):L=M-H*256
    :POKE252,L:POKE253,H
8C  50095 POKE45,PEEK(253):POKE4
    6,PEEK(252)
8D  50100 POKE631,13:POKE198,1:P
    RINT"[HOME]";
```

Listings

TALKING COMPUTERS



PROGRAM: HEAD SPRITE LDR

```
8B  100 REM ********************
95  110 REM *                  *
10  120 REM * HEAD SPRITE DATA *
47  130 REM *   FOR USE WITH   *
D4  140 REM *   LIPSYNC DEMO   *
14  150 REM *       BY         *
C0  160 REM *    MIKE BENN     *
D9  170 REM *                  *
DB  180 REM ********************
1B  190 BL=55   :LN=300  :SA=154
    88
FD  200 FOR L=0 TO BL:CX=0:FOR D
    =0 TO 15
F3  210 READ A:IF A>255THENPRINT
    "NUMBER TO LARGE";LN+(L*10):
    STOP
E4  220 CX=CX+A:POKE SA+L*16+D,A
    :NEXT D
AD  230 READ A:IF A><CX THENPRIN
    T"ERROR IN LINE";LN+(L*10):S
    TOP
D7  240 NEXT L:POKE43,128:POKE44
    ,60:POKE45,0:POKE46,64
1E  250 SAVE"HEAD SPRITE DATA",8
    ,1:END
80  260 REM ********************
    *********
3F  270 REM *  TAPE USERS WILL N
    EED TO  *
1B  280 REM * DEVICE NUMBER FROM
     8 TO 1 *
1E  290 REM ********************
    *********
E5  300 DATA 63,255,251,63,255,2
    51,63,255,255,15,255,255,15,
    255,255,15,2776
D5  310 DATA 255,255,15,255,234,
    3,255,170,3,255,250,0,255,25
    5,0,255,2715
BC  320 DATA 255,0,255,255,0,255
    ,255,0,63,255,0,63,255,0,15,
    255,2181
DA  330 DATA 0,15,255,0,3,255,0,
    3,255,0,0,255,0,0,15,41,1097
16  340 DATA 239,255,252,239,255
    ,252,255,255,252,255,255,240
    ,255,255,240,255,4009
83  350 DATA 255,240,171,255,240
    ,170,255,192,175,255,192,255
    ,255,0,255,255,3420
4C  360 DATA 0,255,255,0,255,255
    ,0,255,252,0,255,252,0,255,2
    40,0,2529
A5  370 DATA 255,240,0,255,192,0
    ,255,192,0,255,0,0,240,0,0,6
    6,1950
75  380 DATA 63,255,251,63,255,2
    51,63,255,255,15,255,255,15,
    255,255,15,2776
50  390 DATA 255,255,15,255,255,
    3,255,250,3,255,224,0,255,25
    0,0,255,2785
EC  400 DATA 255,0,255,255,0,255
    ,255,0,63,255,0,63,255,0,15,
    255,2181
B9  410 DATA 0,15,255,0,3,255,0,
    3,255,0,0,255,0,0,15,170,122
    6
66  420 DATA 239,255,252,239,255
    ,252,255,255,252,255,255,240
    ,255,255,240,255,4009
02  430 DATA 255,240,255,255,240
    ,175,255,192,11,255,192,175,
    255,0,255,255,3265
9C  440 DATA 0,255,255,0,255,255
    ,0,255,252,0,255,252,0,255,2
    40,0,2529
2F  450 DATA 255,240,0,255,192,0
    ,255,192,0,255,0,0,240,0,0,2
    55,2139
45  460 DATA 63,255,251,63,255,2
    51,63,255,255,15,255,255,15,
    255,255,15,2776
2D  470 DATA 255,255,15,255,234,
    3,255,128,3,255,229,0,255,24
    0,0,255,2637
5C  480 DATA 255,0,255,255,0,255
    ,255,0,63,255,0,63,255,0,15,
    255,2181
8E  490 DATA 0,15,255,0,3,255,0,
    3,255,0,0,255,0,0,15,119,117
    5
```

```
B5  500 DATA 239,255,252,239,255
    ,252,255,255,252,255,255,240
    ,255,255,240,255,4009
B8  510 DATA 255,240,171,255,240
    ,2,255,192,91,255,192,15,255
    ,0,255,255,2928
15  520 DATA 0,255,255,0,255,255
    ,0,255,252,0,255,252,0,255,2
    40,0,2529
55  530 DATA 255,240,0,255,192,0
    ,255,192,0,255,0,0,240,0,0,1
    39,2023
45  540 DATA 63,255,251,63,255,2
    51,63,255,255,15,255,255,15,
    255,255,15,2776
B6  550 DATA 255,250,15,255,240,
    3,255,245,3,255,250,0,255,25
    2,0,255,2786
74  560 DATA 252,0,255,254,0,255
    ,255,0,63,255,0,63,255,0,15,
    255,2177
AF  570 DATA 0,15,255,0,3,255,0,
    3,255,0,0,255,0,2,15,143,119
    9
56  580 DATA 239,255,252,239,255
    ,252,255,255,252,255,255,240
    ,255,255,240,175,3929
D9  590 DATA 255,240,15,255,240,
    95,255,192,175,255,192,175,2
    55,0,63,255,2917
3B  600 DATA 0,191,255,0,255,255
    ,0,255,252,0,255,252,0,255,2
    40,0,2465
06  610 DATA 255,240,0,255,192,0
    ,255,192,0,255,0,0,240,0,0,1
    30,2014
96  620 DATA 63,255,251,63,255,2
    51,63,255,255,15,255,255,15,
    255,255,15,2776
26  630 DATA 255,250,15,255,240,
    3,255,245,3,255,250,0,255,25
    2,0,255,2788
58  640 DATA 255,0,255,255,0,255
    ,255,0,63,255,0,63,255,0,15,
    255,2181
B4  650 DATA 0,15,255,0,3,255,0,
    3,255,0,0,255,0,0,15,5,1061
26  660 DATA 239,255,252,239,255
    ,252,255,255,252,255,255,240
    ,255,255,240,175,3929
2A  670 DATA 255,240,15,255,240,
    95,255,192,175,255,192,63,25
    5,0,255,255,2997
35  680 DATA 0,255,255,0,255,255
    ,0,255,252,0,255,252,0,255,2
    40,0,2529
B8  690 DATA 255,240,0,255,192,0
    ,255,192,0,255,0,0,240,0,0,1
    35,2019
15  700 DATA 0,0,5,0,0,85,0,1,85
    ,0,5,85,0,21,85,0,372
B4  710 DATA 85,85,0,95,85,0,95,
    213,1,127,255,1,127,255,5,12
    7,1556
17  720 DATA 255,5,127,255,5,253
    ,127,5,245,95,55,255,255,55,
    241,75,2309
F3  730 DATA 55,253,123,63,255,2
    51,63,255,251,63,255,251,63,
    255,251,182,2889
05  740 DATA 80,0,0,85,0,0,85,64
    ,0,85,80,0,85,84,0,85,733
60  750 DATA 85,0,85,85,0,253,85
    ,0,255,245,64,255,253,64,255
    ,253,2237
72  760 DATA 80,255,253,80,253,1
    27,80,245,95,80,255,255,92,2
    25,79,92,2546
C3  770 DATA 237,127,220,239,255
    ,220,239,255,220,239,255,252
    ,239,255,252,37,3541
42  780 DATA 0,0,5,0,0,85,0,1,85
    ,0,5,85,0,21,85,0,372
63  790 DATA 85,85,0,95,85,0,95,
    213,1,127,255,1,127,255,5,12
    7,1555
FB  800 DATA 255,5,127,255,5,253
    ,127,5,245,95,55,255,255,55,
    255,251,2498
C2  810 DATA 55,255,251,63,255,2
    51,63,255,251,63,255,251,63,
    255,251,140,2977
3C  820 DATA 80,0,0,85,0,0,85,64
    ,0,85,80,0,85,84,0,85,733
AF  830 DATA 85,0,85,85,0,253,85
    ,0,255,245,64,255,253,64,255
    ,253,2237
E3  840 DATA 80,255,253,80,253,1
    27,80,245,95,80,255,255,92,2
    39,255,92,2736
A5  850 DATA 239,255,220,239,255
    ,220,239,255,220,239,255,252
    ,239,255,252,37,3671
```

PROGRAM: LIPSYNC LDR

```
48  100 REM ******************
55  110 REM *                *
F0  120 REM * LIPSYNC LOADER *
3A  130 REM *       BY       *
42  140 REM *    MIKE BENN   *
3D  150 REM *                *
8F  160 REM ******************
25  170 REM
4E  180 BL=18    :LN=300   :SA=493
    33
B3  190 FOR L=0 TO BL:CX=0:FOR D
    =0 TO 15
2D  200 READ A:IF A>255THENPRINT
    "NUMBER TO LARGE";LN+(L*10):
    STOP
5E  210 CX=CX+A:POKE SA+L*16+D,A
    :NEXT D
27  220 READ A:IF A><CX THENPRIN
    T"ERROR IN LINE";LN+(L*10):S
    TOP
58  230 NEXT L:POKE43,0:POKE44,1
    92:POKE45,0:POKE46,194
8F  240 SAVE"LIPSYNC MC",8,1:END

D7  250 REM ******************
    *********
C2  260 REM *     TAPE USERS CHAN
    GE       *
71  270 REM * DEVICE NUMBER FROM
     8 TO 1 *
7C  280 REM ******************
    *********
AC  290 REM
89  300 DATA 76,184,192,32,210,1
    93,165,20,141,221,193,32,210
    ,193,165,20,2247
D0  310 DATA 141,222,193,32,253,
    174,32,158,173,32,166,182,14
    1,220,193,165,2477
6F  320 DATA 34,133,100,165,35,1
    33,101,160,0,177,100,153,223
    ,193,200,204,2111
2C  330 DATA 220,193,208,245,169
    ,0,153,223,193,160,0,152,32,
    11,193,168,2320
E4  340 DATA 152,32,11,193,168,1
    85,223,193,240,11,32,23,193,
    152,32,11,1851
C7  350 DATA 193,168,200,208,230
    ,96,162,200,172,222,193,136,
    208,253,202,208,3051
15  360 DATA 247,96,201,45,240,4
    2,201,32,240,38,201,66,240,3
    4,201,77,2202
35  370 DATA 240,30,201,80,240,2
    6,201,70,240,41,201,86,240,3
    7,201,79,2213
98  380 DATA 240,77,201,85,240,1
    10,201,87,240,106,201,90,240
    ,102,208,41,2469
1D  390 DATA 173,221,193,141,248
    ,7,173,221,193,24,105,1,141,
    249,7,32,2129
8F  400 DATA 191,193,96,173,221,
    193,24,105,2,141,248,7,173,2
    21,193,24,2205
F2  410 DATA 105,3,141,249,7,32,
    191,193,96,173,221,193,24,10
    5,4,141,1878
BF  420 DATA 248,7,173,221,193,2
    4,105,5,141,249,7,32,191,193
    ,96,173,2058
69  430 DATA 221,193,24,105,6,14
    1,248,7,173,221,193,24,105,7
    ,141,249,2058
9F  440 DATA 7,173,221,193,24,10
    5,12,141,250,7,173,221,193,2
    4,105,13,1862
B5  450 DATA 141,251,7,96,173,22
    1,193,24,105,8,141,248,7,173
    ,221,193,2202
E9  460 DATA 24,105,9,141,249,7,
    32,191,193,96,173,221,193,24
    ,105,10,1773
2C  470 DATA 141,250,7,173,221,1
    93,24,105,11,141,251,7,96,32
    ,253,174,2079
FD  480 DATA 32,138,173,32,247,1
    83,96,0,0,0,0,0,0,0,0,0,901
```

PROGRAM: LIPSYNC DEMO

```
0B  100 REM ****************
15  110 REM *              *
90  120 REM * LIPSYNC DEMO *
31  130 REM *              *
BF  140 REM * BY MIKE BENN *
3D  150 REM *              *
4F  160 REM ****************
25  170 REM
5B  180 REM ****************
65  190 REM *              *
17  200 REM * THIS PROGRAM *
27  210 REM * IS BASED ON  *
9B  220 REM *  THE CURRAH  *
05  230 REM *  SPEECH  64  *
10  240 REM *     AND      *
E9  250 REM * MAY  REQUIRE *
99  260 REM * ADDAPTATION  *
C4  270 REM * FOR USE WITH *
18  280 REM * OTHER SPEECH *
7F  290 REM *   SOFTWARE   *
D2  300 REM *              *
7B  310 REM ****************
CE  320 REM
D9  330 POKE55,0:POKE56,60 :REM
    LOWER TOP OF BASIC TO PROTEC
    T SPRITE DATA
26  340 PRINTCHR$(147)
BA  350 X=X+1
4E  360 IFX=1THENLOAD"LIPSYNC MC
    ",8,1
54  370 IFX=2THENLOAD"HEAD SPRIT
    E DATA",8,1
D2  380 REM INIT. SCREEN & SPRIT
    ES
EB  390 V=53248:X=140:Y=100:C=2:
    SA=49333
EF  400 POKEV+32,3:POKEV+33,3:PO
    KEV+28,15
21  410 POKEV+21,15:POKEV+23,15:
    POKEV+29,15
36  420 POKEV+37,0:POKEV+38,10:P
    OKEV+39,C:POKEV+40,C:POKEV+4
    1,C:POKEV+42,C
AD  430 POKEV,X:POKEV+1,Y+42:REM
     LOWER HEAD
6F  440 POKEV+2,X+48:POKEV+3,Y+4
    2
```

```
1C  450 POKEV+4,X:POKEV+5,Y:REM
    UPPER HEAD
6F  460 POKEV+6,X+48:POKEV+7,Y
C0  470 SP$="HELLO THERE I THOUG
    HT JUST SHOW MY FACE IN THIS
     SHORT DEMO."
7E  480 SP$=SP$+"IF YOU DONT LIK
    E THE LOOK OF ME YOU CAN ALW
    AYS CHANGE ME "
FD  490 SP$=SP$+"AND WHILE IM HE
    RE COULD YOU DESIGN ME A BOD
    Y BYE FOR NOW."
76  500 REM INITALISE YOUR SPEEC
    H SOFTWARE
A1  510 INIT
E6  520 PRINT"[HOM][10CD][17CR][
    WHT][REV][7SPC][OFF]"
87  530 PRINT"[2CD][18CR][REV][5
    SPC][OFF]"
4C  540 REM COMMAND YOUR SPEECH
    SOFTWARE TO READ SP$
B2  550 SAY SP$
A4  560 SYS SA,242,25,SP$
52  570 REM TURN OFF THE VOICE
60  580 KOFF
D0  590 END
```

PROGRAM: MONSTER LDR

```
0B  100 REM ****************
6E  110 REM * MONSTER TALK *
7E  120 REM * BASIC LOADER *
31  130 REM *              *
BF  140 REM * BY MIKE BENN *
59  150 REM ****************
2F  160 REM
25  170 REM ****************
BE  180 REM *  DO NOT RUN  *
4C  190 REM *  UNLESS YOU  *
3D  200 REM *  HAVE RAISED *
E0  210 REM *  THE START   *
0E  220 REM *  OF BASIC    *
7F  230 REM *  SEE TEXT    *
9F  240 REM ****************
55  250 BL=201:LN=360:SA=2049
40  260 FOR L=0 TO BL:CX=0:FOR D
    =0 TO 15
6E  270 READ A:IF A>255THENPRINT
    "NUMBER TO LARGE";LN+(L*10):
    STOP
67  280 CX=CX+A:POKE SA+L*16+D,A
    :NEXT D
94  290 READ A:IF A><CX THENPRIN
    T"ERROR IN LINE";LN+(L*10):S
    TOP
83  300 NEXT L
7E  310 POKE43,1:POKE44,8:POKE45
    ,0:POKE46,21:SAVE"MONSTER TA
    LK",8,1
C4  320 REM ********************
    *********
63  330 REM *  TAPE USERS WILL N
    EED TO  *
C7  340 REM * CHANGE DEVICE NUMB
    ER TO 1 *
82  350 REM ********************
    *********
43  360 DATA 36,8,195,7,158,50,4
    9,50,56,58,143,32,77,78,78,8
    3,1159
77  370 DATA 84,69,82,32,84,65,7
    6,75,47,77,73,75,69,32,66,69
    ,1075
60  380 DATA 78,78,0,0,0,0,0,0,0
    ,0,0,0,0,0,0,0,0,156
D4  390 DATA 0,0,0,0,0,0,0,0,0,0
    ,0,0,0,0,0,0,0,0
CE  400 DATA 0,0,0,0,0,0,0,0,0,0
    ,0,0,0,0,0,169,169
E9  410 DATA 0,141,0,12,141,129,
    2,169,3,141,45,0,141,46,0,14
    1,1111
51  420 DATA 49,0,169,22,141,44,
    0,141,130,2,141,46,0,141,49,
    0,1075
69  430 DATA 169,1,141,43,0,0,0,
    170,170,170,170,170,170,170,
    170,85,1799
9D  440 DATA 85,85,85,85,85,85,8
    5,170,170,149,149,191,170,17
    0,170,170,2104
5B  450 DATA 170,170,149,149,191
    ,170,170,219,219,219,219,190
    ,190,170,170,102,2867
CC  460 DATA 153,102,153,102,153
    ,102,153,68,17,68,19,76,51,7
    6,51,92,1436
D7  470 DATA 83,92,115,76,115,20
    4,51,102,153,102,153,230,57,
    206,51,106,1896
14  480 DATA 154,106,154,106,154
    ,106,154,255,255,255,255,255
    ,255,252,252,119,3087
2C  490 DATA 221,119,153,102,170
    ,170,170,102,153,102,170,170
    ,170,170,170,68,2380
B0  500 DATA 17,68,145,164,169,1
    64,169,169,164,169,164,145,6
    8,17,68,68,1928
37  510 DATA 17,68,19,68,19,76,5
    1,196,19,196,19,196,19,196,1
    9,217,1395
B5  520 DATA 38,217,38,217,38,21
    7,38,255,255,255,0,85,85,255
    ,255,252,2500
2D  530 DATA 252,252,252,252,252
    ,252,252,255,255,255,255,255
    ,255,0,0,255,3549
3E  540 DATA 192,192,192,213,85,
    85,85,255,3,3,3,87,85,85,85,
    153,1803
A0  550 DATA 102,153,38,217,38,2
    01,50,106,154,106,154,102,15
    3,102,153,153,1982
64  560 DATA 102,153,102,154,106
    ,154,106,68,17,68,17,68,17,6
    8,17,206,1423
F8  570 DATA 49,198,57,230,25,23
    0,153,76,51,76,19,68,19,69,1
    7,149,1485
B9  580 DATA 149,191,170,170,170
    ,170,170,170,149,149,191,170
    ,170,170,170,85,2614
01  590 DATA 21,197,53,197,49,20
    5,49,204,51,204,51,204,51,20
    4,51,204,1995
A3  600 DATA 243,92,167,249,62,2
    07,51,204,51,204,243,125,150
    ,235,63,204,2550
93  610 DATA 95,217,110,191,243,
    204,51,204,51,207,125,150,23
    5,252,51,219,2565
71  620 DATA 54,246,54,246,54,21
    9,219,204,243,204,243,204,24
    3,204,51,0,2688
B0  630 DATA 0,0,0,0,0,0,0,0,92,16
    7,249,62,207,51,204,51,204,1
    287
30  640 DATA 51,204,243,92,167,2
    49,62,255,255,92,167,249,254
    ,207,51,218,2815
1E  650 DATA 111,188,243,204,51,
    204,51,205,54,219,111,188,24
    3,204,51,108,2435
22  660 DATA 179,204,51,204,51,2
    04,51,204,51,204,51,255,255,
    0,255,0,2219
33  670 DATA 0,0,0,0,0,0,0,0,0,0
    ,0,0,0,0,0,0,0,0
39  680 DATA 0,0,0,0,0,0,0,0,0,0
    ,0,0,0,0,0,0,0,0
78  690 DATA 0,0,0,0,0,0,0,0,0,0
    ,0,0,5,0,5,85,85
6D  700 DATA 0,5,85,0,1,85,0,0,8
    5,0,0,0,0,0,0,0,0,251
1B  710 DATA 0,0,0,0,0,0,0,0,0,0
    ,0,0,0,0,0,0,0,0
01  720 DATA 0,0,0,0,0,0,0,0,0,0
    ,0,0,0,0,0,0,0,0
C5  730 DATA 0,0,0,0,0,0,0,0,0,0
    ,80,0,0,85,80,0,245
11  740 DATA 85,80,0,85,64,0,85,
    0,0,0,0,0,0,0,0,0,0,389
77  750 DATA 0,0,0,0,0,0,0,0,0,0
    ,0,0,0,0,0,52,0,52
69  760 DATA 0,0,0,0,0,0,0,0,0,0
    ,0,0,0,0,0,0,0,0
EE  770 DATA 0,0,0,0,0,0,0,0,0,2
    1,0,1,85,0,5,123,235
2A  780 DATA 0,5,123,0,1,85,0,0,
    85,0,0,0,0,0,0,0,0,269
6A  790 DATA 0,0,0,0,0,0,0,0,0,0
    ,0,0,0,0,255,0,255
B0  800 DATA 0,0,0,0,0,0,0,0,0,0
    ,0,0,0,0,0,0,0,0
43  810 DATA 0,0,0,0,0,0,0,84,0,
    0,85,64,0,237,80,0,550
5B  820 DATA 188,80,0,85,64,0,85
    ,0,0,0,0,0,0,0,0,0,503
C2  830 DATA 0,0,0,0,0,0,0,0,0,0
    ,0,0,0,0,0,9,0,9
9B  840 DATA 0,0,0,0,0,0,0,0,0,0
    ,0,0,0,0,0,0,0,0
5B  850 DATA 0,0,0,0,0,0,0,21,0,0,
    91,0,1,123,0,5,170,411
BA  860 DATA 0,5,165,0,1,123,0,0
    ,85,0,0,0,0,0,0,0,379
14  870 DATA 0,0,0,0,0,0,0,0,0,0
    ,0,0,0,0,54,0,54
E0  880 DATA 0,0,0,0,0,0,0,0,0,0
    ,0,0,0,0,0,0,0,0
C3  890 DATA 0,0,0,0,84,0,0,229,
    0,0,237,64,0,170,80,0,864
97  900 DATA 80,80,0,169,64,0,85
    ,0,0,0,0,0,0,0,0,0,509
54  910 DATA 0,0,0,0,0,0,0,0,0,0
    ,0,0,0,0,50,0,50
C8  920 DATA 0,0,0,0,0,0,0,0,0,0
    ,0,0,0,0,0,0,0,0
0B  930 DATA 0,0,0,5,0,0,23,0,0,
    91,0,1,105,0,5,170,401
74  940 DATA 0,5,170,0,5,251,0,1
    ,123,0,0,21,0,0,0,0,577
22  950 DATA 0,0,0,0,0,0,0,0,0,0
    ,0,0,0,0,0,80,0,80
10  960 DATA 0,0,0,0,0,0,0,0,0,0
    ,0,0,0,0,0,0,0,0
7F  970 DATA 0,80,0,0,215,0,0,22
    9,0,0,169,64,0,170,80,0,1004
99  980 DATA 170,144,0,191,80,0,
    169,64,0,84,0,0,0,0,0,0,922
F2  990 DATA 0,0,0,0,0,0,0,0,0,0
    ,0,0,0,0,0,204,0,204
78 1000 DATA 0,0,0,0,0,0,0,0,0,
    0,0,0,0,0,0,0,0,0
69 1010 DATA 1,0,0,5,0,0,23,0,0
    ,27,0,0,106,0,1,170,333
D2 1020 DATA 0,1,170,0,0,123,0,
    0,27,0,0,21,0,0,0,0,342
4F 1030 DATA 0,0,0,0,0,0,0,0,0,
    0,0,0,0,0,0,17,0,17
D7 1040 DATA 0,0,0,0,0,0,0,0,0,
    0,0,0,0,0,0,64,0,64
20 1050 DATA 0,80,0,0,212,0,0,2
    28,0,0,169,0,0,170,64,0,923
D3 1060 DATA 170,64,0,189,0,0,1
    80,0,0,84,0,0,0,0,0,0,687
E3 1070 DATA 0,0,0,0,0,0,0,0,0,0,
    0,0,0,0,0,55,0,55
AF 1080 DATA 0,0,0,0,0,0,0,0,0,0,
    0,0,0,0,0,0,0,0
95 1090 DATA 0,0,0,0,0,0,0,0,0,0,
    0,0,0,0,0,0,0,0
83 1100 DATA 0,0,0,0,0,0,0,0,0,0,
    0,0,0,0,0,0,0,0
9E 1110 DATA 0,0,0,0,0,0,0,0,0,0,
```

```
    0,0,0,0,0,255,0,255
9E  1120 DATA 0,0,0,0,0,0,0,0,0,
    0,0,0,170,0,2,235,407
C4  1130 DATA 128,11,106,96,38,1
    10,249,199,106,125,45,234,23
    2,11,105,224,2010
DF  1140 DATA 2,247,128,0,170,0,
    0,0,0,0,0,0,0,0,0,647
AC  1150 DATA 0,0,0,0,0,0,0,0,0,
    0,0,0,0,0,197,170,367
FB  1160 DATA 170,170,170,170,17
    0,170,170,170,170,170,170,17
    0,170,170,170,170,2720
9C  1170 DATA 170,170,170,170,17
    0,170,170,170,170,170,170,17
    0,170,170,170,170,2720
A2  1180 DATA 170,170,170,170,17
    0,170,42,170,168,42,170,168,
    10,170,160,10,2130
75  1190 DATA 170,160,2,170,128,
    2,170,128,0,0,0,0,0,0,250,0,
    1180
63  1200 DATA 0,0,0,0,0,192,0,0,
    112,0,0,156,0,0,39,0,488
24  1210 DATA 0,9,192,0,2,112,0,
    0,144,0,0,50,0,0,220,0,728
5A  1220 DATA 3,103,0,13,137,192
    ,64,1,192,216,1,192,160,2,19
    2,0,1458
57  1230 DATA 0,112,0,0,176,0,0,
    156,0,0,39,0,0,10,234,0,727
30  1240 DATA 0,0,0,0,0,0,0,0,0,0,
    0,0,192,0,0,112,0,304
8E  1250 DATA 0,112,0,0,156,0,0,
    39,0,0,9,192,0,2,64,0,574
AA  1260 DATA 0,176,0,0,44,0,0,3
    9,0,0,9,0,0,1,192,0,461
AA  1270 DATA 2,112,0,0,144,0,0,
    44,0,0,39,0,0,9,190,0,540
56  1280 DATA 0,0,0,0,0,0,0,0,0,0,
    0,0,0,0,3,0,0,3
15  1290 DATA 13,0,0,13,0,0,54,0
    ,0,216,0,3,96,0,1,128,524
29  1300 DATA 0,14,0,0,56,0,0,21
    6,0,0,96,0,3,64,0,13,462
EF  1310 DATA 128,0,6,0,0,56,0,0
    ,216,0,0,96,0,0,251,0,753
14  1320 DATA 0,0,0,0,0,192,0,3,
    112,0,13,144,0,54,44,0,562
16  1330 DATA 216,39,3,96,9,205,
    128,2,118,0,0,156,0,0,55,0,1
    027
00  1340 DATA 0,217,192,3,98,112
    ,3,64,156,3,64,39,3,128,10,1
    3,1105
EC  1350 DATA 0,0,14,0,0,54,0,0,
    216,0,0,160,0,0,0,0,444
56  1360 DATA 0,76,75,14,76,51,1
    5,76,110,16,173,22,208,9,16,
    141,1078
A8  1370 DATA 22,208,169,18,141,
    24,208,169,9,141,34,208,169,
    12,141,32,1705
AC  1380 DATA 208,141,33,208,169
    ,5,141,35,208,160,0,185,176,
    16,153,0,1838
29  1390 DATA 4,185,176,17,153,0
    ,5,185,176,18,153,0,6,185,16
    8,19,1452
1B  1400 DATA 153,249,6,200,208,
    229,160,0,169,8,153,0,216,15
    3,0,217,2120
3E  1410 DATA 153,0,218,153,248,
    218,200,208,241,169,255,141,
    21,208,141,28,2602
9F  1420 DATA 208,169,3,141,23,2
    08,169,67,141,29,208,169,2,1
    41,37,208,1923
D9  1430 DATA 169,1,141,38,208,1
    69,0,141,39,208,141,40,208,1
    69,0,141,1813
D4  1440 DATA 41,208,141,42,208,
    141,43,208,141,44,208,141,46
    ,208,169,5,1994
C9  1450 DATA 141,45,208,169,135
    ,141,0,208,169,183,141,2,208
    ,169,152,141,2222
09  1460 DATA 1,208,141,3,208,16
    9,147,141,4,208,169,195,141,
    6,208,169,2118
CA  1470 DATA 124,141,5,208,141,
    7,208,169,220,141,8,208,169,
    90,141,9,1989
06  1480 DATA 208,169,135,141,10
    ,208,169,53,141,11,208,169,1
    60,141,12,208,2143
5F  1490 DATA 169,190,141,13,208
    ,169,120,141,14,208,169,94,1
    41,15,208,169,2169
52  1500 DATA 40,141,248,7,169,4
    1,141,249,7,169,51,141,250,7
    ,141,251,2053
51  1510 DATA 7,96,32,100,16,165
    ,20,141,79,8,32,253,174,32,1
    58,173,1486
C6  1520 DATA 32,166,182,141,78,
    8,165,34,133,100,165,35,133,
    101,160,0,1633
5B  1530 DATA 177,100,153,160,20
    ,200,204,78,8,208,245,169,0,
    153,160,20,2055
89  1540 DATA 160,0,152,32,126,1
    5,168,152,32,126,15,168,185,
    160,20,240,1751
3C  1550 DATA 11,32,138,15,152,3
    2,126,15,168,200,208,230,96,
    162,200,172,1957
B0  1560 DATA 79,8,136,208,253,2
    02,208,247,96,201,46,240,42,
    201,32,240,2439
BE  1570 DATA 51,201,66,240,47,2
    01,77,240,43,201,80,240,39,2
    01,70,240,2237
9A  1580 DATA 56,201,86,240,52,2
    01,79,240,95,201,85,240,120,
    201,87,240,2424
19  1590 DATA 116,201,90,240,112
    ,208,60,169,40,141,248,7,169
    ,41,141,249,2232
74  1600 DATA 7,76,54,16,169,40,
    141,248,7,169,41,141,249,7,1
    69,54,1588
97  1610 DATA 141,252,7,169,56,1
    41,253,7,96,169,42,141,248,7
    ,169,43,1941
E5  1620 DATA 141,249,7,169,54,1
    41,252,7,169,53,141,253,7,16
    9,1,141,1954
63  1630 DATA 34,208,96,169,44,1
    41,248,7,169,45,141,249,7,16
    9,51,141,1919
25  1640 DATA 250,7,141,251,7,76
    ,80,16,169,46,141,248,7,169,
    47,141,1796
52  1650 DATA 249,7,169,50,141,2
    50,7,141,251,7,169,53,141,25
    5,7,169,2066
F4  1660 DATA 52,141,254,7,96,16
    9,48,141,248,7,169,49,141,24
    9,7,169,1947
2F  1670 DATA 52,141,254,7,96,16
    9,50,141,250,7,141,251,7,141
    ,252,7,1966
74  1680 DATA 141,253,7,141,254,
    7,141,255,7,169,1,141,34,208
    ,96,169,2024
D5  1690 DATA 50,141,252,7,141,2
    53,7,141,254,7,141,255,7,169
    ,0,141,1975
E8  1700 DATA 34,208,96,32,253,1
    74,32,138,173,32,247,183,96,
    173,22,208,2101
AE  1710 DATA 41,239,141,22,208,
    169,20,141,24,208,169,0,141,
    21,208,169,1921
EE  1720 DATA 1,141,33,208,169,3
    ,141,32,208,169,6,141,134,2,
    169,147,1704
3F  1730 DATA 32,210,255,96,0,0,
    0,0,0,0,0,0,0,0,197,255,1045
2C  1740 DATA 11,255,191,217,253
    ,255,189,255,11,255,255,255,
    255,255,255,16,3183
49  1750 DATA 16,16,16,16,16,34,
    16,16,16,16,22,47,47,47,52,5
    3,446
7B  1760 DATA 47,47,47,47,47,47,
    47,52,53,47,47,46,16,16,16,1
    6,638
F4  1770 DATA 16,16,34,16,16,16,
    16,16,16,16,16,16,16,16,34,16,1
    6,292
69  1780 DATA 16,22,47,47,47,42,
    19,27,27,27,27,27,27,27,27,1
    9,475
D8  1790 DATA 43,47,47,47,46,16,
    16,16,16,16,34,16,16,16,16,1
    6,424
AC  1800 DATA 16,16,16,16,16,34,
    16,16,16,47,47,47,42,40,15,1
    5,415
FC  1810 DATA 15,15,15,15,15,15,
    15,15,28,43,47,47,47,16,16,1
    6,380
A5  1820 DATA 16,16,34,16,16,16,
    16,16,16,16,16,16,16,16,34,16,1
    6,292
59  1830 DATA 16,47,47,47,20,39,
    45,15,17,15,16,15,17,15,45,1
    5,433
2B  1840 DATA 28,41,47,47,47,16,
    16,16,16,16,16,34,16,16,16,16,1
    6,405
C5  1850 DATA 16,16,16,16,16,34,
    16,16,16,47,47,47,20,40,15,1
    5,393
33  1860 DATA 15,15,15,15,15,15,
    15,15,28,41,47,47,47,16,16,1
    6,378
DB  1870 DATA 16,16,34,16,16,16,
    16,16,16,16,16,16,16,16,34,16,1
    6,292
A5  1880 DATA 16,47,47,47,20,15,
    15,15,15,15,15,15,15,15,15,1
    5,342
32  1890 DATA 15,41,47,47,47,16,
    16,16,16,16,34,16,16,16,16,1
    6,381
D5  1900 DATA 16,16,16,16,16,34,
    16,16,16,51,48,49,20,15,15,1
    5,375
8C  1910 DATA 15,15,15,15,15,15,
    15,15,15,28,47,47,47,16,16,1
    6,352
2E  1920 DATA 16,16,34,16,16,16,
    16,35,25,35,35,35,35,35,35,3
    5,435
61  1930 DATA 35,47,47,47,20,15,
    15,15,15,15,15,15,15,15,15,1
    5,351
29  1940 DATA 15,15,48,49,50,35,
    25,35,35,35,35,35,35,35,35,1
    6,533
EF  1950 DATA 34,16,16,16,16,16,
    16,16,16,47,47,47,20,15,15,1
    5,368
30  1960 DATA 15,15,15,15,15,15,
    15,15,15,29,47,47,47,16,34,1
    6,371
4F  1970 DATA 16,16,16,16,16,16,
    16,16,34,16,16,16,16,16,16,1
    6,274
1C  1980 DATA 16,47,47,32,20,39,
    26,25,26,26,15,15,26,26,26,2
    6,439
AF  1990 DATA 29,41,31,47,47,16,
    34,16,16,16,16,16,16,16,16,1
    6,389
```

```
35  2000 DATA 34,16,16,16,16,16,
    16,16,16,47,47,32,20,20,15,1
    5,358
12  2010 DATA 15,15,15,15,15,15,
    15,15,41,41,31,47,47,16,34,1
    6,393
C5  2020 DATA 16,16,16,16,16,16,
    16,16,34,16,16,16,16,16,16,1
    6,274
BE  2030 DATA 16,47,47,32,20,40,
    27,27,27,27,15,15,20,27,27,2
    7,441
AD  2040 DATA 28,41,31,47,47,16,
    34,16,16,16,16,16,16,16,16,1
    6,389
16  2050 DATA 34,16,16,16,16,16,
    16,16,16,47,47,32,20,15,15,1
    5,353
7D  2060 DATA 15,15,24,15,20,15,
    15,15,15,41,31,47,47,16,34,1
    6,381
F2  2070 DATA 16,16,16,16,16,16,
    16,16,34,16,16,16,16,16,16,1
    6,274
47  2080 DATA 16,47,47,32,20,15,
    15,15,15,15,24,15,20,15,15,1
    5,341
20  2090 DATA 15,41,31,47,47,16,
    34,16,16,16,16,16,16,16,16,1
    6,375
55  2100 DATA 34,16,16,16,16,16,
    16,16,16,47,47,47,20,39,15,1
    5,392
15  2110 DATA 15,15,15,15,40,15,
    15,15,29,41,47,47,47,16,34,1
    6,422
87  2120 DATA 16,16,16,16,16,16,
    16,35,35,35,35,35,35,25,35,3
    5,417
67  2130 DATA 35,47,47,47,20,20,
    39,15,15,15,15,27,15,15,15,2
    9,416
C3  2140 DATA 41,41,47,47,47,35,
    35,35,35,35,35,25,35,35,35,1
    6,579
56  2150 DATA 15,16,16,16,16,34,
    16,15,15,47,47,47,38,20,20,1
    5,396
D6  2160 DATA 15,15,15,15,15,15,
    15,41,41,30,47,47,47,16,16,1
    6,406
DA  2170 DATA 16,16,34,16,16,16,
    16,16,16,16,16,16,16,34,16,1
    6,292
9A  2180 DATA 16,61,61,61,61,23,
    20,15,15,15,15,15,15,15,29,4
    1,478
91  2190 DATA 21,61,61,61,61,16,
    16,16,16,15,34,16,15,15,16,1
    6,459
05  2200 DATA 16,16,22,47,47,47,
    47,47,47,47,47,47,47,47,23,3
    9,633
B4  2210 DATA 15,15,15,15,15,29,
    41,21,47,47,47,47,47,47,52,5
    3,553
89  2220 DATA 47,47,47,46,16,16,
    16,16,16,57,56,47,47,47,47,4
    7,615
DA  2230 DATA 47,47,47,47,47,47,
    47,20,20,15,27,27,41,41,41,4
    7,608
4C  2240 DATA 47,47,47,47,47,47,
    52,53,47,47,47,47,46,16,16,1
    6,669
7A  2250 DATA 22,47,47,55,48,50,
    51,48,49,50,51,48,50,51,48,2
    0,735
40  2260 DATA 20,15,15,15,41,41,
    41,49,50,51,49,50,51,59,60,4
    7,654
CD  2270 DATA 47,47,47,47,47,46,
    16,22,47,47,47,47,47,47,47,4
    7,695
B1  2280 DATA 47,47,47,47,47,47,
    47,20,20,15,15,15,41,41,41,4
    7,584
93  2290 DATA 47,47,47,47,47,47,
    47,47,47,47,47,47,47,47,46,4
    7,751
C8  2300 DATA 47,47,47,47,47,47,
    47,47,47,47,47,47,47,47,42,2
    0,720
2F  2310 DATA 20,15,15,15,41,41,
    41,43,47,47,47,47,47,47,47,4
    7,607
B0  2320 DATA 47,47,47,47,47,47,
    47,47,47,47,47,47,47,47,47,4
    7,752
18  2330 DATA 47,47,47,47,47,42,
    20,20,20,15,15,15,41,41,41,4
    1,546
D1  2340 DATA 43,47,47,47,47,47,
    47,47,47,47,47,47,47,47,47,4
    7,748
CA  2350 DATA 47,47,47,47,47,47,
    47,47,47,47,47,47,47,42,20,20,2
    0,666
4F  2360 DATA 20,15,15,15,41,41,
    41,41,41,43,47,47,47,47,47,4
    7,595
A5  2370 DATA 47,47,47,47,47,47,
```

PROGRAM: MONSTER DEMO

```
21  100 REM ********************
    *****
88  110 REM *   MONSTER TALK DEM
    O   *
03  120 REM *      BY MIKE BENN
    *
0D  130 REM *
    *
F8  140 REM *  REMBER TO LOAD AN
    D   *
7B  150 REM *  LOAD AND RUN MONS
    TER *
E4  160 REM *  TALK FIRST BEFORE
    *
E7  170 REM * LOADING DEMO PROGR
    AMS *
71  180 REM ********************
    *****
31  190 REM
8D  200 REM ********************
    *****
85  210 REM * THIS CAN BE RUN WI
    TH  *
D3  220 REM * THE CURRAH SPEECH
    64  *
CE  230 REM * BUT WILL NEED ADAP
    TING*
B7  240 REM * TO RUN WITH OTHER
    *
7B  250 REM * SPEECH UNITS.
    *
80  260 REM ********************
    *****
80  270 REM
BF  280 SA=36500
D4  290 INIT:REM INIALISE SPEECH
     UNIT
6F  300 SYSSA:REM GOTO MONSTER S
    CREEN
B5  310 A$(1)="I SAY [(DD)N(LL)(
    EE)] WHAT MY MARSTER COMMAND
    S ME TO SAY. "
C0  320 A$(2)="MY LIPS MOVE IN L
    IPSINK TO MY VOICE BY ADJUST
    ING THE DELAY SETTING "
E5  330 A$(3)="IF MY MARSTER WIS
    HES I CAN BE PROGRAMMD TO TE
    LL THE TIME ON COMMAND "
EB  340 A$(4)="I FEEL TIRED NOW
    MARSTER I SHALL SLEEP UNTIL
    YOU NEXT COMMAND ME "
EF  350 REM SAYA$(X) = TELL YOUR
     SPEECH UNIT TO SPEAK A$(X)
87  360 SAYA$(1)
30  370 DE=20
44  380 GOSUB510
0C  390 SAYA$(2)
EE  400 DE=24
AA  410 GOSUB510
A9  420 SAYA$(3)
B0  430 DE=24
B8  440 GOSUB510
4A  450 SAYA$(4)
9A  460 DE=24
EE  470 GOSUB510
EE  480 SYSSA+6:REM GO BACK TO B
    ASIC
35  490 KOFF:TURN OFF SPEECH UNI
    T
75  500 END
97  510 SYSSA+3,DE,A$(X):RETURN
```

CONSTRUCTING A COMPILER

PROGRAM: SYSLIB.LDR

```
7E  10 AD=49152
38  20 FOR LN=100 TO 2130 STEP 1
    0
A3  25 :  RT=0
91  30 :  FOR OS=0 TO 15
C2  35 :     READ BY:POKE AD+OS,
    BY
4D  40 :     RT=RT+BY
99  45 :  NEXT
CB  50 :  READ TT:IF RT<>TT THEN
     PRINT "ERROR IN LINE";LN:EN
    D
2A  55 :  AD=AD+16
BE  60 NEXT
12  65 HI=INT(AD/256):LO=AD-HI*2
    56
CC  70 POKE 43,0:POKE 44,192:POK
    E 45,LO:POKE 46,HI:SAVE"SYSL
    IB",8
D7  75 CLR
31  100 DATA 169,76,162,32,160,1
    92,133,94,134,95,132,96,169,
    255,162,154, 2215
00  110 DATA 133,73,134,74,165,4
    5,166,46,133,78,134,79,32,21
    ,198,96, 1607
A0  120 DATA 10,170,189,49,192,1
    41,47,192,189,50,192,141,48,
    192,76,0, 1878
A0  130 DATA 0,224,192,133,198,1
    77,198,214,198,223,198,26,20
    0,75,200,47, 2503
11  140 DATA 203,54,203,60,203,7
    5,203,84,203,69,203,243,202,
    19,204,54, 2282
20  150 DATA 204,166,200,197,199
    ,210,199,53,201,69,201,93,20
    1,121,201,153, 2698
E1  160 DATA 201,165,201,177,201
    ,192,201,207,201,233,201,164
    ,199,188,199,3, 2933
3F  170 DATA 202,247,202,117,200
    ,124,200,155,199,9,202,118,2
    04,127,204,141, 2651
15  180 DATA 204,160,204,215,199
    ,60,202,220,199,153,200,232,
    198,245,198,2, 2891
```

```
FD  190 DATA 199,15,199,37,199,6
    1,199,107,199,93,199,67,199,
    99,199,113, 2184
B7  200 DATA 199,134,199,185,200
    ,4,201,207,192,207,192,133,2
    00,144,200,223, 2920
ED  210 DATA 199,103,202,122,202
    ,232,199,241,199,16,200,14,2
    02,90,203,125, 2549
FA  220 DATA 203,181,203,155,202
    ,6,200,76,204,94,204,255,203
    ,208,192,95, 2562
C0  230 DATA 32,204,255,169,15,3
    2,195,255,32,231,255,162,128
    ,108,0,3, 2076
B5  240 DATA 108,252,255,206,85,
    77,69,82,73,67,32,207,86,69,
    82,70, 1820
24  250 DATA 76,79,87,0,206,85,7
    7,69,82,73,67,32,213,78,68,6
    9, 1361
AB  260 DATA 82,70,76,79,87,0,21
    5,193,210,206,201,206,199,58
    ,32,196, 2110
6B  270 DATA 73,83,75,32,78,79,8
    4,32,80,82,69,83,69,78,84,46
    , 1127
27  280 DATA 32,211,85,66,83,69,
    81,85,69,78,84,32,32,32,201,
    47, 1287
2A  290 DATA 207,32,65,84,84,69,
    77,80,84,83,32,87,73,76,76,3
    2, 1241
7F  300 DATA 67,65,85,83,69,32,6
    9,82,82,79,82,83,227,192,244
    ,192, 1733
A7  310 DATA 6,193,208,82,79,71,
    82,65,77,32,195,65,78,78,79,
    84, 1474
6B  320 DATA 32,195,79,79,84,73,
    78,85,69,0,194,65,68,32,193,
    82, 1407
47  330 DATA 82,65,89,32,211,85,
    66,83,67,82,73,80,84,0,201,7
    6, 1375
F3  340 DATA 76,69,71,65,76,32,2
    09,85,65,78,84,73,84,89,0,21
    1, 1367
83  350 DATA 84,82,73,79,71,32,2
    12,79,79,32,204,79,78,71,0,1
    96, 1450
61  360 DATA 65,84,65,32,212,89,
    80,69,32,205,73,83,77,65,84,
    67, 1382
85  370 DATA 72,0,211,89,83,84,6
    9,77,32,201,47,207,32,69,82,
    82, 1437
4E  380 DATA 79,82,0,210,69,83,6
    9,82,86,69,68,32,201,47,207,
    32, 1416
A7  390 DATA 195,72,65,78,79,69,
    76,0,196,69,86,73,67,69,32,7
    8, 1303
FD  400 DATA 79,84,32,70,79,85,7
    8,68,0,206,85,76,76,32,198,2
    01, 1449
E2  410 DATA 195,0,207,85,84,32,
    79,70,32,205,69,77,79,82,89,
    0, 1396
B2  420 DATA 196,73,86,73,83,73,
    79,78,32,66,89,32,90,69,82,7
    9, 1280
5D  430 DATA 0,211,84,65,67,75,3
    2,79,86,69,82,70,76,79,87,0,
     1162
F3  440 DATA 82,193,105,193,125,
    193,143,193,159,193,178,193,
    195,193,216,193, 2749
EC  450 DATA 233,193,242,193,0,1
    94,17,194,138,72,32,204,255,
    104,72,32, 2175
41  460 DATA 210,199,104,72,10,1
    70,189,33,194,168,189,32,194
    ,170,32,96, 2062
F6  470 DATA 195,169,13,32,210,2
    55,104,240,5,169,0,76,67,194
    ,76,208, 2013
88  480 DATA 192,138,10,170,189,
    77,193,168,189,76,193,170,32
    ,96,195,169, 2257
C4  490 DATA 13,76,210,255,72,32
    ,204,255,104,10,170,189,75,1
    95,168,189, 2217
F6  500 DATA 74,195,170,32,96,19
    5,169,13,32,210,255,162,5,76
    ,56,194, 1934
24  510 DATA 211,212,207,208,69,
    68,0,212,79,79,32,77,65,78,8
    9,32, 1718
8B  520 DATA 79,80,69,78,32,70,7
    3,76,69,83,0,198,73,76,69,32
    , 1157
BE  530 DATA 65,76,82,69,65,68,8
    9,32,79,80,69,78,0,198,73,76
    , 1199
3C  540 DATA 69,32,78,79,84,32,7
    9,80,69,78,0,198,73,76,69,32
    , 1129
76  550 DATA 78,79,84,32,70,79,8
    5,78,68,0,196,69,86,73,67,69
    , 1213
37  560 DATA 32,78,79,84,32,80,8
    2,69,83,69,79,84,0,199,73,76
    , 1197
F9  570 DATA 69,32,73,83,32,79,7
    9,84,32,65,78,32,201,206,208
    ,213, 1565
AE  580 DATA 212,32,70,73,76,69,
    0,198,73,76,69,32,73,83,32,7
    8, 1246
5C  590 DATA 79,84,32,65,78,32,2
    07,213,212,208,213,212,32,70
    ,73,76, 1886
CA  600 DATA 69,0,198,73,76,69,3
    2,78,65,77,69,32,77,73,83,83
    , 1154
1F  610 DATA 73,78,71,0,201,78,7
    6,69,71,65,76,32,196,69,86,7
    3, 1312
2D  620 DATA 67,69,32,78,85,77,6
    6,69,82,0,144,194,151,194,17
    1,194, 1673
BF  630 DATA 189,194,203,194,218
    ,194,237,194,7,195,34,195,52
    ,195,134,196, 2631
69  640 DATA 134,71,132,72,160,0
    ,177,71,240,6,32,210,255,200
    ,208,246, 2214
BE  650 DATA 96,0,0,16,5,232,1,1
    00,0,10,0,169,0,141,114,195,
     1079
D7  660 DATA 141,113,195,170,160
    ,0,56,200,165,71,253,115,195
    ,133,71,165, 2203
C3  670 DATA 72,253,116,195,133,
    72,176,239,136,165,71,125,11
    5,195,133,71, 2267
F2  680 DATA 165,72,125,116,195,
    133,72,152,208,7,172,113,195
    ,240,17,208, 2190
A1  690 DATA 3,140,113,195,9,48,
    172,114,195,153,0,155,200,14
    0,114,195, 1946
33  700 DATA 232,232,224,8,208,1
    90,165,71,9,48,172,114,195,1
    53,0,155, 2176
25  710 DATA 200,169,0,153,0,155
    ,96,0,0,0,0,0,0,0,0,0, 773
D5  720 DATA 0,0,0,0,0,0,0,0,0,0
    ,0,0,0,162,0,134, 295
FC  730 DATA 5,134,6,189,215,195
    ,208,1,96,32,73,196,144,58,2
    32,41, 1825
1E  740 DATA 15,72,165,6,72,165,
    5,72,6,5,38,6,176,39,6,5, 85
    3
90  750 DATA 38,6,176,33,24,104,
    101,5,133,5,104,101,6,133,6,
    176, 1151
45  760 DATA 20,6,5,38,6,176,14,
    104,24,101,5,133,5,165,6,105
    , 913
25  770 DATA 0,133,6,144,190,162
    ,2,44,162,4,76,56,194,201,65
    ,144, 1583
32  780 DATA 6,201,91,176,2,56,9
    6,24,96,201,48,144,250,201,5
    8,176, 1826
45  790 DATA 245,144,242,32,61,1
    96,144,1,96,76,73,196,108,94
    ,195,160, 2064
0E  800 DATA 0,32,228,255,201,13
    ,240,18,170,32,193,255,208,1
    2,138,153, 2138
02  810 DATA 0,156,200,208,236,1
    62,3,76,56,194,169,0,153,0,1
    56,140, 1909
8D  820 DATA 236,195,141,235,195
    ,96,160,0,32,207,255,201,13,
    240,11,153, 2370
2C  830 DATA 0,156,200,208,243,1
    62,3,76,56,194,169,0,153,0,1
    56,140, 1916
EA  840 DATA 236,195,141,235,195
    ,76,210,199,0,172,235,195,20
    4,236,195,144, 2868
D1  850 DATA 6,32,92,196,24,144,
    242,162,0,185,0,156,201,32,2
    08,8, 1688
48  860 DATA 173,168,196,208,6,2
    00,208,241,141,168,196,32,93
    ,195,144,7, 2367
85  870 DATA 157,215,195,200,232
    ,208,226,200,140,235,195,169
    ,0,157,215,195, 2939
AF  880 DATA 96,174,235,195,236,
    236,195,144,6,32,92,195,24,1
    44,242,160, 2407
EC  890 DATA 0,189,0,156,240,15,
    201,44,240,11,145,78,232,200
    ,208,241, 2200
96  900 DATA 162,3,76,56,194,232
    ,142,235,195,76,128,197,0,0,
    0,165, 1861
50  910 DATA 38,24,101,63,144,5,
    162,3,76,56,194,24,101,78,17
    0,165, 1404
32  920 DATA 79,105,0,197,74,144
    ,25,240,19,173,12,197,240,5,
    162,9, 1681
DF  930 DATA 76,56,194,238,12,19
    7,32,151,197,76,15,197,228,7
    3,176,233, 2151
F8  940 DATA 160,0,140,12,197,14
    0,13,197,140,14,197,172,13,1
    97,196,38, 1826
A6  950 DATA 240,14,177,38,200,1
    40,13,197,172,14,197,145,78,
    200,208,232, 2256
2C  960 DATA 160,0,140,13,197,17
    2,13,197,196,63,240,17,177,6
    4,200,140, 1985
BE  970 DATA 13,197,172,14,197,1
    45,78,200,140,14,197,208,232
    ,172,14,197, 2190
BE  980 DATA 132,63,165,78,166,7
    9,133,64,134,65,152,24,101,7
    8,133,78, 1645
CD  990 DATA 165,79,105,0,133,79
    ,96,96,64,48,58,32,32,32,32,
    32, 1083
2E 1000 DATA 32,32,32,32,32,32,
    32,32,32,32,32,32,32,32,32,3
    2, 512
7D 1010 DATA 32,44,83,44,92,165
    ,252,208,23,165,63,240,22,16
    5,251,240, 2079
54 1020 DATA 15,201,1,240,20,20
    1,15,240,16,165,63,201,17,17
```

```
    6,7,96, 1674
E3  1030 DATA 162,2,44,162,8,44,
    162,3,44,162,6,76,56,194,160
    ,0, 1285
62  1040 DATA 162,3,177,64,157,1
    52,197,200,232,196,63,144,24
    5,160,0,185, 2337
4C  1050 DATA 177,197,157,152,19
    7,232,200,192,4,144,244,173,
    180,197,201,87, 2734
AD  1060 DATA 240,8,138,162,155,
    160,197,76,189,255,232,232,2
    32,138,162,152, 2728
E0  1070 DATA 160,197,76,189,255
    ,169,15,168,162,8,32,186,255
    ,169,1,162, 2204
B4  1080 DATA 56,160,198,32,189,
    255,32,192,255,176,1,96,201,
    5,240,3, 2091
A4  1090 DATA 76,116,194,162,2,7
    6,97,194,73,162,15,32,198,25
    5,144,3, 1799
E9  1100 DATA 76,116,194,160,0,3
    2,228,255,201,13,240,6,153,9
    0,198,200, 2162
C0  1110 DATA 208,243,169,0,153,
    90,198,76,204,255,0,0,0,0,0,
    0, 1598
17  1120 DATA 0,0,0,0,0,0,0,0,0,0,
    0,0,0,0,0,0,0,0, 0
1D  1130 DATA 0,0,0,0,0,0,0,0,0,0,
    0,0,0,0,0,0,0,0, 0
0A  1140 DATA 0,0,0,157,0,173,13
    0,198,174,131,198,133,71,134
    ,72,24, 1595
59  1150 DATA 105,2,141,130,198,
    138,105,0,141,131,198,238,13
    2,198,208,5, 2070
2E  1160 DATA 162,11,76,56,194,1
    60,0,165,5,145,71,200,165,6,
    145,71, 1632
CC  1170 DATA 96,173,130,198,174
    ,131,198,56,233,2,141,130,19
    8,133,71,138, 2202
9D  1180 DATA 233,0,141,131,198,
    133,72,206,132,198,160,1,177
    ,71,133,4, 1990
D1  1190 DATA 136,177,71,133,3,9
    6,165,5,166,6,133,251,134,25
    2,96,165, 1989
CB  1200 DATA 5,166,6,133,253,13
    4,254,96,165,3,5,5,133,5,165
    ,4, 1532
5F  1210 DATA 5,6,133,6,96,165,3
    ,69,5,133,5,165,4,69,6,133,
    1003
FF  1220 DATA 6,96,165,3,37,5,13
    3,5,165,4,37,6,133,6,96,165,
     1062
ED  1230 DATA 5,165,6,201,0,208,
    7,224,0,208,3,230,5,96,169,0
    , 1529
68  1240 DATA 133,5,133,6,96,165
    ,5,197,3,208,9,165,6,197,4,2
    08, 1540
AC  1250 DATA 3,169,1,44,169,0,1
    62,0,133,5,134,6,96,32,37,19
    9, 1190
27  1260 DATA 76,15,199,165,4,19
    7,6,144,8,208,9,165,3,197,5,
    176, 1577
07  1270 DATA 3,169,1,44,169,0,1
    62,0,133,5,134,6,96,32,67,19
    9, 1220
60  1280 DATA 76,15,199,32,93,19
    9,201,0,240,211,96,32,99,199
    ,76,15, 1783
83  1290 DATA 199,165,5,24,101,3
    ,133,5,165,4,101,6,133,6,176
    ,1, 1227
43  1300 DATA 96,162,0,76,97,194
    ,165,3,56,229,5,133,5,165,4,
    229, 1619
DE  1310 DATA 6,133,6,144,1,96,1
    62,1,76,97,194,165,5,201,0,2
    08, 1495
30  1320 DATA 2,165,5,96,165,3,7
    2,165,4,72,32,177,198,165,3,
    133, 1458
AD  1330 DATA 69,165,4,133,70,10
    4,133,4,104,133,3,96,165,5,1
    66,6, 1360
B4  1340 DATA 133,69,134,70,96,1
    60,0,177,64,32,210,255,200,1
    96,63,208, 2067
1E  1350 DATA 246,96,169,13,76,2
    10,255,169,147,76,210,255,76
    ,208,192,165, 2563
00  1360 DATA 63,133,5,169,0,133
    ,6,96,160,0,177,64,133,5,132
    ,6, 1282
4B  1370 DATA 96,32,225,255,240,
    7,169,0,133,5,133,6,96,169,1
    ,162, 1729
D6  1380 DATA 0,133,5,134,6,96,3
    2,183,255,133,5,169,0,133,6,
    96, 1386
24  1390 DATA 32,228,255,133,5,1
    69,0,133,6,96,173,130,198,17
    4,131,198, 2061
9E  1400 DATA 133,71,134,72,24,1
    05,3,141,130,198,138,105,0,1
    41,131,198, 1724
86  1410 DATA 238,132,198,208,5,
    162,11,76,56,194,160,0,165,6
    3,145,71, 1984
9B  1420 DATA 200,165,64,145,71,
    200,165,65,145,71,96,173,130
    ,198,174,131, 2193
44  1430 DATA 198,56,233,3,141,1
    30,198,133,71,138,233,0,141,
    131,198,133, 2137
98  1440 DATA 72,206,132,198,160
    ,2,177,71,133,40,136,177,71,
    133,39,136, 1883
A2  1450 DATA 177,71,133,38,96,1
    60,0,165,251,145,3,96,32,117
    ,200,200, 1884
B1  1460 DATA 165,252,145,3,96,1
    60,0,177,251,133,5,169,0,133
    ,6,96, 1791
AE  1470 DATA 32,133,200,200,177
    ,251,133,6,96,165,5,141,164,
    200,165,6, 2074
66  1480 DATA 141,165,200,76,0,2
    ,165,5,166,6,133,71,134,72,3
    2,123, 1489
42  1490 DATA 195,162,0,160,155,
    76,96,195,0,164,5,166,6,208,
    5,192, 1785
E3  1500 DATA 0,208,1,96,165,3,1
    33,5,165,4,133,6,136,192,255
    ,208, 1710
BD  1510 DATA 1,202,192,0,208,5,
    224,0,208,1,96,165,5,24,101,
    3, 1435
44  1520 DATA 133,5,165,6,101,4,
    133,6,144,226,173,184,200,20
    8,221,169, 2079
73  1530 DATA 1,141,184,200,138,
    72,152,72,162,0,32,87,194,10
    4,168,104, 1821
34  1540 DATA 170,24,144,200,184
    ,5,166,6,208,5,162,0,208,5,1
    62,10, 1673
54  1550 DATA 76,56,194,162,0,16
    0,0,232,208,1,200,165,3,56,2
    29,5, 1747
92  1560 DATA 133,3,165,4,229,5,
    133,4,176,237,202,224,255,20
    8,1,136, 2116
E2  1570 DATA 134,5,132,6,96,165
    ,202,41,7,73,7,168,169,29,32
    ,210, 1476
20  1580 DATA 255,136,16,248,96,
    160,1,165,70,205,71,176,1,96
    ,208,8, 1915
1A  1590 DATA 136,165,69,205,71,
    176,1,96,162,1,76,56,194,165
    ,71,164, 1813
EE  1600 DATA 72,232,208,1,200,2
    32,208,1,200,6,69,38,70,138,
    24,101, 1803
DF  1610 DATA 69,133,71,152,101,
    70,133,72,96,165,71,164,72,2
    32,208,1, 1811
9D  1620 DATA 200,232,208,1,200,
    6,69,38,70,6,69,38,70,138,24
    ,101, 1470
17  1630 DATA 69,133,71,152,101,
    70,133,72,96,160,0,177,71,13
    3,5,200, 1643
40  1640 DATA 177,71,133,5,96,16
    0,0,165,5,145,71,200,165,6,1
    45,71, 1616
57  1650 DATA 96,160,0,162,0,177
    ,71,145,53,200,232,192,3,208
    ,246,96, 2055
A8  1660 DATA 160,0,162,0,181,53
    ,145,71,200,232,192,3,208,24
    6,96,160, 2119
7C  1670 DATA 0,177,71,24,105,1,
    145,71,8,200,40,177,71,105,0
    ,145, 1342
1B  1680 DATA 71,176,1,96,162,0,
    76,97,194,160,0,177,71,56,23
    3,1, 1571
D5  1690 DATA 145,71,8,200,40,17
    7,71,105,0,145,71,144,1,96,1
    62,1, 1427
3E  1700 DATA 76,97,194,32,169,1
    96,76,237,196,165,5,76,210,2
    55,165,6, 2154
16  1710 DATA 240,5,162,2,76,66,
    194,165,5,240,20,170,32,198,
    255,144, 1964
96  1720 DATA 3,76,116,194,32,22
    8,255,72,32,204,255,104,133,
    5,96,32, 1837
71  1730 DATA 229,255,201,0,240,
    249,133,5,96,0,0,0,120,165,1
    65,24, 1881
13  1740 DATA 101,5,141,59,202,1
    65,164,101,6,141,58,202,165,
    163,105,0, 1778
79  1750 DATA 141,57,202,88,162,
    0,181,163,221,57,202,144,249
    ,240,1,96, 2204
FD  1760 DATA 232,224,3,208,241,
    240,237,160,0,165,6,240,5,16
    2,2,76, 2201
33  1770 DATA 56,194,165,5,145,7
    8,200,76,128,197,165,5,166,6
    ,133,71, 1790
FB  1780 DATA 134,72,32,123,196,
    160,0,162,0,189,0,155,240,5,
    145,78, 1691
A9  1790 DATA 232,200,208,245,76
    ,128,197,0,0,0,0,165,5,166,6
    ,141, 1769
1F  1800 DATA 209,202,142,210,20
    2,160,0,162,0,196,63,240,11,
    177,64,157, 2195
5E  1810 DATA 151,202,200,232,19
    2,4,208,241,165,63,201,4,144
    ,7,173,154, 2341
2D  1820 DATA 202,72,24,144,1,8,
    173,151,202,174,152,202,172,
    153,202,40, 2072
06  1830 DATA 32,0,0,141,151,202
    ,142,152,202,140,153,202,8,1
    04,141,154, 1924
96  1840 DATA 202,160,0,162,0,18
    9,151,202,145,78,232,200,192
    ,4,208,245, 2370
33  1850 DATA 76,128,197,32,15,1
    97,96,32,225,196,96,160,0,19
    6,63,208, 1917
B9  1860 DATA 7,196,38,208,3,169
```

```
     ,0,96,196,63,208,4,24,169,1,
     96,  1478
7C   1870 DATA 196,38,208,4,56,16
     9,1,96,177,64,56,241,39,240,
     1,96,  1682
A1   1880 DATA 200,208,218,169,0,
     44,169,1,162,0,133,5,134,6,9
     6,32,  1577
BE   1890 DATA 251,202,240,242,20
     8,237,32,47,203,76,15,199,32
     ,251,202,240,  2677
24   1900 DATA 229,176,227,144,22
     2,32,60,203,76,15,199,32,251
     ,202,240,214,  2522
9D   1910 DATA 144,212,176,207,32
     ,251,202,76,15,199,165,6,240
     ,5,162,2,  2094
BD   1920 DATA 76,56,194,165,5,19
     7,63,144,4,165,63,133,5,160,
     0,196,  1626
5A   1930 DATA 5,240,7,177,64,145
     ,78,200,208,245,76,128,197,1
     65,6,240,  2181
82   1940 DATA 5,162,2,76,56,194,
     165,5,197,63,144,4,165,63,13
     3,5,  1439
5A   1950 DATA 165,63,56,229,5,14
     1,13,197,160,0,140,14,197,19
     6,5,240,  1821
1C   1960 DATA 17,172,13,197,177,
     64,200,140,13,197,172,14,197
     ,145,78,200,  1996
3D   1970 DATA 208,232,76,128,197
     ,165,252,240,5,162,2,76,56,1
     94,165,254,  2412
FB   1980 DATA 208,247,165,251,19
     7,63,144,4,165,63,133,251,16
     5,63,56,229,  2404
24   1990 DATA 251,133,71,165,253
     ,197,71,144,4,165,71,133,253
     ,165,251,141,  2468
66   2000 DATA 13,197,160,0,140,1
     4,197,196,253,240,17,172,13,
     197,177,64,  2050
EF   2010 DATA 200,140,13,197,172
     ,14,197,145,78,200,208,232,7
     6,128,197,32,  2229
64   2020 DATA 204,255,169,0,141,
     18,204,169,134,162,196,141,9
     4,195,142,95,  2319
DE   2030 DATA 195,96,0,165,6,240
     ,5,162,2,76,56,194,166,5,32,
     198,  1598
53   2040 DATA 255,176,16,165,5,1
     41,18,204,169,95,162,196,141
     ,94,195,142,  2174
E6   2050 DATA 95,195,96,76,116,1
     94,165,6,240,5,162,2,76,56,1
     94,166,  1844
31   2060 DATA 5,32,201,255,176,2
     37,165,5,141,18,204,96,32,57
     ,198,160,  1982
EB   2070 DATA 0,185,90,198,240,5
     ,145,78,200,208,245,76,128,1
     97,32,57,  2085
A9   2080 DATA 198,160,0,185,90,1
     98,153,215,195,200,192,2,208
     ,245,169,0,  2410
65   2090 DATA 153,215,195,76,237
     ,195,32,192,255,176,1,96,76,
     116,194,165,  2374
9C   2100 DATA 6,240,5,162,2,76,5
     6,194,165,5,76,195,255,32,18
     1,197,  1847
2F   2110 DATA 169,82,141,180,197
     ,165,251,168,162,8,32,186,25
     5,76,222,197,  2491
28   2120 DATA 32,181,197,169,87,
     141,180,197,165,251,168,162,
     8,32,186,255,  2411
FF   2130 DATA 76,222,197,0,0,0,0
     ,0,0,0,0,0,0,0,0,0,  495
```

WILLIAM TELL

Here are the first two parts of William Tell which will build up over the next few months into the full program. These parts will not run individually so, after you type them in, save them onto a tape or disk and keep it safe. The final installment will contain full instructions on what to do to bring all of the parts together.

PROGRAM: WT1.BAS

```
26   10 BL=404:LN=50:SA=34048
F9   20 FOR L=0 TO BL:CX=0:FOR D=
     0 TO 15
8B   21 READ A:POKE53280,A
9E   22 CX=CX+A:POKE SA+L*16+D,A:
     NEXT
A2   30 READA:IF A=CX THEN40
12   31 PRINT"ERROR IN LINE";LN+(
     L*10):STOP
12   40 NEXT L:SYS40352
69   50 DATA 32,82,37,37,37,37,37
     ,37,60,32,32,32,32,32,82,37,
     675
08   60 DATA 37,37,37,37,32,82,37
     ,37,37,37,37,37,58,32,32,32,
     638
EF   70 DATA 32,32,82,81,45,45,45
     ,45,32,82,37,37,37,37,37,37,
     743
44   80 DATA 58,32,32,32,32,32,82
     ,81,46,40,40,46,32,82,37,83,
     787
2E   90 DATA 40,84,37,37,60,32,32
     ,32,32,32,82,81,39,39,39,39,
     737
C4   100 DATA 32,82,37,37,37,37,3
     7,37,37,58,32,32,32,32,30,27
     ,616
C1   110 DATA 47,47,47,47,32,82,3
     7,37,83,40,84,37,37,60,32,32
     ,781
E7   120 DATA 32,32,32,30,27,37,3
     7,37,32,82,37,37,37,37,37,37
     ,600
05   130 DATA 37,37,60,32,32,32,3
     2,32,30,27,37,37,32,82,37,46
     ,622
FC   140 DATA 37,83,40,84,37,37,6
     0,32,32,32,32,32,32,30,27,37
     ,684
EA   150 DATA 32,82,37,46,37,37,3
     7,37,37,37,37,60,32,32,32,32
     ,644
57   160 DATA 32,32,30,27,32,82,8
     2,46,46,37,83,40,84,37,37,60
     ,787
5E   170 DATA 32,32,32,32,32,32,3
     2,75,32,32,82,37,46,46,37,37
     ,648
DD   180 DATA 37,37,37,58,32,32,3
     2,32,32,32,32,75,32,32,82,37
     ,651
7E   190 DATA 37,37,37,37,37,37,5
     8,32,32,32,32,32,32,32,32,75
     ,611
95   200 DATA 32,32,32,82,37,37,3
     7,37,37,58,32,32,32,32,32,32
     ,613
25   210 DATA 32,32,32,75,32,32,3
     2,32,32,32,32,32,32,32,32,32
     ,555
13   220 DATA 32,32,32,32,32,32,3
     2,75,32,32,32,32,32,32,32,32
     ,555
59   230 DATA 32,32,32,32,32,32,3
     2,32,32,32,32,75,32,32,32,32
     ,555
D7   240 DATA 32,32,32,32,32,32,3
     2,32,32,32,32,32,32,32,32,75
     ,555
EF   250 DATA 32,32,32,32,32,32,3
     2,32,32,32,32,32,32,32,32,32
     ,512
44   260 DATA 32,32,32,75,32,32,3
     2,32,32,32,32,32,32,32,32,32
     ,555
C2   270 DATA 32,32,32,32,32,32,3
     2,75,32,32,32,32,32,32,32,32
     ,555
D8   280 DATA 32,32,32,32,32,32,3
     2,32,32,32,32,75,32,32,32,32
     ,555
36   290 DATA 32,32,32,32,32,32,3
     2,32,32,32,32,32,32,32,32,75
     ,555
CE   300 DATA 32,32,32,32,32,32,8
     8,32,32,32,32,32,32,32,32,32
     ,568
39   310 DATA 32,32,32,29,32,32,3
     2,32,32,32,89,32,32,32,32,32
     ,566
9A   320 DATA 32,32,32,32,32,32,3
     2,29,32,32,32,32,32,32,32,32
     ,509
C1   330 DATA 32,32,32,32,32,32,3
     2,32,32,32,32,29,32,32,28,60
     ,533
9F   340 DATA 32,32,32,32,32,28,6
     0,32,32,32,32,32,32,32,32,29
     ,533
92   350 DATA 32,59,29,60,32,32,3
     2,32,32,29,58,32,32,32,32,32
     ,587
CA   360 DATA 32,32,32,29,32,32,2
     9,58,32,32,32,32,32,34,34,34
     ,539
37   370 DATA 34,34,34,34,34,34,3
     4,29,32,62,29,43,32,32,32,32
     ,561
8A   380 DATA 32,35,35,35,35,35,3
     5,35,35,35,35,29,32,32,29,60
     ,564
8D   390 DATA 32,32,32,32,32,29,6
     0,32,32,32,32,32,32,32,32,29
     ,534
F8   400 DATA 32,32,34,34,34,34,3
     4,34,34,29,58,32,32,32,32,32
     ,549
7C   410 DATA 32,32,59,29,32,32,3
     5,35,35,35,35,35,35,29,60,32
     ,582
53   420 DATA 32,32,32,32,32,32,6
     2,29,32,32,29,60,32,32,32,32
     ,564
9D   430 DATA 32,29,58,32,32,32,2
     8,60,32,32,32,29,32,59,29,58
     ,606
E0   440 DATA 32,32,32,32,62,29,6
     0,32,32,32,29,78,32,32,59,29
     ,534
45   450 DATA 32,32,29,60,32,32,3
     2,32,32,36,58,32,32,59,29,58
     ,617
56   460 DATA 32,32,32,29,32,62,2
     9,58,32,32,32,32,32,32,32,32
     ,562
CE   470 DATA 32,32,29,78,32,32,3
     2,29,32,32,29,60,32,32,32,32
     ,577
```

```
B5  480 DATA 32,32,32,32,32,62,2
    9,43,32,32,32,29,32,32,29,58
    ,570
F5  490 DATA 32,32,32,32,32,32,3
    2,32,32,32,41,58,32,32,32,28
    ,544
44  500 DATA 32,32,29,32,32,32,3
    2,32,32,32,32,32,32,32,32,32
    ,509
2B  510 DATA 32,32,32,29,32,32,2
    9,43,32,32,32,32,32,32,32,32
    ,517
CF  520 DATA 32,32,32,32,32,32,5
    9,29,32,32,29,60,32,32,32,32
    ,561
D7  530 DATA 32,32,32,32,32,32,3
    2,32,32,32,32,29,32,59,29,60
    ,561
42  540 DATA 32,32,32,32,32,32,3
    2,32,32,32,28,60,32,32,32,29
    ,533
92  550 DATA 32,32,29,58,32,32,3
    2,32,32,32,32,32,88,32,29,60
    ,616
A4  560 DATA 32,32,32,29,32,62,2
    9,60,32,32,32,32,32,32,32,32
    ,564
03  570 DATA 89,32,29,60,32,32,3
    2,29,32,32,29,58,32,32,32,32
    ,614
B4  580 DATA 32,32,32,32,32,32,2
    9,60,32,32,32,29,32,32,29,60
    ,559
D8  590 DATA 32,32,32,32,32,29,6
    0,32,32,59,29,58,32,32,32,29
    ,593
B9  600 DATA 32,32,29,60,32,32,3
    2,32,59,29,58,32,32,32,29,60
    ,612
7D  610 DATA 32,32,32,29,32,32,3
    4,34,34,34,34,34,34,29,60,32
    ,548
FE  620 DATA 32,32,29,60,32,32,3
    2,29,32,32,35,35,35,35,35,35
    ,552
7C  630 DATA 35,29,58,32,32,62,2
    9,58,32,32,32,29,32,32,29,60
    ,613
7A  640 DATA 32,32,32,32,32,29,6
    0,32,32,32,29,60,32,32,32,29
    ,559
F7  650 DATA 32,59,29,60,32,32,3
    2,32,62,29,60,32,32,32,29,58
    ,642
1F  660 DATA 32,32,32,29,32,32,2
    9,58,32,32,32,32,32,34,34,34
    ,538
93  670 DATA 34,34,29,60,32,32,3
    2,29,32,62,29,60,32,32,32,32
    ,593
22  680 DATA 32,35,35,35,35,35,2
    9,60,32,32,32,29,91,32,29,58
    ,631
26  690 DATA 32,32,32,32,32,29,5
    8,32,32,32,29,58,32,32,32,29
    ,555
BA  700 DATA 32,32,29,60,32,32,3
    2,32,62,29,43,32,32,59,29,60
    ,627
29  710 DATA 32,32,32,29,92,32,2
    9,60,32,32,32,32,32,29,60,32
    ,619
E1  720 DATA 32,32,29,60,32,32,3
    2,29,32,32,36,58,32,32,32,32
    ,564
5C  730 DATA 59,29,58,32,32,32,2
    9,58,32,32,32,29,93,32,32,32
    ,643
3C  740 DATA 32,32,32,32,32,29,5
    0,32,32,62,29,60,32,32,32,29
    ,589
9E  750 DATA 32,32,32,32,32,32,3
    2,32,32,36,58,32,32,32,36,58
    ,572
90  760 DATA 32,32,32,29,94,32,3
    2,32,32,32,32,32,32,32,32,32
    ,571
76  770 DATA 32,32,32,32,32,32,3
    2,29,32,32,32,32,32,32,32,32
    ,509
DD  780 DATA 32,32,32,32,32,32,3
    2,32,32,32,59,29,95,32,32,32
    ,599
73  790 DATA 32,32,32,32,32,32,3
    2,32,32,32,29,60,32,32,32,29
    ,533
32  800 DATA 96,32,32,32,32,32,3
    2,32,32,32,32,32,32,62,29,58
    ,529
55  810 DATA 32,32,32,29,97,32,3
    2,32,32,32,32,32,32,32,32,32
    ,574
3C  820 DATA 32,32,29,60,32,32,3
    2,29,98,32,29,60,32,32,88,32
    ,680
E0  830 DATA 32,32,32,32,32,59,3
    6,58,32,32,62,29,32,32,29,60
    ,521
BC  840 DATA 32,32,89,32,32,29,6
    0,32,32,32,32,32,32,32,32,29
    ,580
5E  850 DATA 32,62,29,58,32,32,3
    2,32,32,29,60,32,32,32,32,32
    ,590
0C  860 DATA 32,32,32,29,32,32,2
    9,60,32,32,32,32,59,29,60,32
    ,586
5E  870 DATA 32,32,32,32,32,32,3
    2,29,32,32,29,58,32,32,32,32
    ,532
1E  880 DATA 32,29,60,32,32,32,3
    2,32,32,32,59,29,32,32,29,60
    ,586
EF  890 DATA 32,32,32,32,62,29,5
    0,32,32,32,32,32,32,32,32,29
    ,564
80  900 DATA 32,32,29,58,32,32,3
    2,32,32,34,34,34,34,34,34,34
    ,549
AE  910 DATA 34,34,34,29,32,32,2
    9,60,32,32,32,32,32,35,35,35
    ,549
BA  920 DATA 35,35,35,35,35,35,3
    5,29,32,32,29,58,32,32,32,32
    ,553
84  930 DATA 32,29,43,32,32,32,3
    2,32,32,32,32,29,32,32,29,60
    ,542
12  940 DATA 32,32,32,32,59,29,7
    8,32,32,32,32,32,32,32,32,29
    ,579
BC  950 DATA 32,59,29,60,32,32,3
    2,32,32,29,42,32,32,32,32,32
    ,571
99  960 DATA 32,32,32,29,32,32,2
    9,58,32,32,32,32,32,29,43,32
    ,540
77  970 DATA 32,62,29,60,32,32,3
    2,29,32,32,29,60,32,32,32,32
    ,588
F1  980 DATA 32,29,78,32,32,32,2
    9,58,32,32,32,29,32,32,34,34
    ,579
27  990 DATA 34,34,34,34,34,29,4
    3,32,32,58,29,60,32,32,32,29
    ,579
CC  1000 DATA 32,32,35,35,35,35,
    35,35,35,29,42,32,32,32,29,5
    8,563
54  1010 DATA 32,32,32,29,32,32,
    29,60,32,32,32,32,32,29,78,3
    2,577
42  1020 DATA 32,32,29,60,32,32,
    32,29,32,32,29,58,32,32,32,3
    2,557
CD  1030 DATA 62,29,43,32,32,32,
    29,60,32,32,32,29,32,32,29,6
    0,597
5E  1040 DATA 32,32,32,32,32,29,
    43,32,32,32,29,58,32,32,32,2
    9,540
3C  1050 DATA 32,32,29,60,32,32,
    32,32,32,32,29,78,32,32,32,29,6
    0,605
DD  1060 DATA 32,32,32,29,32,32,
    29,58,32,32,32,32,32,34,34,3
    4,538
31  1070 DATA 34,34,29,60,32,32,
    32,29,32,32,29,60,32,32,32,3
    2,563
FA  1080 DATA 32,35,35,35,35,35,
    29,58,32,32,32,29,32,32,29,5
    8,570
DD  1090 DATA 32,32,32,32,59,29,
    78,32,32,32,29,60,32,32,32,2
    9,604
9D  1100 DATA 32,32,29,60,32,32,
    32,32,32,32,29,42,32,32,62,29,5
    8,597
23  1110 DATA 32,32,32,29,32,32,
    29,60,32,32,32,32,62,29,43,3
    2,572
74  1120 DATA 32,32,36,58,32,32,
    32,29,32,32,29,58,32,32,32,3
    2,562
6B  1130 DATA 32,29,78,32,32,32,
    32,32,32,32,32,29,32,32,29,6
    0,577
4C  1140 DATA 32,32,32,32,32,29,
    43,32,32,32,32,32,32,32,62,2
    9,547
DA  1160 DATA 32,32,29,60,32,32,
    32,32,59,29,60,32,32,32,32,3
    2,589
F3  1160 DATA 32,32,32,29,32,32,
    29,60,32,32,32,32,32,29,58,3
    2,557
FB  1170 DATA 32,32,32,32,32,32,
    32,29,32,62,29,58,32,32,32,3
    2,562
2F  1180 DATA 32,29,60,32,32,32,
    32,32,32,32,59,29,32,32,29,6
    0,586
B5  1190 DATA 32,32,32,32,32,29,
    58,32,32,32,88,32,32,32,32,2
    9,588
CA  1200 DATA 32,32,29,60,32,32,
    32,32,62,36,58,32,32,32,89,3
    2,654
4A  1210 DATA 32,32,32,29,32,59,
    29,70,60,32,32,32,32,32,32,3
    2,599
0F  1220 DATA 32,32,32,32,32,32,
    32,29,32,32,29,70,71,60,32,3
    2,611
39  1230 DATA 32,32,32,32,32,29,
    60,32,32,32,59,29,32,32,29,7
    0,595
FB  1240 DATA 71,71,60,32,32,32,
    32,32,59,29,60,32,32,32,32,2
    9,667
40  1250 DATA 32,32,29,70,72,71,
    72,60,32,32,32,32,32,29,58,3
    2,717
2D  1260 DATA 32,32,62,29,32,32,
    29,70,71,72,71,71,60,32,32,3
    2,759
34  1270 DATA 62,29,60,32,32,32,
    32,29,32,32,29,70,71,72,71,7
    1,756
1E  1280 DATA 60,32,32,32,32,29,
    58,32,32,32,32,29,32,32,29,6
    0,585
00  1290 DATA 107,71,71,60,32,32
    ,32,32,32,29,60,32,32,32,32,
    29,715
```

```
82  1300 DATA 32,32,29,70,60,107
    ,71,60,32,32,32,32,59,29,60,
    32,769
34  1310 DATA 32,32,32,29,32,32,
    29,70,60,107,72,71,60,32,32,
    32,754
AB  1320 DATA 32,29,58,32,32,32,
    32,29,32,62,29,70,71,60,107,
    71,778
C8  1330 DATA 60,32,32,32,32,29,
    60,32,32,32,32,29,32,32,29,1
    07,634
04  1340 DATA 68,58,107,68,58,32
    ,32,32,32,29,58,32,32,32,59,
    29,758
42  1350 DATA 32,59,29,58,32,32,
    32,32,32,32,32,32,32,29,60,3
    2,587
27  1360 DATA 32,32,32,29,32,32,
    29,32,32,32,32,32,32,32,32,3
    2,506
45  1370 DATA 32,29,58,32,32,32,
    32,29,32,32,34,34,34,34,34,3
    4,544
81  1380 DATA 34,34,34,34,34,29,
    60,32,32,32,32,29,32,32,35,3
    5,550
7C  1390 DATA 35,35,35,35,35,35,
    35,35,35,29,58,32,32,32,32,2
    9,559
F7  1400 DATA 32,32,29,32,32,32,
    32,32,32,32,32,32,32,29,60,3
    2,534
BA  1410 DATA 32,32,32,29,32,32,
    29,60,32,88,32,32,32,32,32,3
    2,590
B2  1420 DATA 32,29,60,32,32,32,
    59,29,32,32,29,60,32,89,32,3
    2,643
48  1430 DATA 32,32,32,32,32,34,
    34,34,34,34,34,29,32,62,29,7
    0,586
30  1440 DATA 60,32,107,60,32,32
    ,32,32,32,35,35,35,35,35,35,
    29,658
E1  1450 DATA 32,32,29,70,70,60,
    107,71,60,32,32,32,59,29,60,
    32,807
C4  1460 DATA 32,32,32,29,32,32,
    29,70,71,71,71,71,60,32,32,3
    2,729
0C  1470 DATA 32,29,58,32,32,32,
    32,29,32,32,29,70,60,71,71,7
    1,712
68  1480 DATA 60,32,32,32,62,29,
    60,32,32,32,32,29,32,59,29,7
    0,654
C3  1490 DATA 60,79,71,71,71,60,
    32,32,32,35,58,32,32,32,32,2
    9,759
95  1500 DATA 32,32,29,70,60,32,
    107,71,58,32,32,32,32,32,32,
    32,715
08  1510 DATA 32,32,62,29,32,32,
    29,70,60,32,32,58,32,32,32,3
    2,628
64  1520 DATA 32,32,32,32,32,32,
    32,29,32,32,29,70,71,60,32,3
    2,611
9D  1530 DATA 32,32,32,32,32,32,
    32,32,32,32,32,29,32,32,29,7
    0,544
FD  1540 DATA 68,58,32,32,32,32,
    32,32,32,32,32,32,32,32,59,2
    9,599
61  1550 DATA 32,32,29,68,58,32,
    32,32,32,32,32,32,32,32,32,3
    2,571
80  1560 DATA 32,32,32,29,32,62,
    29,60,32,32,32,32,32,32,32,3
    2,564
9D  1570 DATA 32,32,32,32,32,32,
    32,29,91,32,29,58,32,32,32,3
    2,591
B8  1580 DATA 32,32,32,32,32,32,
    32,32,32,32,62,29,32,32,36,5
    8,569
C8  1590 DATA 32,32,32,32,32,32,
    32,32,28,60,32,32,32,32,32,2
    9,533
1D  1600 DATA 92,32,32,32,32,32,
    32,32,32,32,32,62,29,58,32,3
    2,625
BC  1610 DATA 88,32,32,29,32,32,
    32,32,32,32,32,32,32,32,32,3
    2,565
5A  1620 DATA 29,60,32,32,89,32,
    32,29,93,32,32,32,32,32,32,3
    2,652
DE  1630 DATA 32,32,32,32,29,60,
    32,32,32,32,32,29,32,32,32,3
    2,534
CB  1640 DATA 32,32,32,32,32,32,
    32,32,29,58,32,32,32,32,32,2
    9,532
E5  1650 DATA 94,32,32,32,32,32,
    32,32,32,32,32,32,29,60,32,3
    2,599
FC  1660 DATA 32,32,32,29,32,32,
    32,32,32,32,32,32,32,32,32,5
    9,536
4F  1670 DATA 29,58,32,32,32,32,
    32,29,95,32,32,32,32,32,32,3
    2,595
C0  1680 DATA 32,32,32,32,29,60,
    32,32,32,32,59,29,96,32,32,3
    2,525
ED  1690 DATA 32,32,32,32,32,32,
    32,32,29,58,32,32,32,32,32,2
    9,532
BB  1700 DATA 97,32,29,60,32,32,
    32,32,32,32,62,29,60,32,3
    2,656
7E  1710 DATA 32,32,32,29,98,59,
    29,60,32,32,32,32,32,32,32,3
    2,627
22  1720 DATA 29,60,32,32,32,32,
    32,29,32,32,29,60,32,32,32,3
    2,559
F0  1730 DATA 32,32,32,32,29,58,
    32,32,32,32,32,29,32,32,29,5
    8,555
30  1740 DATA 32,32,32,32,32,32,
    32,62,29,60,32,32,32,32,32,2
    9,564
EC  1750 DATA 32,32,29,60,32,32,
    32,32,32,32,32,36,58,32,3
    2,567
C9  1760 DATA 32,32,32,29,32,62,
    29,60,32,32,32,32,32,32,32,3
    2,564
19  1770 DATA 32,32,32,32,32,32,
    32,29,32,32,29,58,32,32,32,3
    2,532
E1  1780 DATA 32,32,32,32,32,32,
    32,32,32,32,62,29,32,32,29,5
    8,562
C6  1790 DATA 32,32,32,32,32,88,
    32,32,32,32,32,32,32,32,32,2
    9,565
9A  1800 DATA 32,32,29,60,32,32,
    32,32,32,89,32,32,32,32,28,6
    0,618
C6  1810 DATA 32,32,32,29,32,32,
    29,58,32,32,32,32,32,32,32,3
    2,532
F9  1820 DATA 32,32,29,60,32,32,
    32,29,32,32,29,60,32,32,32,3
    2,559
68  1830 DATA 28,60,32,32,32,59,
    29,58,32,32,32,29,32,32,29,6
    0,608
87  1840 DATA 32,32,32,62,29,60,
    32,32,32,32,29,60,32,32,32,2
    9,589
C8  1850 DATA 32,32,29,58,32,32,
    32,32,29,60,32,32,32,62,29,5
    8,513
89  1860 DATA 32,32,32,29,32,32,
    29,60,32,32,32,32,29,70,60,3
    2,587
95  1870 DATA 32,32,29,60,32,32,
    32,29,32,32,29,60,32,32,32,3
    2,559
47  1880 DATA 29,70,60,32,32,32,
    36,58,32,32,32,29,32,32,34,3
    4,806
45  1890 DATA 34,34,34,34,29,70,
    60,32,32,32,32,32,32,32,59,2
    9,607
45  1900 DATA 32,32,35,35,35,35,
    35,35,29,70,70,60,32,32,32,3
    2,631
6E  1910 DATA 32,32,32,29,32,32,
    29,60,32,32,32,32,29,70,71,6
    0,636
E1  1920 DATA 32,32,32,32,32,32,
    32,29,32,62,29,60,32,32,32,3
    2,564
A3  1930 DATA 29,70,71,71,60,32,
    32,32,32,32,32,29,32,32,29,5
    8,673
95  1940 DATA 32,32,32,32,29,70,
    71,72,58,32,32,32,32,32,32,2
    9,649
93  1950 DATA 32,32,29,60,32,32,
    32,59,29,71,71,73,60,32,32,3
    2,709
CB  1960 DATA 32,32,32,29,32,59,
    29,58,32,32,32,62,29,70,70,7
    0,700
69  1970 DATA 60,32,32,32,32,32,
    32,29,32,32,29,60,32,32,32,3
    2,582
9A  1980 DATA 36,36,36,36,58,32,
    32,32,32,32,32,29,32,32,29,5
    8,574
21  1990 DATA 32,32,32,32,32,32,
    32,32,32,32,88,32,32,32,32,2
    9,565
B1  2000 DATA 32,32,29,60,32,32,
    32,32,32,32,32,32,32,32,89,3
    2,594
5A  2010 DATA 32,32,32,29,32,32,
    29,58,32,32,32,32,32,32,32,2
    9,529
83  2020 DATA 60,32,32,32,32,32,
    32,29,32,32,29,60,32,32,32,3
    2,562
2C  2030 DATA 32,32,32,29,60,32,
    32,32,32,32,32,29,32,32,29,5
    8,557
EE  2040 DATA 32,32,32,32,32,32,
    32,34,34,34,34,34,34,34,34,2
    9,525
5C  2050 DATA 32,32,29,68,32,32,
    32,32,32,32,32,35,35,35,35,3
    5,550
FC  2060 DATA 35,35,35,29,32,32,
    29,60,32,32,32,32,32,32,59,2
    9,567
6B  2070 DATA 60,32,32,32,32,32,
    32,29,32,32,29,60,32,32,32,3
    2,562
2E  2080 DATA 32,32,32,29,58,32,
    32,32,32,32,32,29,32,32,29,5
    8,566
AC  2090 DATA 32,32,32,32,32,32,
    62,36,58,32,32,32,32,32,32,2
    9,569
93  2100 DATA 32,32,29,60,32,32,
    32,32,32,32,32,32,32,32,32,3
    2,537
E1  2110 DATA 32,32,32,29,32,59,
    29,60,32,32,32,32,32,32,32,3
    2,561
```

```
61  2120 DATA 32,32,32,32,32,32,
    58,29,32,32,29,58,32,32,32,3
    2,559
3C  2130 DATA 32,32,32,88,32,32,
    29,60,32,32,32,29,32,32,29,6
    0,614
87  2140 DATA 32,32,32,32,32,32,
    32,89,32,32,29,60,32,32,32,2
    9,591
B7  2150 DATA 32,32,29,60,32,32,
    32,32,32,32,32,32,32,32,29,5
    8,560
79  2160 DATA 32,32,32,29,32,62,
    29,58,32,32,32,32,32,32,32,3
    2,552
4A  2170 DATA 32,59,29,60,32,32,
    32,29,32,32,29,58,32,32,32,3
    2,584
F9  2180 DATA 32,32,32,32,32,32,
    29,60,32,32,32,29,32,32,34,3
    4,538
31  2190 DATA 34,34,34,34,34,34,
    34,34,34,34,29,58,32,32,32,2
    9,552
14  2200 DATA 91,32,35,35,35,35,
    35,35,35,35,35,35,35,35,29,6
    0,632
70  2210 DATA 32,32,32,29,32,32,
    29,60,32,32,32,32,32,32,32,3
    2,534
03  2220 DATA 32,32,29,60,32,32,
    62,29,92,32,29,60,32,32,32,3
    2,649
01  2230 DATA 32,32,32,32,32,59,
    29,58,32,32,32,29,32,32,29,5
    8,582
3C  2240 DATA 32,32,32,32,32,32,
    32,32,32,32,29,60,32,32,32,2
    9,534
26  2250 DATA 93,32,29,60,32,32,
    32,32,32,88,32,32,32,32,29,5
    8,677
DF  2260 DATA 32,32,32,29,32,32,
    29,60,32,32,32,32,32,89,32,3
    2,591
2A  2270 DATA 32,32,29,60,32,32,
    32,29,94,32,29,58,32,32,32,3
    2,619
7E  2280 DATA 32,32,32,32,32,62,
    29,60,32,32,32,29,32,32,29,6
    0,589
0D  2290 DATA 32,32,32,32,29,60,
    32,32,32,32,29,58,32,32,32,2
    9,556
07  2300 DATA 95,32,29,60,32,32,
    32,59,29,58,32,32,32,32,29,6
    0,675
F2  2310 DATA 32,32,59,29,96,32,
    29,60,32,32,32,32,29,60,32,3
    2,550
96  2320 DATA 32,32,29,60,32,32,
    32,29,97,32,29,58,32,32,32,6
    2,652
2E  2330 DATA 29,60,32,32,32,32,
    29,58,32,32,32,29,98,32,29,6
    0,648
09  2340 DATA 32,32,32,32,29,58,
    32,32,32,62,29,60,32,32,32,2
    9,587
CC  2350 DATA 32,32,29,60,32,32,
    32,32,29,60,32,32,32,32,29,5
    8,585
D5  2360 DATA 32,32,32,29,32,59,
    29,58,32,32,32,32,34,34,34,3
    4,567
16  2370 DATA 34,34,29,60,32,32,
    32,29,32,32,29,60,32,32,32,3
    2,563
9F  2380 DATA 35,35,35,35,35,35,
    29,60,32,32,32,29,32,32,29,6
    0,577
47  2390 DATA 32,32,32,59,29,60,
    32,32,32,32,29,58,32,32,32,2
    9,584
9D  2400 DATA 32,62,29,58,32,32,
    32,32,29,60,32,32,32,32,29,6
    0,615
C4  2410 DATA 32,32,32,29,32,32,
    29,60,32,32,32,62,36,58,32,3
    2,594
16  2420 DATA 32,32,36,58,32,32,
    32,29,32,32,29,60,32,32,32,3
    2,564
DC  2430 DATA 32,32,32,32,32,32,
    32,32,32,32,32,29,32,32,29,5
    8,532
BA  2440 DATA 32,32,32,32,32,32,
    32,32,32,32,32,32,32,32,32,2
    9,509
82  2450 DATA 32,32,29,60,32,32,
    32,32,32,32,32,32,32,32,32,3
    2,537
33  2460 DATA 32,32,32,29,32,32,
    29,60,32,32,32,32,32,32,32,3
    2,534
27  2470 DATA 32,32,32,32,32,32,
    32,29,32,32,29,70,60,32,32,3
    2,572
0F  2480 DATA 32,32,88,32,32,32,
    32,32,32,32,32,29,32,32,29,7
    0,600
82  2490 DATA 58,32,32,32,32,32,
    89,32,62,29,58,32,32,32,32,2
    9,644
A4  2500 DATA 32,59,29,70,60,32,
    32,32,32,32,32,32,29,29,58,3
    2,621
44  2510 DATA 32,32,32,29,32,32,
    29,70,58,32,32,32,32,32,32,2
    8,566
B9  2520 DATA 29,29,60,32,32,32,
    32,29,32,32,36,36,58,32,32,3
    2,565
39  2530 DATA 32,32,29,29,29,29,
    60,32,32,32,62,29,32,32,32,3
    2,554
2A  2540 DATA 32,32,32,32,32,62,
    29,29,29,29,58,32,32,32,32,2
    9,553
3A  2550 DATA 32,32,32,32,32,32,
    32,32,32,32,87,29,29,29,60,3
    2,586
49  2560 DATA 32,32,59,29,32,32,
    29,70,60,32,32,32,32,32,32,2
    9,595
1A  2570 DATA 29,29,58,32,32,32,
    32,29,32,32,29,70,60,32,32,3
    2,592
2E  2580 DATA 32,32,62,29,29,29,
    60,32,32,32,32,29,32,32,29,7
    0,593
2E  2590 DATA 70,60,32,32,32,32,
    32,29,29,29,58,32,32,32,32,2
    9,592
AA  2600 DATA 32,59,29,70,70,58,
    32,32,32,32,59,29,29,29,60,3
    2,684
51  2610 DATA 32,32,32,29,32,32,
    29,70,70,60,32,32,32,32,32,2
    9,607
74  2620 DATA 29,29,60,32,32,32,
    32,29,32,32,36,36,36,58,32,3
    2,569
C9  2630 DATA 32,32,32,87,29,29,
    60,32,32,32,32,29,32,32,32,3
    2,585
D6  2640 DATA 32,32,32,32,32,32,
    32,32,29,29,58,32,88,32,32,2
    9,585
6B  2650 DATA 32,32,32,32,32,32,
    32,32,32,32,32,59,29,29,60,3
    2,561
09  2660 DATA 89,32,32,29,32,32,
    29,37,60,32,32,32,32,32,32,3
    2,595
FC  2670 DATA 29,29,58,32,32,32,
    32,29,32,32,29,37,60,32,32,3
    2,559
06  2680 DATA 32,32,32,62,29,29,
    60,32,32,32,32,29,32,62,29,3
    7,593
60  2690 DATA 37,60,32,32,32,32,
    32,32,29,29,60,32,32,32,59,2
    9,591
14  2700 DATA 32,32,29,37,37,37,
    60,32,32,32,32,32,87,29,58,3
    2,630
F6  2710 DATA 32,32,32,29,32,59,
    29,37,37,46,60,32,32,32,32,3
    2,585
05  2720 DATA 32,29,60,32,32,32,
    62,29,32,32,29,37,46,46,37,6
    0,627
EA  2730 DATA 32,32,32,32,32,29,
    58,32,32,32,32,29,32,32,29,4
    6,543
DD  2740 DATA 46,46,46,37,60,32,
    32,32,59,29,60,32,32,32,32,2
    9,636
F5  2750 DATA 32,32,29,46,46,37,
    37,58,32,32,32,32,32,29,58,3
    2,596
2D  2760 DATA 32,32,32,29,32,32,
    29,46,46,37,60,32,32,32,32,3
    2,567
CA  2770 DATA 62,29,32,32,32,32,
    32,29,32,32,29,37,37,58,32,3
    2,569
75  2780 DATA 32,32,32,32,32,29,
    60,32,32,32,32,29,32,32,29,3
    7,536
13  2790 DATA 58,32,32,32,32,32,
    32,32,32,36,58,32,32,32,32,2
    9,565
20  2800 DATA 32,32,29,37,60,32,
    32,32,32,32,32,32,32,32,32,3
    2,542
67  2810 DATA 32,32,32,29,32,32,
    29,37,58,32,32,32,32,32,32,3
    2,537
06  2820 DATA 32,32,32,32,32,32,
    32,29,32,32,90,37,78,32,32,3
    2,618
F8  2830 DATA 32,32,32,32,32,32,
    32,32,32,32,32,67,32,32,90,3
    7,610
9C  2840 DATA 60,32,32,32,32,32,
    32,32,32,32,32,32,32,32,32,6
    7,575
01  2850 DATA 32,32,90,37,60,32,
    32,32,32,32,32,32,32,32,32,3
    2,603
CC  2860 DATA 32,32,32,67,32,32,
    90,37,37,60,32,32,32,32,32,3
    2,643
BF  2870 DATA 32,32,32,32,32,32,
    32,67,91,32,90,37,37,37,60,3
    2,707
DF  2880 DATA 32,32,32,32,32,32,
    32,32,32,32,32,67,32,32,90,8
    3,656
DA  2890 DATA 40,84,37,60,32,32,
    32,32,32,32,32,32,32,32,32,6
    7,640
9D  2900 DATA 92,32,90,47,47,47,
    37,60,32,32,32,32,32,32,32,3
    2,708
E9  2910 DATA 32,32,32,67,32,32,
    90,37,83,40,84,37,60,32,32,3
    2,754
0F  2920 DATA 32,32,32,32,32,32,
    32,67,93,32,90,37,47,47,47,3
    7,721
10  2930 DATA 60,107,60,32,32,32
    ,32,32,32,32,32,67,32,32,90,
    37,741
```

```
B0  2940 DATA 37,83,40,84,37,37,
    37,60,32,32,32,32,32,32,32,6
    7,706
4A  2950 DATA 94,32,90,37,37,47,
    47,47,46,46,46,37,60,32,32,3
    2,762
E1  2960 DATA 32,32,86,37,32,32,
    90,37,37,83,40,84,46,46,47,3
    7,799
72  2970 DATA 58,32,32,32,32,86,
    37,37,85,32,90,37,37,47,47,4
    7,778
B4  2980 DATA 46,37,37,58,32,32,
    32,32,86,37,37,37,96,32,90,3
    7,758
84  2990 DATA 83,40,84,37,37,58,
    32,32,32,32,32,86,37,37,37,3
    7,733
40  3000 DATA 97,32,90,37,47,47,
    47,37,60,32,32,32,32,32,86,8
    1,821
EC  3010 DATA 80,80,45,45,98,32,
    90,83,40,84,37,58,32,32,32,3
    2,900
11  3020 DATA 32,32,82,81,46,40,
    40,46,32,32,90,47,47,47,60,3
    2,785
D6  3030 DATA 32,32,32,32,32,32,
    82,81,46,39,39,46,32,32,90,3
    7,716
22  3040 DATA 37,58,32,32,32,32,
    32,32,32,32,82,37,47,47,47,4
    7,658
5E  3050 DATA 0,0,0,73,0,139,109
    ,0,0,48,72,20,34,62,34,65,65
    6
32  3060 DATA 0,92,34,66,124,66,
    34,92,0,28,34,84,80,80,34,28
    ,876
37  3070 DATA 0,88,100,66,66,66,
    100,88,0,92,34,64,112,64,34,
    92,1066
01  3080 DATA 0,92,34,32,120,32,
    32,64,0,28,34,64,94,98,62,2,
    788
B5  3090 DATA 6,28,34,32,60,34,3
    4,36,0,2,60,72,8,10,60,64,54
    0
5E  3100 DATA 0,1,2,2,2,34,68,56
    ,0,66,36,40,112,40,36,66,561

45  3110 DATA 0,24,36,32,32,32,3
    3,94,0,84,42,42,106,42,42,64
    ,705
B4  3120 DATA 0,66,60,42,106,42,
    42,68,0,28,34,81,81,81,34,28
    ,783
C5  3130 DATA 0,92,34,34,124,32,
    32,64,0,56,84,34,2,12,26,124
    ,750
3A  3140 DATA 0,92,34,34,120,36,
    34,66,0,2,60,64,60,2,60,64,7
    29
4E  3150 DATA 0,1,125,48,80,80,3
    3,30,0,33,82,18,18,18,18,12,
    597
25  3160 DATA 0,76,178,34,34,34,
    20,8,0,128,92,82,82,82,84,40
    ,974
ED  3170 DATA 0,34,84,12,8,24,37
    ,66,0,66,154,36,36,26,66,60,
    719
54  3180 DATA 0,126,2,4,8,16,32,
    126,126,181,148,170,89,89,89
    ,238,1445
3E  3190 DATA 5,21,85,102,153,11
    8,153,102,85,85,85,102,153,1
    10,149,101,1610
D2  3200 DATA 85,87,95,175,191,1
    75,191,175,5,21,85,239,153,1
    53,153,238,2220
C4  3210 DATA 0,0,0,0,0,0,0,0,17
    5,191,239,191,172,188,224,12
    8,1509
BD  3220 DATA 176,176,176,149,15
    4,176,176,176,14,14,14,86,16
    6,14,14,14,1695
26  3230 DATA 85,87,93,183,157,1
    82,155,172,149,149,149,239,9
    9,89,89,238,2304
20  3240 DATA 85,85,89,174,89,89
    ,89,174,21,17,21,17,21,17,21
    ,17,1027
99  3250 DATA 34,34,34,34,238,34
    ,34,34,84,92,100,220,180,156
    ,164,212,1684
E4  3260 DATA 85,149,80,32,0,0,0
    ,0,85,89,69,0,0,0,0,0,589
AC  3270 DATA 148,152,164,92,180
    ,152,172,148,21,17,21,17,21,
    17,21,17,1360
2C  3280 DATA 17,85,17,85,17,85,
    17,85,21,21,21,46,25,25,25,4
    6,638
BB  3290 DATA 28,34,65,73,65,34,
    28,0,28,8,8,24,16,16,56,0,48
    3
D6  3300 DATA 60,70,4,24,32,66,1
    26,0,60,66,2,12,2,66,60,0,65
    0
D6  3310 DATA 14,20,36,126,4,4,1
    4,0,126,66,64,124,2,66,60,0,
    726
AD  3320 DATA 60,65,64,124,66,66
    ,60,0,126,66,4,30,8,16,56,0,
    812
7C  3330 DATA 60,66,66,60,66,66,
    60,0,60,66,66,62,4,8,48,0,75
    8
40  3340 DATA 117,86,84,20,24,16
    ,32,0,0,0,32,16,16,148,70,65
    ,726
85  3350 DATA 85,149,84,81,17,33
    ,2,0,0,1,37,1,1,9,1,0,501
2B  3360 DATA 16,4,60,239,175,23
    9,255,60,0,0,0,0,0,0,0,0,104
    8
A2  3370 DATA 48,32,132,132,132,
    132,184,32,16,128,160,96,16,
    128,160,96,1624
4A  3380 DATA 21,149,149,238,153
    ,153,153,46,168,221,17,17,85
    ,0,85,85,1740
FC  3390 DATA 162,153,105,123,23
    4,185,111,124,38,234,186,206
    ,170,234,158,234,2658
42  3400 DATA 90,233,166,234,186
    ,235,174,106,230,170,170,170
    ,238,171,234,110,2917
D1  3410 DATA 170,186,174,174,15
    8,174,186,169,171,170,154,17
    0,170,42,169,168,2505
9F  3420 DATA 169,169,170,170,18
    6,174,186,170,154,221,17,17,
    85,0,85,85,2058
87  3430 DATA 134,124,134,0,0,85
    ,85,0,85,89,89,92,88,92,152,
    48,1297
19  3440 DATA 85,85,21,5,1,0,0,0
    ,64,80,86,80,80,88,80,64,819

DD  3450 DATA 21,17,21,17,21,17,
    21,17,149,149,149,234,85,85,
    0,0,1003
E4  3460 DATA 85,85,85,174,89,89
    ,89,174,81,72,98,0,34,0,34,0
    ,1189
68  3470 DATA 0,34,0,34,0,42,0,0
    ,5,22,89,174,89,89,89,174,84
    1
47  3480 DATA 1,5,21,238,153,153
    ,153,174,85,87,93,183,157,18
    3,157,181,2024
EE  3490 DATA 0,32,149,32,0,32,1
    49,32,0,10,85,10,5,10,85,10,
    641
32  3500 DATA 169,221,17,17,85,0
    ,85,85,0,0,0,0,0,0,0,0,678
1C  3510 DATA 0,0,0,0,0,0,0,0,0,0,
    0,0,0,0,0,0,0,0
1E  3520 DATA 0,0,0,0,0,0,0,0,0,0,
    0,0,0,0,0,0,0,0
04  3530 DATA 0,0,0,0,0,0,0,0,0,0,
    0,0,0,0,0,0,0,0
C5  3540 DATA 0,0,0,0,0,0,0,0,253
    ,113,48,60,60,48,113,253,94
    8
29  3550 DATA 51,51,29,4,4,29,51
    ,51,31,4,12,12,12,12,4,31,38
    8
0E  3560 DATA 63,21,12,12,12,12,
    12,13,0,168,42,213,85,42,168
    ,0,875
2E  3570 DATA 0,0,0,255,85,0,0,0
    ,0,0,0,255,85,0,0,0,680
8D  3580 DATA 0,32,8,254,94,8,32
    ,0,0,0,8,4,4,37,145,80,706
FE  3590 DATA 85,255,0,0,0,0,0,0
    ,5,15,0,0,0,0,0,0,360
4D  3600 DATA 0,0,0,0,0,0,0,0,0,0,
    0,0,0,0,0,0,0,0
BB  3610 DATA 0,0,0,0,0,0,0,0,0,0,
    0,0,0,0,0,0,0,0
A1  3620 DATA 0,0,0,0,0,0,0,0,0,0,
    0,0,0,0,0,0,0,0
AF  3630 DATA 0,0,0,0,0,0,0,0,0,0,
    0,0,0,0,0,0,0,0
4D  3640 DATA 0,0,0,0,0,0,0,0,0,0,
    255,0,255,0,255,0,254,1019
F5  3650 DATA 0,255,0,255,0,255,
    0,255,0,255,0,255,0,255,0,25
    5,2040
FF  3660 DATA 0,255,0,255,0,255,
    0,255,0,255,0,255,0,255,0,25
    5,2040
C1  3670 DATA 0,255,0,255,0,255,
    0,255,0,255,0,255,0,255,0,25
    5,2040
93  3680 DATA 0,255,0,255,0,255,
    0,255,0,255,0,255,0,255,253,
    16,2054
DA  3690 DATA 32,162,144,32,35,1
    35,32,21,161,162,0,142,33,20
    8,142,96,1537
D9  3700 DATA 3,142,97,3,142,100
    ,3,142,4,212,142,101,3,142,1
    03,3,1342
BA  3710 DATA 232,142,98,3,232,1
    42,102,3,169,240,141,1,212,1
    69,20,141,2047
D4  3720 DATA 99,3,169,129,141,4
    ,212,160,8,140,104,3,169,10,
    141,5,1497
D3  3730 DATA 212,141,6,212,169,
    120,133,251,169,4,133,252,17
    3,22,208,41,2245
79  3740 DATA 247,141,22,208,32,
    39,37,173,96,3,240,251,32,16
    2,144,96,1923
B4  3750 DATA 173,25,208,141,25,
    208,41,1,208,3,76,49,234,173
    ,17,208,1790
22  3760 DATA 41,127,141,17,208,
    162,7,189,0,34,168,202,189,0
    ,34,157,1676
19  3770 DATA 1,34,224,0,208,245
    ,162,157,0,34,173,100,3,208,
    50,56,1645
7D  3780 DATA 173,1,212,233,10,1
    41,1,212,169,128,141,4,212,2
    4,165,251,2077
92  3790 DATA 105,40,133,251,165
    ,252,105,0,133,252,169,64,16
    0,39,169,64,2101
1D  3800 DATA 145,251,73,96,136,
    16,249,206,99,3,16,174,140,1
```

```
    00,3,208,1915
C1  3810 DATA 169,173,101,3,208,
    19,160,11,169,32,153,23,6,15
    3,63,6,1449
59  3820 DATA 153,103,6,136,16,2
    44,140,101,3,206,102,3,208,5
    5,169,2,1647
0E  3830 DATA 141,102,3,172,104,
    3,16,5,160,8,140,104,3,185,7
    8,37,1261
65  3840 DATA 153,64,6,141,1,212
    ,24,173,103,3,105,1,41,7,208
    ,2,1244
53  3850 DATA 105,1,153,64,218,1
    41,103,3,169,0,141,4,212,169
    ,17,141,1641
6C  3860 DATA 4,212,206,104,3,20
    6,97,3,208,10,206,98,3,208,5
    ,169,1742
C8  3870 DATA 1,141,96,3,76,49,2
    34,120,169,48,141,18,208,169
    ,95,141,1710
E2  3880 DATA 20,3,169,36,141,21
    ,3,173,17,208,41,127,141,17,
    208,169,1494
E3  3890 DATA 1,141,26,208,173,1
    4,220,41,254,141,14,220,88,9
    6,7,1,1645
9E  3900 DATA 13,5,32,15,22,5,18
    ,255,169,29,141,21,208,169,1
    77,141,1420
69  3910 DATA 250,7,162,199,142,
    248,7,232,142,248,7,169,4,14
    1,16,208,2183
65  3920 DATA 169,31,141,28,208,
    169,216,141,22,208,162,2,142
    ,105,3,232,1979
46  3930 DATA 142,237,2,142,41,2
    09,169,0,141,0,208,141,236,2
    ,141,104,1914
07  3940 DATA 3,169,85,141,1,208
    ,169,6,141,4,208,169,109,141
    ,5,208,1767
DE  3950 DATA 160,120,169,32,153
    ,160,4,136,16,250,160,160,18
    5,217,37,153,2112
C7  3960 DATA 23,5,136,208,247,1
    60,240,169,37,153,183,5,169,
    32,153,167,2087
DO  3970 DATA 6,153,247,6,136,20
    8,240,160,39,169,105,153,168
    ,6,136,16,1948
61  3980 DATA 250,169,62,141,55,
    5,96,218,37,0,0,0,0,0,0,0,10
    33
D9  3990 DATA 169,0,133,250,169,
    133,133,251,169,64,133,174,1
    33,193,169,13,2295
89  4000 DATA 133,175,133,194,16
    9,160,133,252,169,157,133,25
    3,160,0,177,250,2648
74  4010 DATA 145,174,230,250,20
    8,2,230,251,230,174,208,2,23
    0,175,165,250,2924
36  4020 DATA 197,252,208,234,16
    5,251,197,253,208,228,169,59
    ,133,187,169,158,3068
4B  4030 DATA 133,188,169,3,133,
    183,169,0,133,185,160,0,185,
    11,158,240,2050
2F  4040 DATA 6,32,210,255,200,2
    08,245,32,207,255,240,251,20
    1,49,240,4,2635
F8  4050 DATA 201,56,48,230,41,1
    5,133,186,76,234,245,147,17,
    17,73,78,1797
27  4060 DATA 80,85,84,32,68,69,
    86,73,67,69,32,78,85,77,66,6
    9,1120
75  4070 DATA 82,13,17,67,65,83,
    61,49,32,47,32,68,73,83,75,6
    1,908
D1  4080 DATA 32,56,32,79,82,32,
    57,58,45,32,0,87,84,49,0,0,7
    25
99  4090 DATA 0,0,0,0,0,0,0,0,0,0,
    0,0,255,255,255,255,0,1020
```

PROGRAM: WT2.BAS

```
D9  10 BL=429  :LN=50   :SA=3404
    8
F9  20 FOR L=0 TO BL:CX=0:FOR D=
    0 TO 15
8B  21 READ A:POKE53280,A
9E  22 CX=CX+A:POKE SA+L*16+D,A:
    NEXT
A2  30 READA:IF A=CX THEN40
12  31 PRINT"ERROR IN LINE";LN+(
    L*10):STOP
21  40 NEXT L:SYS40744
F9  50 DATA 82,82,82,82,82,82,82
    ,82,82,87,32,32,32,32,32,32,
    1017
29  60 DATA 32,32,32,32,32,32,32
    ,32,32,32,32,32,32,32,32,32,
    512
FF  70 DATA 32,32,32,32,32,32,32
    ,32,37,37,37,37,37,37,37,37,
    552
70  80 DATA 37,37,87,32,32,32,32
    ,32,32,32,32,32,32,32,32,32,
    577
CF  90 DATA 32,32,32,32,32,32,32
    ,32,32,32,32,32,32,32,32,32,
    512
44  100 DATA 37,37,37,37,37,37,3
    7,37,37,37,37,87,32,32,32,32
    ,622
5B  110 DATA 32,32,32,32,32,32,3
    2,32,32,32,32,32,32,32,32,32
    ,512
69  120 DATA 32,32,32,32,32,32,3
    2,32,37,37,37,37,37,37,37,37
    ,552
E4  130 DATA 37,37,37,27,82,82,8
    2,82,82,82,82,82,82,82,82,82
    ,1122
92  140 DATA 82,82,82,82,82,82,8
    2,82,82,82,82,82,82,82,82,82
    ,1312
8F  150 DATA 0,0,0,64,128,38,0,0
    ,240,0,1,120,0,66,120,0,777
DO  160 DATA 132,216,1,77,252,1,
    35,246,2,16,240,18,8,254,33,
    255,1786
B5  170 DATA 241,255,14,1,33,255
    ,254,18,11,252,2,19,252,1,34
    ,100,1742
70  180 DATA 1,71,254,0,137,153,
    0,79,255,0,1,252,0,7,216,0,1
    426
43  190 DATA 31,28,0,0,124,8,0,0
    ,240,0,1,120,0,66,120,0,738
AB  200 DATA 132,216,1,77,252,1,
    35,246,2,16,240,18,8,254,33,
    255,1786
FD  210 DATA 241,255,14,1,33,255
    ,254,18,11,252,2,19,252,1,34
    ,100,1742
44  220 DATA 1,71,254,0,137,153,
    0,79,255,0,1,252,0,7,223,0,1
    433
C4  230 DATA 7,7,0,31,28,255,0,0
    ,240,0,1,120,0,66,120,0,875
80  240 DATA 132,216,1,77,252,1,
    35,246,2,16,240,18,8,254,33,
    255,1786
05  250 DATA 241,255,14,1,33,255
    ,254,18,11,252,2,19,252,1,34
    ,100,1742
9B  260 DATA 1,71,254,0,137,153,
    0,79,255,0,1,255,0,1,255,0,1
    462
57  270 DATA 1,193,0,7,192,0,0,0
    ,240,0,1,120,0,66,120,0,940
D9  280 DATA 132,216,1,77,252,1,
    35,246,2,16,240,18,8,254,33,
    255,1786
7A  290 DATA 241,255,14,1,33,255
    ,254,18,11,252,2,19,252,1,34
    ,100,1742
7C  300 DATA 1,71,254,0,137,153,
    0,79,255,0,1,252,0,0,112,0,1
    315
C4  310 DATA 0,112,0,1,240,247,0
    ,0,240,0,33,120,0,66,120,0,1
    179
52  320 DATA 196,216,1,77,252,2,
    67,246,2,64,240,2,64,254,1,2
    55,1939
B7  330 DATA 241,3,195,227,1,254
    ,14,2,66,252,2,67,252,2,66,1
    00,1744
B4  340 DATA 1,71,254,0,201,153,
    0,71,255,0,33,252,0,7,216,0,
    1514
BD  350 DATA 31,28,0,0,124,8,0,0
    ,240,0,33,120,0,66,120,0,770

9A  360 DATA 196,216,1,77,252,2,
    67,246,2,64,240,2,64,254,1,2
    55,1939
AF  370 DATA 241,3,195,227,1,254
    ,14,2,66,252,2,67,252,2,66,1
    00,1744
6A  380 DATA 1,71,254,0,201,153,
    0,71,255,0,33,252,0,7,223,0,
    1521
FE  390 DATA 7,7,0,31,28,255,0,0
    ,240,0,33,120,0,66,120,0,907

02  400 DATA 196,216,1,77,252,2,
    67,246,2,64,240,2,64,254,1,2
    55,1939
87  410 DATA 241,3,195,227,1,254
    ,14,2,66,252,2,67,252,2,66,1
    00,1744
82  420 DATA 1,71,254,0,201,153,
    0,71,255,0,33,255,0,1,255,0,
    1550
D7  430 DATA 1,193,0,7,192,190,0
    ,0,240,0,33,120,0,66,120,0,1
    162
4A  440 DATA 196,216,1,77,252,2,
    67,246,2,64,240,2,64,254,1,2
    55,1939
3F  450 DATA 241,3,195,227,1,254
    ,14,2,66,252,2,67,252,2,66,1
    00,1744
01  460 DATA 1,71,254,0,201,153,
    0,71,255,0,33,252,0,0,112,0,
    1403
51  470 DATA 0,112,0,1,240,255,1
    5,0,0,30,132,0,30,66,0,27,90
    8
31  480 DATA 35,0,63,178,128,111
    ,194,64,15,2,64,127,2,64,143
    ,255,1445
84  490 DATA 128,199,195,192,112
    ,127,128,63,66,64,63,194,64,
    38,66,64,1763
E5  500 DATA 127,226,128,153,147
    ,0,255,226,0,63,132,0,14,0,0
    ,14,1485
9B  510 DATA 0,0,15,128,0,255,15
    ,0,0,30,132,0,30,66,0,27,698

B0  520 DATA 35,0,63,178,128,111
    ,194,64,15,2,64,127,2,64,143
    ,255,1445
25  530 DATA 128,199,195,192,112
    ,127,128,63,66,64,63,194,64,
    38,66,64,1763
```

```
27  540 DATA 127,226,128,153,147
    ,0,255,226,0,255,132,0,255,1
    28,0,131,2163
B8  550 DATA 128,0,3,224,0,255,1
    5,0,0,30,132,0,30,66,0,27,91
    0
98  560 DATA 35,0,63,178,128,111
    ,194,64,15,2,64,127,2,64,143
    ,255,1445
8D  570 DATA 128,199,195,192,112
    ,127,128,63,66,64,63,194,64,
    38,66,64,1763
F0  580 DATA 127,226,128,153,147
    ,0,255,226,0,63,132,0,251,22
    4,0,224,2156
ED  590 DATA 224,0,56,248,0,255,
    15,0,0,30,132,0,30,66,0,27,1
    083
80  600 DATA 35,0,63,178,128,111
    ,194,64,15,2,64,127,2,64,143
    ,255,1445
75  610 DATA 128,199,195,192,112
    ,127,128,63,66,64,63,194,64,
    38,66,64,1763
44  620 DATA 127,226,128,153,147
    ,0,255,226,0,63,132,0,27,224
    ,0,56,1764
36  630 DATA 248,0,62,0,0,255,15
    ,0,0,30,128,0,30,66,0,27,861

CB  640 DATA 33,0,63,178,128,111
    ,196,128,15,8,64,127,16,72,1
    43,255,1537
24  650 DATA 132,128,112,255,127
    ,255,132,63,208,72,63,200,64
    ,38,68,128,2045
0C  660 DATA 127,226,128,153,145
    ,0,255,242,0,63,128,0,14,0,0
    ,14,1495
9E  670 DATA 0,0,15,128,0,95,15,
    0,0,30,128,0,30,66,0,27,534
B3  680 DATA 33,0,63,178,128,111
    ,196,128,15,8,64,127,16,72,1
    43,255,1537
AC  690 DATA 132,128,112,255,127
    ,255,132,63,208,72,63,200,64
    ,38,68,128,2045
47  700 DATA 127,226,128,153,145
    ,0,255,242,0,255,128,0,255,1
    28,0,131,2173
6E  710 DATA 128,0,3,224,0,255,1
    5,0,0,30,128,0,30,66,0,27,90
    6
1B  720 DATA 33,0,63,178,128,111
    ,196,128,15,8,64,127,16,72,1
    43,255,1537
74  730 DATA 132,128,112,255,127
    ,255,132,63,208,72,63,200,64
    ,38,68,128,2045
28  740 DATA 127,226,128,153,145
    ,0,255,242,0,63,128,0,251,22
    4,0,224,2166
90  750 DATA 224,0,56,248,0,0,15
    ,0,0,30,128,0,30,66,0,27,824

03  760 DATA 33,0,63,178,128,111
    ,196,128,15,8,64,127,16,72,1
    43,255,1537
B3  770 DATA 132,128,112,255,127
    ,255,132,63,208,72,63,200,64
    ,38,68,128,2045
97  780 DATA 127,226,128,153,145
    ,0,255,242,0,63,128,0,27,224
    ,0,56,1774
CE  790 DATA 248,0,62,0,0,0,0,0,
    0,0,0,0,0,0,0,0,0,310
36  800 DATA 0,0,0,0,0,0,0,0,0,0
    ,0,5,64,8,2,160,239
9C  810 DATA 4,15,255,255,2,160,
    4,5,64,8,0,0,0,0,0,0,772
A4  820 DATA 0,0,0,0,0,0,0,0,0,0
    ,0,0,0,0,0,0,0,0
92  830 DATA 0,0,0,0,0,0,0,0,0,0
    ,0,0,0,0,0,0,0,0
76  840 DATA 0,0,0,0,0,0,0,0,0,0
    ,0,16,2,160,32,5,215
AD  850 DATA 64,255,255,240,32,5
    ,64,16,2,160,0,0,0,0,0,0,109
    3
BC  860 DATA 0,0,0,0,0,0,0,0,0,0
    ,0,0,0,0,0,0,0,0
38  870 DATA 0,0,0,0,0,0,0,0,12,0,
    0,63,0,0,45,0,0,120
90  880 DATA 127,128,0,45,0,0,30
    ,4,0,12,28,0,146,56,3,255,83
    4
C5  890 DATA 240,15,255,224,12,9
    1,64,24,127,128,0,204,192,1,
    179,96,1852
DE  900 DATA 1,255,224,3,251,240
    ,0,115,128,0,115,192,0,48,0,
    0,1572
57  910 DATA 112,0,0,240,0,166,0
    ,48,0,0,252,0,0,180,0,1,999
77  920 DATA 254,0,0,180,0,32,12
    0,0,56,48,0,24,73,0,31,127,9
    45
F4  930 DATA 192,15,255,240,3,25
    0,48,1,254,24,3,51,0,6,205,1
    28,1675
9F  940 DATA 7,255,128,15,223,19
    2,1,206,0,3,206,0,0,12,0,0,1
    248
A3  950 DATA 14,0,0,15,0,247,0,0
    ,0,0,0,0,0,0,0,0,276
A1  960 DATA 0,0,0,0,0,0,0,0,0,0,2
    8,0,0,127,0,0,255,410
E4  970 DATA 128,1,207,192,1,135
    ,192,1,207,192,0,255,128,0,1
    27,0,1766
50  980 DATA 0,28,0,0,0,0,0,0,0,
    0,0,0,0,0,0,0,0,28
BA  990 DATA 0,0,0,0,0,127,0,0,0
    ,0,0,0,0,0,0,0,127
A6  1000 DATA 0,0,14,231,24,10,1
    64,33,10,164,33,12,199,24,25
    ,172,1115
55  1010 DATA 8,25,175,115,0,0,0
    ,0,0,0,31,0,25,4,96,32,511
FF  1020 DATA 4,144,32,4,144,24,
    12,144,8,12,96,112,0,0,0,0,7
    36
41  1030 DATA 0,0,0,0,0,255,0,0,
    0,0,0,0,0,0,0,0,255
4D  1040 DATA 0,0,199,51,156,4,3
    4,144,4,34,144,199,35,28,76,
    102,1210
30  1050 DATA 176,140,102,188,0,
    0,0,0,0,0,243,14,124,68,138,
    16,1209
F8  1060 DATA 68,138,16,71,140,1
    6,204,154,48,204,154,48,0,0,
    0,0,1261
73  1070 DATA 0,0,0,0,0,119,0,0,
    0,0,0,0,0,0,0,0,119
A4  1080 DATA 0,0,0,0,0,0,0,0,0,
    5,0,0,5,64,0,13,87
C2  1090 DATA 64,0,63,64,0,15,64
    ,0,15,0,0,6,64,0,10,128,493
93  1100 DATA 0,37,128,0,218,128
    ,0,42,128,0,21,0,0,5,0,0,707

02  1110 DATA 5,0,0,21,0,35,0,0,
    0,0,0,0,0,0,0,0,61
18  1120 DATA 0,0,0,0,0,0,0,0,0,0,
    0,0,3,0,8,1,64,76
24  1130 DATA 4,15,255,255,1,64,
    4,3,0,8,0,0,0,0,0,0,609
EB  1140 DATA 0,0,0,0,0,0,0,0,0,0,
    0,0,0,0,0,0,0,0
98  1150 DATA 0,0,0,0,0,83,0,0,0
    ,21,65,80,85,85,84,106,609
BC  1160 DATA 86,164,91,85,180,2
    7,85,180,27,85,180,27,85,180
    ,27,85,1594
06  1170 DATA 180,27,85,180,27,1
    09,180,27,109,180,27,171,180
    ,27,155,180,1844
06  1180 DATA 26,154,180,26,86,1
    80,21,69,80,5,69,64,0,0,0,0,
    960
96  1190 DATA 0,0,0,0,0,1,0,0,0,
    4,1,0,5,85,0,6,102
A7  1200 DATA 165,0,5,181,0,1,18
    0,0,1,180,0,1,180,0,1,180,10
    75
19  1210 DATA 0,1,180,0,1,180,0,
    1,180,0,1,180,0,1,180,0,905
03  1220 DATA 6,164,0,6,165,0,5,
    85,0,1,84,0,0,0,0,0,516
32  1230 DATA 0,0,0,0,0,255,0,0,
    0,4,16,0,5,80,0,6,366
95  1240 DATA 208,0,6,208,0,6,20
    8,0,6,208,0,6,208,0,6,208,12
    78
C5  1250 DATA 0,6,208,0,6,208,0,
    6,208,0,6,213,0,6,255,64,118
    6
21  1260 DATA 6,170,64,6,150,64,
    5,85,64,1,65,0,0,0,0,0,680
CB  1270 DATA 0,0,0,0,0,255,0,0,
    0,0,80,0,1,84,0,5,425
CD  1280 DATA 165,0,22,169,64,26
    ,250,208,27,86,208,27,86,208
    ,27,86,1659
CD  1290 DATA 208,26,170,208,26,
    170,208,27,86,208,27,86,208,
    91,86,208,2043
49  1300 DATA 106,90,148,106,90,
    148,85,5,84,20,1,64,0,0,0,0,
    947
CC  1310 DATA 0,0,0,0,0,255,0,0,
    0,5,69,64,21,69,80,26,589
F9  1320 DATA 86,180,26,154,180,
    27,155,180,27,171,180,27,109
    ,180,27,109,1818
47  1330 DATA 180,27,85,180,27,8
    5,180,27,85,180,27,85,180,91
    ,85,180,1704
39  1340 DATA 106,86,164,106,86,
    164,85,85,84,21,65,80,0,0,0,
    0,1132
F5  1350 DATA 0,0,0,0,0,4,0,0,0,
    5,5,64,21,85,80,26,290
C0  1360 DATA 170,144,27,239,144
    ,20,109,80,0,109,0,0,109,0,0
    ,109,1260
D2  1370 DATA 0,0,109,0,0,109,0,
    0,109,0,0,109,0,1,109,0,546
2D  1380 DATA 1,169,64,1,169,64,
    1,85,64,0,85,0,0,0,0,0,703
80  1390 DATA 0,0,0,0,0,255,0,0,
    0,1,84,0,5,85,0,6,436
D3  1400 DATA 169,0,6,249,0,6,21
    3,0,6,208,0,6,212,0,6,164,12
    45
E6  1410 DATA 0,6,164,0,6,212,0,
    6,208,0,6,213,0,6,255,64,114
    6
47  1420 DATA 6,170,64,6,170,64,
    5,85,64,1,85,0,0,0,0,0,720
92  1430 DATA 0,0,0,0,0,255,60,0
    ,240,235,3,172,58,206,160,58
    ,1447
CC  1440 DATA 137,176,13,138,128
    ,14,170,192,3,187,0,0,48,0,6
    ,186,1398
8F  1450 DATA 64,26,170,144,42,1
    70,144,105,170,164,165,106,1
    68,164,106,168,2076
7C  1460 DATA 165,106,168,169,17
    0,168,170,170,164,106,170,14
    4,42,170,144,26,2252
4E  1470 DATA 170,64,6,185,0,255
    ,0,0,0,20,0,0,85,0,0,109,894

14  1480 DATA 0,0,109,0,0,109,0,
```

```
    0,109,0,0,109,0,0,109,20,565

76  1490 DATA 20,109,85,85,107,9
    1,105,106,219,109,110,218,23
    7,110,214,237,2162
CC  1500 DATA 110,214,173,106,21
    5,180,107,94,148,85,122,80,8
    5,105,64,1,1889
1F  1510 DATA 165,0,0,84,0,5,248
    ,0,0,36,0,0,0,0,0,34,572
9F  1520 DATA 60,68,34,66,68,0,0
    ,0,34,66,68,34,126,68,0,0,69
    2
2E  1530 DATA 0,36,66,40,248,198
    ,16,0,0,0,0,0,0,0,0,0,604
BE  1540 DATA 255,255,255,0,0,0,
    255,255,255,0,0,0,0,0,0,0,15
    30
A2  1550 DATA 0,0,0,0,0,255,0,16
    ,0,0,16,0,0,0,0,156,443
EC  1560 DATA 16,36,146,16,36,0,
    0,0,146,16,36,146,16,36,0,0,
    645
74  1570 DATA 0,146,16,36,156,31
    ,36,0,0,0,0,0,0,0,0,0,420
46  1580 DATA 255,255,255,0,0,0,
    255,255,255,0,0,0,0,0,0,0,15
    30
BF  1590 DATA 0,0,0,0,0,255,0,0,
    0,0,0,0,0,0,0,132,387
57  1600 DATA 79,128,68,66,0,0,0
    ,0,4,66,0,199,194,0,0,0,804
76  1610 DATA 0,132,66,0,140,198
    ,32,0,0,0,0,0,0,0,0,0,568
92  1620 DATA 255,255,224,0,0,0,
    255,255,224,0,0,0,0,0,0,0,14
    68
3A  1630 DATA 0,0,0,0,0,255,255,
    255,255,255,255,255,255,255,
    255,255,2805
81  1640 DATA 255,255,255,255,25
    5,255,255,255,255,255,255,25
    5,255,255,255,255,4080
97  1650 DATA 255,255,255,255,25
    5,255,255,255,255,255,255,25
    5,255,255,255,255,4080
2D  1660 DATA 255,255,255,255,25
    5,255,255,255,255,255,255,25
    5,255,255,255,255,4080
44  1670 DATA 255,255,255,255,25
    5,85,0,0,0,0,0,80,0,1,80,0,1
    521
74  1680 DATA 5,64,0,21,64,0,63,
    64,0,55,80,0,255,208,0,63,94
    2
B5  1690 DATA 208,0,5,0,0,10,0,0
    ,41,128,0,41,128,0,182,160,9
    03
90  1700 DATA 0,170,160,0,255,24
    0,0,85,80,0,21,80,1,64,20,0,
    1176
11  1710 DATA 0,4,0,0,0,190,0,0,
    0,0,0,80,0,1,80,0,355
6C  1720 DATA 5,64,0,21,64,0,63,
    64,0,55,80,0,255,208,0,63,94
    2
0D  1730 DATA 208,0,5,0,0,10,0,0
    ,41,128,0,41,128,0,182,160,9
    03
9E  1740 DATA 0,170,160,0,255,24
    0,0,85,80,0,21,64,0,5,0,0,10
    80
67  1750 DATA 5,0,0,21,0,255,0,0
    ,0,0,0,0,0,1,80,0,362
1D  1760 DATA 5,80,0,21,64,0,63,
    64,0,55,80,0,255,208,0,63,95
    8
DD  1770 DATA 208,0,5,0,0,10,0,0
    ,41,128,0,42,64,0,173,96,767

AC  1780 DATA 0,170,160,0,255,24
    0,0,85,80,0,21,80,0,21,80,0,
    1192
0B  1790 DATA 20,16,0,84,0,255,0
    ,0,0,0,0,80,0,1,80,0,536
E5  1800 DATA 5,64,0,21,64,0,63,
    64,0,55,80,0,255,208,0,63,94
    2
B4  1810 DATA 208,0,5,0,0,10,0,0
    ,41,128,0,41,128,0,182,160,9
    03
7B  1820 DATA 0,170,160,0,255,24
    0,0,85,80,0,21,64,0,85,80,0,
    1240
DA  1830 DATA 80,80,1,81,64,255,
    0,0,0,0,0,80,0,1,80,0,722
7D  1840 DATA 5,64,0,21,64,0,63,
    64,0,55,80,0,255,208,0,63,94
    2
43  1850 DATA 208,0,5,0,0,10,0,0
    ,41,128,0,38,128,0,186,160,9
    04
2C  1860 DATA 0,170,160,0,255,24
    0,0,85,80,0,21,64,0,85,0,1,1
    161
C1  1870 DATA 81,64,0,5,64,255,0
    ,0,0,0,0,0,0,0,0,0,469
8C  1880 DATA 0,0,0,0,0,0,0,0,0,0,
    0,0,0,0,0,0,0,0
5A  1890 DATA 0,4,1,84,16,6,160,
    101,85,85,16,6,160,4,1,84,81
    3
E0  1900 DATA 0,0,0,0,0,0,0,0,0,0,
    0,0,0,0,0,0,0,0
DC  1910 DATA 0,0,0,0,0,255,0,0,
    0,0,1,64,0,5,64,0,389
59  1920 DATA 5,0,0,21,64,0,93,64
    ,0,127,64,0,221,192,0,255,1
    106
43  1930 DATA 192,0,55,0,0,110,64
    ,1,166,144,5,170,148,60,166
    ,132,1413
DA  1940 DATA 12,170,143,0,255,2
    04,0,85,64,0,21,0,0,17,0,0,9
    71
93  1950 DATA 81,64,1,81,80,95,0
    ,0,0,0,0,0,0,0,0,0,402
3C  1960 DATA 0,0,0,0,0,0,0,0,0,0,
    0,0,0,0,0,0,0,0
0C  1970 DATA 0,21,64,16,10,144,
    4,85,85,89,10,144,4,21,64,16
    ,777
10  1980 DATA 0,0,0,0,0,0,0,0,0,0,
    0,0,0,0,0,0,0,0
B9  1990 DATA 0,0,0,0,0,255,0,0,
    0,5,0,0,5,64,0,1,330
D3  2000 DATA 80,0,1,84,0,1,252,
    0,5,220,0,7,255,0,7,252,1164

1D  2010 DATA 0,0,80,0,0,160,0,2
    ,104,0,2,152,0,10,174,0,684
1D  2020 DATA 10,170,0,15,255,0,
    5,85,0,1,84,0,0,85,0,1,711
1C  2030 DATA 69,64,1,80,0,0,0,0
    ,0,5,0,0,5,64,0,1,289
7B  2040 DATA 80,0,1,84,0,1,252,
    0,5,220,0,7,255,0,7,252,1164

8B  2050 DATA 0,0,80,0,0,160,0,2
    ,104,0,2,104,0,10,158,0,620
2B  2060 DATA 10,170,0,15,255,0,
    5,85,0,1,84,0,5,85,0,5,720
30  2070 DATA 5,0,1,69,64,0,0,0,
    0,0,0,0,5,64,0,5,213
FA  2080 DATA 80,0,1,84,0,1,252,
    0,5,220,0,7,255,0,7,252,1164

E1  2090 DATA 0,0,80,0,0,160,0,2
    ,104,0,1,168,0,9,122,0,646
63  2100 DATA 10,170,0,15,255,0,
    5,85,0,5,84,0,5,84,0,4,722
FB  2110 DATA 20,0,0,21,0,0,0,0,
    0,5,0,0,5,64,0,1,116
C2  2120 DATA 80,0,1,84,0,1,252,
    0,5,220,0,7,255,0,7,252,1164

DB  2130 DATA 0,0,80,0,0,160,0,2
    ,104,0,2,104,0,10,158,0,620
B1  2140 DATA 10,170,0,15,255,0,
    5,85,0,1,84,0,0,80,0,0,705
6E  2150 DATA 80,0,0,84,0,0,0,0,
    0,5,0,0,5,64,0,1,239
CA  2160 DATA 80,0,1,84,0,1,252,
    0,5,220,0,7,255,0,7,252,1164

73  2170 DATA 0,0,80,0,0,160,0,2
    ,104,0,2,104,0,10,158,0,620
BF  2180 DATA 10,170,0,15,255,0,
    5,85,0,5,84,0,20,1,64,16,730

4E  2190 DATA 0,0,0,0,0,166,0,0,
    0,0,80,0,0,84,0,0,330
7D  2200 DATA 20,0,0,85,0,0,85,6
    4,12,85,64,4,213,192,4,255,1
    083
51  2210 DATA 192,5,63,0,1,106,6
    4,0,170,144,0,170,151,0,170,
    131,1367
03  2220 DATA 0,42,0,0,255,192,0
    ,85,64,0,21,0,1,81,0,0,741
3F  2230 DATA 1,0,0,1,64,247,0,0
    ,0,0,1,64,0,5,64,0,447
B9  2240 DATA 5,0,0,21,64,0,85,6
    4,0,85,76,0,213,196,0,255,10
    64
2B  2250 DATA 196,0,63,20,0,106,
    80,1,170,128,53,170,128,48,1
    70,128,1461
A1  2260 DATA 0,42,0,0,255,192,0
    ,85,64,0,21,0,0,17,80,0,756
2C  2270 DATA 16,0,0,80,0,127,0,
    0,0,0,0,80,0,1,80,0,384
72  2280 DATA 5,64,0,21,64,0,63,
    64,0,55,80,0,255,208,0,63,94
    2
65  2290 DATA 208,4,5,0,16,42,0,
    169,121,128,16,149,128,4,166
    ,160,1316
E0  2300 DATA 0,170,160,0,255,24
    0,0,85,80,0,21,64,0,5,0,0,10
    80
7D  2310 DATA 5,0,0,21,0,255,0,0
    ,0,5,0,0,5,64,0,1,356
D5  2320 DATA 80,0,1,84,0,1,252,
    0,5,220,0,7,255,0,7,252,1164

B6  2330 DATA 0,0,80,16,0,168,4,
    2,109,106,2,86,4,10,154,16,7
    57
BA  2340 DATA 10,170,0,15,255,0,
    5,85,0,1,84,0,0,80,0,0,705
09  2350 DATA 80,0,0,84,0,119,15
    ,0,4,30,128,8,30,64,16,27,60
    5
69  2360 DATA 32,32,63,176,64,11
    1,192,128,15,1,0,25,34,0,57,
    148,1078
B6  2370 DATA 0,60,204,0,62,50,0
    ,63,224,0,63,192,0,32,64,0,1
    014
AB  2380 DATA 127,224,0,128,16,0
    ,255,240,0,63,128,0,14,0,0,1
    4,1209
56  2390 DATA 0,0,15,128,0,35,15
    ,0,0,30,128,0,30,64,2,27,474

B5  2400 DATA 32,4,63,176,24,111
    ,192,32,15,0,64,25,33,128,57
    ,146,1102
41  2410 DATA 0,57,204,0,60,52,0
    ,63,226,0,63,192,0,32,64,0,1
    013
3F  2420 DATA 127,224,0,128,16,0
    ,255,240,0,63,128,0,27,224,0
    ,56,1488
30  2430 DATA 248,0,62,0,0,83,15
```

```
    ,0,0,30,128,0,30,64,0,27,687

75  2440 DATA 32,0,63,176,1,111,
    192,6,15,0,24,25,16,96,57,13
    7,951
B3  2450 DATA 128,57,206,0,56,52
    ,0,63,228,0,63,196,0,32,64,0
    ,1145
6D  2460 DATA 127,224,0,128,16,0
    ,255,240,0,63,128,0,251,224,
    0,224,1880
25  2470 DATA 224,0,56,248,0,53,
    15,0,0,30,128,0,30,64,0,27,8
    75
55  2480 DATA 32,0,63,176,0,111,
    192,0,15,0,0,25,0,0,51,136,8
    01
81  2490 DATA 0,51,200,0,56,63,2
    55,63,232,0,63,200,0,32,64,0
    ,1279
8F  2500 DATA 127,224,0,128,16,0
    ,255,240,0,255,128,0,255,128
    ,0,131,1887
F1  2510 DATA 128,0,3,224,0,80,3
    2,0,240,16,1,120,8,2,120,4,9
    78
B6  2520 DATA 4,216,2,13,252,1,3
    ,246,0,128,240,0,68,152,0,41
    ,1366
FA  2530 DATA 156,0,51,60,0,76,1
    24,0,7,252,0,3,252,0,2,4,987

7F  2540 DATA 0,7,254,0,8,1,0,15
    ,255,0,1,252,0,0,112,0,905
93  2550 DATA 0,112,0,1,240,53,0
    ,0,240,0,1,120,64,2,120,32,9
    85
63  2560 DATA 4,216,24,13,252,4,
    3,246,2,0,240,1,132,152,0,73
    ,1362
13  2570 DATA 156,0,51,156,0,44,
    60,0,71,252,0,3,252,0,2,4,10
    51
E4  2580 DATA 0,7,254,0,8,1,0,15
    ,255,0,1,252,0,7,216,0,1016
FB  2590 DATA 31,28,0,0,124,33,0
    ,0,240,0,1,120,0,2,120,0,699

F2  2600 DATA 4,216,128,13,252,9
    6,3,246,24,0,240,6,8,152,1,1
    45,1534
AE  2610 DATA 156,0,115,156,0,44
    ,28,0,39,252,0,35,252,0,2,4,
    1083
44  2620 DATA 0,7,254,0,8,1,0,15
    ,255,0,1,252,0,7,223,0,1023
7E  2630 DATA 7,7,0,31,28,87,0,0
    ,240,0,1,120,0,2,120,0,643
F9  2640 DATA 4,216,0,13,252,0,3
    ,246,0,0,240,0,0,152,0,17,11
    43
A0  2650 DATA 204,0,19,204,255,2
    52,28,0,23,252,0,19,252,0,2,
    4,1514
C2  2660 DATA 0,7,254,0,8,1,0,15
    ,255,0,1,255,0,1,255,0,1052
B6  2670 DATA 1,193,0,7,192,84,0
    ,0,0,0,0,0,0,0,0,0,477
62  2680 DATA 0,0,0,0,0,0,0,0,0,0,
    28,0,0,127,0,0,255,410
A9  2690 DATA 128,1,207,192,1,13
    5,192,1,207,192,0,255,128,0,
    127,0,1766
11  2700 DATA 0,28,0,0,0,0,0,0,0,0
    ,0,0,0,0,0,0,0,28
9B  2710 DATA 0,0,0,0,0,141,0,0,
    0,0,0,0,0,0,0,0,141
7A  2720 DATA 0,0,0,0,0,0,0,0,0,0,
    28,0,0,127,0,0,255,410
4C  2730 DATA 128,1,249,192,1,24
    0,192,1,249,192,0,255,128,0,
    127,0,1955
99  2740 DATA 0,28,0,0,0,0,0,0,0,0
    ,0,0,0,0,0,0,0,28
19  2750 DATA 0,0,0,0,0,76,0,2,0
    ,128,7,0,64,15,128,32,452
1E  2760 DATA 18,73,18,31,201,12
    ,24,198,14,10,134,23,8,140,3
    ,255,1162
07  2770 DATA 252,1,176,112,0,12
    7,224,0,56,224,0,63,192,0,63
    ,224,1714
5D  2780 DATA 0,120,240,0,146,72
    ,0,199,24,0,121,224,4,224,11
    2,7,1493
D1  2790 DATA 128,26,1,128,28,16
    6,0,0,0,0,0,0,0,0,0,0,477
69  2800 DATA 0,0,0,0,0,0,0,0,0,0,
    0,0,0,0,0,0,0,0
FC  2810 DATA 0,10,128,16,5,64,1
    2,31,255,255,5,64,12,10,128,
    16,1011
5C  2820 DATA 0,0,0,0,0,0,0,0,0,0,
    0,0,0,0,0,0,0,0
4A  2830 DATA 0,0,0,0,0,0,0,0,0,0,
    0,0,0,0,0,0,0,0
B0  2840 DATA 0,0,0,0,0,0,0,0,0,0,
    0,0,0,0,0,0,0,0
71  2850 DATA 0,8,1,80,48,2,160,
    255,255,248,48,2,160,8,1,80,
    1356
A4  2860 DATA 0,0,0,0,0,0,0,0,0,0,
    0,0,0,0,0,0,0,0
12  2870 DATA 0,0,0,0,0,35,0,0,0
    ,0,1,64,0,5,64,0,169
65  2880 DATA 5,0,0,21,64,0,93,6
    4,0,127,64,0,221,192,0,255,1
    106
3F  2890 DATA 192,0,55,0,0,110,6
    4,1,166,144,5,170,148,60,166
    ,132,1413
EE  2900 DATA 12,170,143,0,255,2
    04,0,85,64,0,21,0,1,17,0,1,9
    73
E4  2910 DATA 81,64,0,1,80,35,0,
    0,0,255,255,255,255,255,255,
    255,2046
D4  2920 DATA 255,255,255,0,0,0,
    252,215,55,220,35,33,0,236,5
    5,230,2096
77  2930 DATA 35,65,82,83,69,84,
    49,32,83,84,65,32,86,73,67,1
    70,1159
D4  2940 DATA 50,0,244,55,240,35
    ,82,84,83,0,250,55,250,35,33
    ,0,1496
8F  2950 DATA 9,56,4,36,65,82,42
    ,170,170,17,0,0,0,0,248,124,
    1023
DE  2960 DATA 102,102,126,102,23
    8,0,252,126,102,102,124,102,
    254,0,252,126,2110
29  2970 DATA 98,96,98,102,254,0
    ,248,124,102,102,102,110,254
    ,0,248,124,2062
61  2980 DATA 98,104,120,98,254,
    0,252,126,96,96,120,96,248,0
    ,252,126,2086
5B  2990 DATA 98,96,110,102,254,
    0,228,102,102,102,126,102,23
    8,0,60,24,1744
57  3000 DATA 24,24,24,24,126,0,
    8,12,12,12,108,108,254,0,228
    ,102,1066
72  3010 DATA 108,120,120,108,23
    8,0,224,48,48,48,48,50,254,0
    ,228,126,1768
1E  3020 DATA 86,70,70,70,206,0,
    228,102,118,94,78,70,238,0,2
    48,124,1802
7E  3030 DATA 102,66,66,102,254,
    0,252,126,102,102,126,96,254
    ,0,252,102,2002
4A  3040 DATA 66,82,90,254,12,0,
    252,126,102,102,124,102,230,
    0,252,102,1896
B6  3050 DATA 96,60,6,70,254,0,2
    54,152,24,24,24,24,60,0,100,
    102,1250
7A  3060 DATA 102,102,102,102,25
    4,0,228,102,102,102,102,124,
    254,0,226,99,2001
F0  3070 DATA 99,107,127,119,227
    ,0,228,102,60,24,60,102,238,
    0,228,102,1823
6C  3080 DATA 102,126,24,24,126,
    0,252,126,12,24,48,98,254,0,
    87,87,1390
7B  3090 DATA 87,87,85,85,86,85,
    69,85,85,85,165,105,170,106,
    87,87,1559
9E  3100 DATA 87,87,85,85,5,1,68
    ,85,85,105,190,190,190,190,0
    ,0,1453
4C  3110 DATA 0,0,0,24,255,0,0,0
    ,0,0,0,0,0,0,254,191,724
62  3120 DATA 175,5,0,0,0,0,102,
    102,102,0,0,0,0,0,3,15,504
26  3130 DATA 60,246,246,60,15,3
    ,0,0,0,170,170,0,0,0,1,5,976
4C  3140 DATA 21,170,170,21,5,1,
    85,84,80,170,170,80,84,85,0,
    0,1226
88  3150 DATA 4,0,0,3,0,128,0,12
    8,0,0,32,0,0,12,255,255,817
D1  3160 DATA 195,0,48,12,1,16,8
    5,85,85,85,81,85,85,85,125,8
    5,1158
81  3170 DATA 85,69,69,85,85,85,
    255,255,255,119,85,85,0,0,0,
    0,1532
5C  3180 DATA 0,240,0,0,0,0,68,8
    5,85,85,85,69,85,85,255,255,
    1397
B4  3190 DATA 255,255,255,119,87
    ,71,124,102,110,126,118,102,
    126,0,16,48,1914
41  3200 DATA 120,24,24,24,254,0
    ,56,124,108,12,56,98,254,0,5
    6,124,1334
31  3210 DATA 102,6,28,70,126,0,
    12,30,54,102,127,6,62,0,124,
    126,975
10  3220 DATA 96,126,6,70,126,0,
    124,126,96,124,102,102,126,0
    ,124,126,1474
24  3230 DATA 12,24,126,24,60,0,
    124,102,102,60,102,102,126,0
    ,124,70,1158
BB  3240 DATA 70,124,12,12,30,0,
    0,0,24,0,0,24,0,0,74,18,388
FE  3250 DATA 4,1,0,0,0,0,252,12
    7,106,106,106,106,106,234,1,
    1,1150
47  3260 DATA 1,1,1,1,255,255,10
    6,90,102,105,106,106,218,230
    ,106,106,1789
75  3270 DATA 106,106,90,102,105
    ,106,149,106,106,106,106,106
    ,106,106,85,170,1761
C6  3280 DATA 170,170,170,170,17
    0,170,149,106,106,106,106,10
    6,106,170,170,106,2251
1C  3290 DATA 106,106,106,42,10,
    2,85,106,106,106,0,128,0,24,
    89,90,1105
99  3300 DATA 214,245,245,245,53
    ,53,101,165,159,159,108,108,
    112,112,53,53,2185
36  3310 DATA 53,53,53,53,53,253
    ,112,112,112,112,112,112,112
    ,127,150,150,1729
49  3320 DATA 69,69,69,69,69,69,
    69,69,69,69,69,69,117,125,64
    ,64,1198
5B  3330 DATA 64,64,64,64,64,96,
```

```
    0,0,0,0,64,144,164,169,20,69
    ,1046
6D  3340 DATA 85,86,89,150,85,65
    ,1,5,86,149,102,149,84,64,14
    9,106,1455
AA  3350 DATA 106,106,170,255,63
    ,207,243,252,63,207,243,252,
    85,255,253,253,3013
B9  3360 DATA 253,253,253,253,25
    3,170,253,253,253,189,173,10
    5,153,101,86,149,3150
E2  3370 DATA 106,106,106,106,10
    6,106,85,106,106,106,106,106
    ,106,106,255,255,1973
77  3380 DATA 255,255,255,255,17
    0,170,148,101,90,90,90,90,90
    ,90,173,173,2495
CF  3390 DATA 169,233,249,249,25
    3,170,90,90,101,102,105,106,
    106,170,195,195,2583
27  3400 DATA 195,195,125,195,19
    5,195,171,171,175,175,175,19
    1,191,255,234,250,3088
17  3410 DATA 250,250,254,254,25
    5,255,207,243,243,243,252,25
    2,255,255,243,243,3954
87  3420 DATA 207,207,207,63,63,
    255,170,170,169,165,165,149,
    149,221,170,170,2700
B6  3430 DATA 106,90,90,86,85,93
    ,166,149,85,85,85,85,85,215,
    170,170,1845
B0  3440 DATA 170,170,170,170,17
    0,170,186,186,186,213,255,18
    6,186,186,174,174,2952
2E  3450 DATA 174,87,255,174,174
    ,174,255,255,255,255,255,255
    ,255,255,149,106,3333
E8  3460 DATA 106,106,106,106,17
    0,106,91,107,107,90,102,105,
    106,106,106,90,1710
FF  3470 DATA 102,105,106,250,62
    ,207,153,150,154,106,154,154
    ,154,154,154,90,102,2203
C6  3480 DATA 101,102,102,102,23
    0,230,154,154,218,255,243,25
    2,85,255,154,155,2792
65  3490 DATA 159,255,243,252,85
    ,255,86,102,105,102,102,102,
    102,102,154,154,2360
02  3500 DATA 154,101,154,154,15
    4,154,154,154,154,255,243,25
    2,85,255,3,3,2429
83  3510 DATA 15,15,63,175,243,2
    54,63,3,0,0,0,0,0,0,192,192,
    1215
E8  3520 DATA 240,240,252,248,23
    9,191,252,192,0,0,0,0,0,0,25
    5,255,2364
C9  3530 DATA 255,207,255,255,25
    5,255,207,255,111,102,102,10
    2,102,102,255,243,3063
67  3540 DATA 255,191,154,154,15
    4,154,252,207,255,250,154,15
    4,154,154,86,85,2813
DA  3550 DATA 93,93,93,93,93,93,
    93,93,93,93,93,149,101,102,0
    ,192,1567
98  3560 DATA 232,238,236,172,20
    6,236,243,192,0,132,194,48,1
    ,14,221,186,2551
B4  3570 DATA 186,255,239,175,17
    5,175,85,170,170,207,243,204
    ,243,204,95,163,2989
B4  3580 DATA 172,171,168,171,17
    0,170,255,255,63,252,62,254,
    59,171,190,190,2773
32  3590 DATA 190,231,255,190,19
    0,190,85,170,255,215,215,215
    ,255,255,7,131,3049
0A  3600 DATA 153,153,129,153,17
    ,255,3,129,153,153,131,153,1
91  3610 DATA 157,159,157,153,1,
    255,7,131,153,153,153,145,1,
    255,7,131,2018
FA  3620 DATA 157,151,135,157,1,
    255,3,129,159,159,135,159,7,
    255,3,129,1994
55  3630 DATA 157,159,145,153,1,
    255,27,153,153,153,129,153,1
    7,255,195,231,2336
42  3640 DATA 231,231,231,231,12
    9,255,247,243,243,243,147,14
    7,1,255,27,153,3014
B8  3650 DATA 147,135,135,147,17
    ,255,31,207,207,207,207,205,
    1,255,27,129,2312
89  3660 DATA 169,185,185,185,49
    ,255,27,153,137,161,177,185,
    17,255,7,131,2278
D0  3670 DATA 153,189,189,153,1,
    255,3,129,153,153,129,159,1,
    255,3,153,2078
AB  3680 DATA 189,173,165,1,243,
    255,3,129,153,153,131,153,25
    ,255,3,153,2184
0A  3690 DATA 159,195,249,185,1,
    255,1,103,231,231,231,231,19
    5,255,155,153,2830
32  3700 DATA 153,153,153,153,1,
    255,27,153,153,153,153,131,1
    ,255,29,156,2079
90  3710 DATA 156,148,128,136,28
    ,255,27,153,195,231,195,153,
    17,255,27,153,2257
F1  3720 DATA 153,129,231,231,12
    9,255,3,129,243,231,207,157,
    1,255,247,247,2848
6B  3730 DATA 223,223,127,47,243
    ,252,223,223,247,247,253,251
    ,207,191,170,171,3298
13  3740 DATA 171,171,175,181,14
    4,181,234,122,122,122,126,21
    5,65,215,175,171,2590
95  3750 DATA 171,171,171,171,17
    1,235,255,255,255,255,255,25
    5,255,255,126,122,3378
78  3760 DATA 122,122,122,122,12
    2,122,174,87,255,174,174,174
    ,174,174,252,240,2610
A2  3770 DATA 195,0,0,195,240,25
    2,63,15,195,0,0,195,15,63,86
    ,169,1683
EB  3780 DATA 169,169,169,169,16
    9,169,106,106,106,106,90,102
    ,105,106,255,255,2351
20  3790 DATA 255,0,0,255,255,25
    5,63,63,63,195,195,63,63,63,
    252,252,2292
D5  3800 DATA 252,195,195,252,25
    2,252,149,106,218,38,198,221
    ,253,205,85,170,3041
C2  3810 DATA 164,159,159,127,76
    ,127,252,240,192,204,252,252
    ,252,255,63,15,2789
43  3820 DATA 3,51,63,63,63,255,
    255,252,252,252,204,192,240,
    252,255,63,2715
51  3830 DATA 63,63,51,3,15,63,1
    31,153,145,129,137,153,129,2
    55,239,207,1936
E3  3840 DATA 135,231,231,231,1,
    255,199,131,147,243,199,157,
    1,255,199,131,2746
CC  3850 DATA 153,249,227,185,12
    9,255,243,225,201,153,128,24
    9,193,255,131,129,3105
FA  3860 DATA 159,129,249,185,12
    9,255,131,129,159,131,153,15
    3,129,255,131,129,2606
E3  3870 DATA 243,231,129,231,19
    5,255,131,153,153,195,153,15
    3,129,255,131,153,2890
FA  3880 DATA 153,195,243,243,22
    5,255,255,255,231,255,255,23
    1,255,255,255,220,3781
1D  3890 DATA 207,103,207,223,25
    2,207,85,169,169,169,169,169
    ,169,170,149,106,2723
0B  3900 DATA 106,106,105,103,15
    9,127,85,170,170,170,106,246
    ,253,255,255,220,2636
88  3910 DATA 207,255,0,16,0,2,1
    92,192,243,255,127,243,192,1
    92,247,227,2590
94  3920 DATA 192,128,128,227,19
    2,255,3,3,3,253,254,3,3,3,19
    5,195,2037
E3  3930 DATA 195,125,190,195,19
    5,195,3,3,3,2,0,0,64,2,195,1
    95,1562
5F  3940 DATA 195,130,0,0,128,4,
    81,167,147,157,126,195,195,1
    95,26,6,1752
77  3950 DATA 1,253,254,3,3,3,48
    ,48,204,48,32,0,0,0,48,48,99
    3
F9  3960 DATA 48,207,207,48,48,4
    8,0,32,255,32,0,32,255,32,0,
    5,1249
FE  3970 DATA 255,5,0,5,255,5,10
    5,169,105,105,106,105,102,15
    3,169,164,1808
AB  3980 DATA 144,64,0,0,0,0,170
    ,169,166,154,106,170,170,170
    ,105,105,1693
FD  3990 DATA 105,105,105,100,80
    ,64,85,234,170,234,170,234,1
    70,234,85,171,2346
3B  4000 DATA 170,171,170,171,17
    0,171,86,169,169,169,169,169
    ,169,169,217,192,2701
12  4010 DATA 230,192,217,192,23
    0,224,95,87,23,21,133,5,1,17
    ,191,127,1985
39  4020 DATA 255,255,255,255,25
    5,255,255,253,244,208,64,0,0
    ,0,255,255,3064
B1  4030 DATA 255,255,255,253,24
    4,208,170,169,166,153,107,16
    7,175,159,255,255,3246
B5  4040 DATA 255,255,255,253,24
    4,208,247,227,193,128,193,22
    7,247,255,231,231,3649
AE  4050 DATA 231,0,0,231,231,23
    1,255,255,255,255,255,127,12
    7,95,215,87,2850
0F  4060 DATA 87,95,87,87,87,87,
    106,90,105,101,85,151,151,87
    ,170,90,1666
31  4070 DATA 86,85,245,253,255,
    255,106,42,42,10,10,2,130,0,
    86,171,1778
20  4080 DATA 173,173,179,179,15
    7,157,149,234,58,62,206,206,
    118,118,179,179,2527
BF  4090 DATA 172,172,171,170,17
    0,170,64,0,0,0,0,0,0,0,85,0,
    1174
3A  4100 DATA 0,0,0,0,0,0,206,20
    6,122,122,234,170,170,170,48
    ,236,1684
8A  4110 DATA 236,176,59,60,60,5
    9,16,100,100,144,25,20,20,25
    ,0,1,1101
F0  4120 DATA 3,7,15,31,63,127,2
    52,252,252,252,252,252,252,2
    52,30,19,2311
85  4130 DATA 25,63,96,248,72,96
    ,225,236,230,192,159,7,183,1
    59,31,19,2041
70  4140 DATA 25,63,96,240,216,3
    2,218,171,218,171,218,171,21
    8,171,255,254,2737
E5  4150 DATA 223,239,247,251,19
    1,255,85,106,106,106,85,166,
```

Listings

```
    166,166,231,231,2854
E1  4160 DATA 231,0,0,255,255,25
    5,255,255,255,0,0,231,231,23
    1,231,231,2916
77  4170 DATA 231,7,7,231,231,23
    1,63,63,63,63,63,63,63,31
    ,31,1504
93  4180 DATA 31,31,31,31,31,31,
    248,248,248,248,248,248,248,
    248,0,0,2170
01  4190 DATA 255,255,255,255,25
    5,255,0,0,0,255,255,255,255,
    255,255,255,3315
FF  4200 DATA 255,255,255,0,0,0,
    252,215,55,220,35,33,0,236,5
    5,230,2096
F0  4210 DATA 35,65,82,83,69,84,
    49,32,83,84,65,32,86,73,67,1
    70,1159
63  4220 DATA 50,0,244,55,240,35
    ,82,84,83,0,250,55,250,35,33
    ,0,1496
BD  4230 DATA 9,56,4,36,65,82,0,
    0,169,0,133,250,169,133,133,
    251,1490
B8  4240 DATA 169,218,133,174,13
    3,193,169,37,133,175,133,194
    ,169,40,133,252,2455
F2  4250 DATA 169,159,133,253,16
    0,0,177,250,145,174,230,250,
    208,2,230,251,2791
09  4260 DATA 230,174,208,2,230,
    175,165,250,197,252,208,234,
    165,251,197,253,3191
E2  4270 DATA 208,228,169,195,13
    3,187,169,159,133,188,169,3,
    133,183,169,0,2426
DB  4280 DATA 133,185,160,0,185,
    147,159,240,6,32,210,255,200
    ,208,245,32,2397
21  4290 DATA 207,255,240,251,20
    1,49,240,4,201,56,48,230,41,
    15,133,186,2357
C5  4300 DATA 76,234,245,147,17,
    17,73,78,80,85,84,32,68,69,8
    6,73,1464
0D  4310 DATA 67,69,32,78,85,77,
    66,69,82,13,17,67,65,83,61,4
    9,980
A5  4320 DATA 32,47,32,68,73,83,
    75,61,32,56,32,79,82,32,57,5
    8,899
D0  4330 DATA 45,32,0,87,84,50,0
    ,0,0,0,0,0,0,0,0,0,298
F4  4340 DATA 0,0,0,255,255,255,
    255,0,0,0,0,0,0,0,0,0,1020
```

PAINLESS WINDOWS

```
PROGRAM: BORD.LOAD
```

```
34  1 REM * THIS PROGRAM WILL CR
    EATE   *
2S  2 REM * THE C128 PROG 'BORD'
     ONTO   *
92  3 REM * TAPE OR DISK. THIS P
    ROGRAM *
3C  4 REM * SHOULD BE ENTERED AN
    D RUN  *
DA  5 REM * IN C64 MODE. BORD SH
    OULD BE*
AA  6 REM * USED IN C128 MODE ON
    LY     *
DA  10 BL=55   :LN=50   :SA=2957
    2
C0  20 FOR L=0 TO BL:CX=0:FOR D=
    0 TO 15:READ A:CX=CX+A
B7  30 POKES3280,A:POKE SA+L*16+
    D,A:NEXT D
73  40 READ A:IF A><CX THENPRINT
    "ERROR IN LINE";LN+(L*10):ST
    OP
E3  45 NEXT L:SYS 29382
6E  50 DATA 76,9,12,76,128,12,76
    ,194,12,166,228,232,189,51,1
    92,133,1786
FD  60 DATA 250,189,76,192,133,2
    51,166,229,202,189,51,192,13
    3,252,189,76,2770
31  70 DATA 192,133,253,166,230,
    202,138,24,101,250,133,250,1
    44,2,230,251,2699
42  80 DATA 166,230,202,138,24,1
    01,252,133,252,144,2,230,253
    ,165,231,24,2547
08  90 DATA 229,230,24,105,3,168
    ,169,110,145,252,169,125,145
    ,250,136,169,2429
24  100 DATA 64,145,250,145,252,
    136,208,249,169,109,145,250,
    169,112,145,252,2800
A9  110 DATA 166,229,202,232,189
    ,51,192,133,250,189,76,192,1
    33,251,169,66,2720
5E  120 DATA 164,230,136,145,250
    ,164,231,200,145,250,228,229
    ,208,229,96,234,3138
B8  130 DATA 230,167,166,167,224
    ,15,208,3,198,167,96,162,0,1
    81,228,157,2370
26  140 DATA 244,7,232,224,4,208
    ,246,166,167,189,33,13,170,1
    69,4,160,2236
97  150 DATA 0,132,255,160,4,32,
    4,13,160,0,160,0,166,255,169
    ,251,1761
EB  160 DATA 32,118,255,32,202,2
    05,200,208,243,230,252,165,2
    52,197,254,144,2987
C4  170 DATA 235,96,166,167,224,
    0,208,1,96,189,33,13,170,169
    ,4,160,1931
C3  180 DATA 0,132,255,160,4,32,
    4,13,160,0,169,251,141,185,2
    ,32,1540
37  190 DATA 216,205,166,255,32,
    119,255,200,208,245,230,252,
    165,252,197,254,3251
81  200 DATA 144,237,162,0,189,2
    44,7,149,228,232,224,4,208,2
    46,32,50,2356
2C  210 DATA 202,198,167,96,133,
    252,134,253,132,254,24,101,2
    54,133,254,169,2756
B8  220 DATA 0,133,251,162,18,16
    5,253,32,204,205,232,169,0,3
    2,204,205,2265
B0  230 DATA 96,0,4,8,12,16,20,2
    4,28,32,36,40,44,48,52,56,51
    6
ED  240 DATA 60,234,234,234,234,
    234,234,234,234,234,234,234,
    234,234,234,234,3570
99  250 DATA 234,234,234,234,234
    ,234,234,234,234,234,234,234
    ,234,234,234,234,3744
3C  260 DATA 234,234,234,234,234
    ,234,234,234,234,234,234,234
    ,234,234,234,234,3744
AE  270 DATA 234,234,234,234,234
    ,234,234,234,234,234,234,234
    ,234,234,234,234,3744
38  280 DATA 234,234,234,234,234
    ,234,234,234,234,234,234,234
    ,234,234,234,234,3744
62  290 DATA 234,234,234,234,234
    ,234,234,234,234,234,234,234
    ,234,234,234,234,3744
C4  300 DATA 234,234,234,234,234
    ,234,234,234,234,234,234,234
    ,234,234,234,234,3744
```

```
EE  310 DATA 234,234,234,234,234
    ,234,234,234,234,234,234,234
    ,234,234,234,234,3744
00  320 DATA 234,234,234,234,234
    ,234,234,234,234,234,234,234
    ,234,234,234,234,3744
EA  330 DATA 234,234,234,234,234
    ,234,234,234,234,234,234,234
    ,234,234,234,234,3744
8C  340 DATA 234,234,234,234,234
    ,234,234,234,234,234,234,234
    ,234,234,234,234,3744
76  350 DATA 234,234,234,234,234
    ,234,234,234,234,234,234,234
    ,234,234,234,234,3744
08  360 DATA 234,234,234,234,234
    ,234,234,234,234,234,234,234
    ,234,234,234,234,3744
19  370 DATA 67,75,44,51,0,27,10
    ,218,7,131,32,77,69,78,95,32
    ,1003
1A  380 DATA 77,65,75,69,82,44,5
    2,0,47,10,228,7,131,32,83,67
    ,1069
5F  390 DATA 82,79,76,76,66,65,8
    3,73,67,44,53,0,70,10,238,7,
    1099
E8  400 DATA 131,32,70,65,83,84,
    32,70,79,82,77,65,84,84,69,8
    2,1189
B4  410 DATA 44,54,0,92,10,248,7
    ,131,32,67,79,83,77,73,67,32
    ,1096
B4  420 DATA 67,65,86,69,82,78,4
    4,55,0,108,10,2,8,131,32,88,
    925
2F  430 DATA 69,82,79,80,95,83,4
    4,56,0,126,10,12,8,131,32,77
    ,974
00  440 DATA 65,73,79,32,77,69,7
    8,85,44,57,0,0,0,53,53,44,80
    8
05  450 DATA 51,50,44,50,48,55,4
    4,50,53,53,44,50,48,49,44,49
    ,782
0E  460 DATA 51,44,50,48,56,44,4
    9,51,51,57,0,101,14,137,0,13
    1,884
C0  470 DATA 50,52,54,44,51,50,4
    4,49,55,52,44,50,53,53,44,49
    ,794
34  480 DATA 54,57,44,49,51,44,5
    1,50,44,50,49,48,44,49,49,51
    ,784
0E  490 DATA 49,0,139,14,138,96,
    169,0,133,250,169,112,133,25
    1,169,0,1822
95  500 DATA 133,174,133,193,169
    ,12,133,175,133,194,169,198,
    133,252,169,114,2484
D5  510 DATA 133,253,160,0,177,2
    50,145,174,230,250,208,2,230
    ,251,230,174,2867
70  520 DATA 208,2,230,175,165,2
    50,197,252,208,234,165,251,1
    97,253,208,228,3223
88  530 DATA 169,87,133,197,169,
    115,133,198,169,4,133,183,16
    9,0,133,185,2167
C4  540 DATA 160,0,185,49,115,24
    0,6,32,210,255,200,208,245,3
    2,207,255,2399
30  550 DATA 240,251,201,49,240,
    4,201,56,48,230,41,15,133,18
    6,76,234,2205
84  560 DATA 245,147,17,17,73,78
    ,80,85,84,32,68,69,86,73,67,
    69,1290
58  570 DATA 32,78,85,77,66,69,9
    2,13,17,67,65,83,61,49,32,47
    ,923
75  580 DATA 32,68,73,83,75,61,3
    2,56,32,79,82,32,57,58,45,32
    ,897
FF  590 DATA 0,65,79,82,58,0,0,0
    ,0,0,0,0,0,0,0,0,0,295
AA  600 DATA 0,255,255,255,255,0
    ,0,0,0,0,0,0,0,0,0,0,1020
```

PROGRAM: BORD DEMO

```
1000 POKE167,0
1010 BLOAD"BORD",B0,P3072
1020 POKE250,1
1030 FORY=1TO25:D$=D$+"□":NEXT
1040 GOSUB 2160
1050 SLEEP2
1060 FORX=1TO100
1070 READTX$
1080 IFTX$="W"THENGOSUB1250:NEXT
1090 IFTX$="R"THENGOSUB1300:NEXT
1100 IFTX$="R+"THENGOSUB1340:NEX
T
1110 IFTX$="D"THENGOSUB1380
1120 FORY=1TOLEN(TX$)
1130 IFLEN(TX$)<=1THENSLEEP1
1140 PRINTMID$(TX$,Y,1);
1150 FORDE=1TO20:NEXT
1160 NEXT
1170 PRINT
1180 NEXT
1190 SLEEP3
1200 DO UNTIL(PEEK(167))=0
1210 SYS3078
1220 SLEEP2
1230 LOOP
1240 END
1250 READ TX,TY,BX,BY,C,TX$
1260 SYS3075
1270 WINDOW TX,TY,BX,BY,C
1280 SYS3072
1290 RETURN
1300 SYS3078
1310 SLEEP2
1320 PRINT"■"
1330 RETURN
1340 SYS3078
1350 SLEEP2
1360 PRINT"■";LEFT$(D$,PEEK(229)
)
1370 RETURN
1380 DIRECTORY"BORD*"
1390 TX$=""
1400 SLEEP2
1410 RETURN
1420 DATA"W",4,14,35,22,1,,
1430 DATA" THIS PROGRAM DEMONSTR
ATES"
1440 DATA" THE MULTI WINDOW UTIL
ITY"
1450 DATA" WHICH CAN BE LOADED I
NTO"
1460 DATA" YOUR PROGRAMS BY USIN
G THE"
1470 DATA" BLOAD COMMAND"
1480 DATA" E.G. -BLOAD'BORD',B0,
P3072-",
1490 DATA" THE CODE CONTAINS 3 R
OUTINES"
1500 DATA" GIVING:-"
1510 DATA"   WINDOW BORDER  - SY
S3072"
1520 DATA"   SCREEN STORE   - SY
S3075"
1530 DATA"   SCREEN RESTORE - SY
S3078",
1540 DATA" WINDOW BORDER SHOULD
BE CALLED"
1550 DATA" DIRECTLY AFTER THE WI
NDOW CMD"
1560 DATA" AND DRAWS A BORDER AL
L AROUND"
1570 DATA" THE WINDOW JUST CREAT
ED",
1580 DATA" SCREEN STORE SHOULD B
E CALLED"
1590 DATA" PRIOR TO THE WINDOW C
OMMAND"
1600 DATA" AND 'SAVES' THE WHOLE
 SCREEN"
1610 DATA" TO PART OF THE 16K RA
M USED"
1620 DATA" BY THE SYSTEM FOR THE
 80 COL"
1630 DATA" SCREEN MODE - ALLOWIN
G 16"
1640 DATA" SCREENS TO BE 'STORED
'",
1650 DATA" & SCREEN RESTORE WILL
 RESTORE"
1660 DATA" THE LAST SCREEN SAVED
"
1670 DATA"W",4,2,19,8,1,,,
1680 DATA"■ THERE ARE MANY"
1690 DATA" USES FOR THIS"
1700 DATA" UTILITY",
1710 DATA" ONE BEING"
1720 DATA" MULTIPLE"
1730 DATA" PULL DOWN"
1740 DATA" MENUS   E.G.-"
1750 DATA"W",22,2,28,10,1,
1760 DATA"■SCRATCHDIRECT LOAD
SAVE   FORMAT PATCH  QUIT■"
1770 DATA"W",22,2,28,10,0,
1780 DATA"■■DIRECT■■",
1790 DATA"W",9,5,35,14,1,,"D"
1800 DATA"R","R"
1810 DATA"■■■■■■QUIT■■",,"R+"
1820 DATA" AS YOU CAN SEE"
1830 DATA" THE SCREEN IS"
1840 DATA" RESTORED TO"
1850 DATA" IMMEDIATELY"
1860 DATA" BEFORE THE LAST"
1870 DATA" SYS3075 CALL",
1880 DATA" APPLICATIONS"
1890 DATA" ARE JUST AS"
1900 DATA" FATHOMLESS"
1910 DATA" AS THE MIND",
1920 DATA"W",5,5,23,20,1,
1930 DATA" THEY CAN BE USED:-",
1940 DATA"----OVERLAPPING----",
1950 DATA"W",8,8,20,17,1,
1960 DATA"    NESTED"
1970 DATA"W",10,10,18,15,1,,
1980 DATA"W",5,6,24,9,1,
1990 DATA"----------LONG-------
----",
2000 DATA"W",15,2,15,22,1,
2010 DATA"..... THIN .....",
2020 DATA"W",5,4,34,18,1,
2030 DATA" IN FACT YOU WILL PROB
ABLY"
2040 DATA" NEVER USE 16 OVERLAPP
ING"
2050 DATA" WINDOWS IN ANY APPLIC
ATION"
2060 DATA" BUT..",
2070 DATA" ONLY YOUR IMAGINATION
"
2080 DATA" WILL LIMIT THEIR USE"
,
2090 DATA" THEREFORE I'LL FINISH
 BY"
2100 DATA" RESTORING EACH SCREEN
"
2110 DATA" UNTIL THE ORIGINAL SC
REEN"
2120 DATA" IS DISPLAYED",,
2130 DATA" GOOD-BYE",
2140 DATA" AND THANKS FOR WATCHI
NG",,,
2150 END
2160 FOR X=1024 TO 2023
2170 POKEX,INT(RND(1)*100+1)
2180 NEXT X
2190 RETURN
```

LIFESAVERS 12	C64	DATA ERRORS	1/2

When typing in a large amount of data, such as most *Your Commodore* listings, it is quite likely that you will make at least one typing mistake.

When you eventually RUN the program it can be especially annoying to be presented with an ILLEGAL QUANTITY ERROR IN LINE message. Even more annoying is the fact that upon checking the line in the error message you can't see anything wrong with it.

Imagine the following situation:

You have typed in the listing below, enter it now if you like:

```
10 A=A+1 : READ X : IF X = -1
THEN SYS 49152
20 POKE 49152+A,X : GOTO 10
30 DATA 169,0,132,16,5
40 DATA 255,255,255,257,255
50 DATA 169,0,132,16,5
60 DATA -1
```

Line 10 READs the numbers from the DATA statements. Line 20 POKEs the numbers that you have read into memory.

When you RUN the above program all will be well until the program reaches the 257 in line 40. Line 10 READs this number without any problems. However, as soon as line 20 attempts to POKE it into memory you will get the dreaded ILLEGAL QUANTITY ERROR IN LINE 20 message. Nothing is wrong with line 20, it's the DATA that is at fault since you can only POKE numbers up to 255 into a memory location. The number that was being POKEd in the above example was 257, hence the error.

COMMODORE REPAIRS

We specialise in repairs of Commodore Computers and Peripherals and many others.
★ FAST TURNROUND ★
★★ 3 MONTHS WARRANTY ★★
ALL INCLUSIVE PRICES START FROM £10
For a fast, reliable and professional service, send your Computer together with fault description to: **COMPUTER FACTORY, ANALYTICAL ENGINEERING, ANALYTIC HOUSE, UNIT 18A, GRAINGER ROAD IND. EST., SOUTHEND-ON-SEA, ESSEX SS2 5DD**
Phone (0702) 618455 for further information.
★★ 24hr answering service. ★★
★★ Software also available. ★★

M.C.E. SERVICES
33, Albert Street, Mansfield, Notts
NG18 1EA Tel: 0623 653512
FIXED PRICE COMMODORE REPAIRS

C64	£24.95
C16	£19.95
PLUS4	£24.95
AMIGA A.500	£29.95
1541	£29.95
1571	£31.95
C2N etc	£12.95

All prices inc. VAT, Labour, Parts etc. NO MORE TO PAY. Please ring for details.

COMPUTER REPAIRS
Standard charges

Commodore 64	£22.00
Commodore +4	£21.00
Commodore C16	£21.00
Commodore Vic 20	£19.00
Spectrum computers	from £16.00
Commodores requiring text IC or modulator replacement	£30.50

Commodore ICS ring for details
ALL PRICES INCLUSIVE OF VAT AND RETURN POSTAGE
Normally 48 hour turnaround
HINDLEY ELECTRONICS, Dept YC, 97, market Street, Hindley, Wigan. Tel: (0942) 522743

COMREPAIR
FOR ALL YOUR HOME COMPUTER REPAIRS. COMPETITIVE RATES, CONTACT COMREPAIR
YORK 784 347 (24 hrs)
We also sell new & used computers Prices on request. Collection & delivery service By arrangement.

ADVERTISE YOUR REPAIR FACILITIES HERE CONTACT ALAN COLE ON 01 437 0699

SPARES AND REPAIRS **HEATH COMPUTERS** *WE FIX MOST MAKES OF COMPUTERS*

SPARES		REPAIRS	
CBM64 PSU	£22.00	CBM 64	FROM £25.00
6569	£17.50	CBM 16	FROM £25.00
6581	£10.00	CBM +4	FROM £25.00
8501	£10.00	CBM 128	FROM £30.00
6561	£10.00	BBC	FROM £30.00
6510	£10.00	AMIGA	PRICE ON APP
6526	£10.00	CASSETTE	FROM £10.00
KERNAL ROM	£10.00	1541	FROM £25.00
BASIC ROM	£10.00	CBM PRINTERS	FROM £25.00
PLA	£12.00		

HEATH COMPUTERS & ELECTRONICS LTD
PLEASE ADD VAT TO ALL PRICES
TEL: 021-707 7160

Why not include your business details in our Specialists Repairs Guide.

Ring Alan Cole on 01-437 0699 or fill in the details of your business (opposite) and we will contact you.

Our address is on the classified pages.

Your Commodore — Specialist Repairs Guide — Please contact me from the details below:-

Name .....
Company .....
Address .....
Tel. No. .....

YOUR COMMODORE

Lineage: 58p per word. (including VAT)
Semi display: £10.95 plus VAT per single column centimetre minimum 2cm. Ring for information on series bookings/discounts.

All advertisements in this section must be prepaid. Advertisements are accepted subject to the terms and conditions printed on the advertisement rate card (available on request).

01-437 0699

Send your requirements to:
ALAN COLE
CLASSIFIED DEPARTMENT
ASP LTD, 1 GOLDEN SQUARE,
LONDON W1R 3AB.

SOFTWARE

YOUR COMMODORE SPECIALS

TECH DRAW 64 - A comprehensive technical illustration aid for C64 owners for both disk and tape. Commands available include LINE DRAW, RAYS, BOX, CIRCLE, ARC, ELLIPSE, FREEHAND, FILL, HATCH & TEXT. Wipe copy, move and rotate, save and load or print your drawing all for £8.95 tape or disk. Order Codes TD64T (tape) TD64D (disk)

Full details in Your Commodore July 1987.

SPEEDY ASSEMBLER

Your Commodore's very own Assembler, a 100% memory resident program for loading from tape or disk, featured in the Your Commodore Machine Code Series and now the Y.C. standard assembler only £9.95 Tape or Disk. Order Codes YSPASSD (disk) YSPASSR (tape)

Order from Your Commodore Readers Services at 9, Hall Road, Maylands Wood Estate, Hemel, Hempstead Herts HP2 7BH. Please make cheques payable to A.S.P. Ltd., or telephone your Access/Visa order on 0442 41221

COMMODORE 64/128 CASSETTE ONLY

X RATED ADULTS ONLY GAME

FANTASY

ONLY £6.50

Loosen your collar, get out your JOYSTICK and get stuck in. By the time you finish you'll be exhausted.

WARNING if you are easily offended do NOT order this game.

R'n'H MICROTEC
32 Hazell Way
Stoke Pages
BUCKS SL2 44D

ONLY AVAILABLE BY MAIL ORDER

DISCOUNT SOFTWARE

Up to 21% off RRP for ATARI, COMMODORE, SPECTRUM, AMSTRAD, BBC, MSX and IBM PC. Ring for Info Pack on any of the above machines: 24 hour HOTLINE: 0455 613377.

B. BYTES COMPUTER SYSTEMS,
19 Southfield Road, Hinkley,
Leicestershire LE10 1UA.
ATARI SPECIALISTS

BAKEEX

AN ESSENTIAL UTILITY PROGRAM FOR YOUR COMMODORE 64

Basic keyword extender will add 36 new functions to your computer. Does not take up any programable memory. (On tape only) Price **£8.00**. Fully documented. Please send cheques/postal orders to:

COMMODORE 64
40 Marlinespike,
Shoreham Beach,
West Sussex BN4 5RD.

SPECIAL OFFERS

T.C. COMPUTERS

TEL: Wantagae 02357 60177

AMIGA A500	**£369.99**
AMIGA A500+CM 8833	**£595.00**
AMIGA A500+1084+1M6 2nd DRIVE	**£649.00**
AMIGA A500+MULTI-SYNC COLOUR MONITOR	**£760.00**
COMMODORE PC1-mono	**£345.00**
AMIGA SYSTEM 500	**£759.00**

Also Atari ST & PC Compatibles including Amstrad available
ENQUIRIES WELCOME
SAE for details to:
19 Havenvale, Wantage,
Oxfordshire OX12 7AJ.

MAIL ORDER

JOHNS COMPUTER STORE (HOME & BUSINESS SYSTEMS)

C64 OLYMPIC PACK	**£149.00**
1541 C DISK DRIVE	**£149.99**
AMIGA A500	**£369.00**
1084 MONITOR	**£319.00**

FOR FURTHER MAIL ORDER OFFERS (all prices inclusive VAT) CONTACT:

J.C.S.
93 Graham Street, Airdrie,
Scotland ML6 6BU.
Tel: 0236 69874

RIBBONS

Disks, DS, price per 10 with labels

5.25" tpi 48 .....£3.60	3.5" 135 tpi £9.80
disk notcher for 5.25"	.....£3.50

Ribbons, fabric, unless stated otherwise

4023 m/s.....£3.35	MPS 801 .....£2.85
6400 m/s.....£2.30	MPS 803 .....£2.95
6400 .....£3.05	VIC 1515.....£2.50
Citizen 120D £4.05	VIC 1525.....£2.50
Epson FX80 .....£3.15	Star NL10.....£4.70

T-SYSTEMS LTD
The Signal Cabin, 61 High Street, Orpington, Kent. BR6 0JF
ACCESS Card accepted, Tel: 0689 22196
ALL PRICES INCLUDE VAT & DELIVERY

SERVICES

COMMODORE SUPPLIES

C64 Power Pack	**19.95**
64 Data Rec (Binatone)	**17.95**
C3N (C.16) Data Rec	**17.95**
64 Music Expansion Syst	**69.95**
Neous Mouse and Cheese	**19.95**

Prices include VAT & P&P. Chq to:

OMNIDALE LTD
23 Curzon Street, Derby.
Tel: 0332 291219

TELEPHONE 01 437 0699

Fabric ribbon re-inking service. Good as new for one third of a new ribbon. No need to buy a new ribbon when your printer goes pale. All types of ribbons re-inked (Amstrad, Brother, Epson, Star, etc. etc)
★ Only 99p per ribbon ★ Re-inked like new ★ Save £££'s ★ Money back guarantee ★ Quick service
Post used cassette with payment to:
S & J Bros, Hillview Post Office, Alexandria Dunbartonshire G83 0QD.
Tel: (0389) 52680 24hrs.

MIDI PRODUCTS

SONUS

INNOVATIVE 'MIDI' SOFTWARE PRODUCTS
See April '88 Review, Page 65
Take advantage of our low prices, - send SAE for free leaflets to:

SONUS INTL LTD, PO Box 18,
Wokingham RG11 4BP Berks
Tel: (0734) 792699

CLASSIFIED DEPT. 1 GOLDEN SQUARE
LONDON W1R 3AB.

LANGUAGES

PLUS4 FORTH DISK. £9.99
MetacomPiler FIG/79. 32Kbytes.
Auto Tape/disk and Start.
HIRES: DRAW & DUMP. DEFINABLE CHARS: Complete with 50 + commented screens.
TENSAL TECHNOLOGY
15, Penrice Close, W-S-M, Avon BS22 9AH.
Tel: (0934) 27539

THIS SPACE COULD BE YOURS RING ALAN COLE ON 01 437 0699

DEALERS

MIGHTY MICRO
Sherwood Centre,
268 Wilmslow Road,
Fallowfield,
M14 6WL
Contact Steven
Tel: (061) 224 8117
COMMODORES PREFERRED
EDUCATIONAL DEALER
PERSONAL EXPORT SPECIALIST

Advertisers Plan your WINTER advertising in YOUR COMMODORE

Call Alan Cole on 01-437 0699 For Details of Series Discounts

or write to the Classified Department Argus Specialist Publications 1 Golden Square London W1R 3AB

Repairs Guide

CALL

ALAN COLE

ON

01 — 437 0699

PROBLEMS WITH YOUR COMMODORE ?

FOR FAST, RELIABLE AND PROFESSIONAL REPAIRS AT COMPETITIVE PRICES

P M ENGINEERING

VISA

UNIT 8, NEW ROAD, ST. IVES, CAMBRIDGESHIRE. PE17 - 4BG

ST. IVES (0480) 61394

We can also supply Hardware, Software, Blank Disks, Accessories and Spare parts.

NOTICE

THIS TELEPHONE NUMBER IS FOR ADVERTISERS ONLY

VTS COMPUTER REPAIRS

01 - 407 9829
Simply send your unit to the address below securely packed with fault description and max fee.
COMMODORE, AMSTRAD, BBC, SINCLAIR + MORE.....**£28.00**

VTS COMPUTER REPAIRS

12 Lyly House, Gt. Dover Street, London, SE1 4EQ.
FAST, RELIABLE TURNAROUND

SPARES REPAIRS SALES

all makes of computers & peripherals
Fast Reliable Guaranteed Service
Contact Dave Barber H.Eng., AMIERE

db ELECTRONIC SERVICES
205 Meadgate Avenue, Gt. Baddow, Chelmsford, Essex. CM2 7NJ
Tel: 0245 - 260874

CROYDON COMPUTER CENTRE

25 Brigstock Road, Thornton Heath, Surrey, CR4 7JJ Tel: 01 683 2646

COMPUTER SERVICING
(Est'd since 1979)
We repair — on the premises — quick turnround
★ Commodore
★ BBC & Electron (Approved Service Centre)
★ Amstrad & Torch (Approved Service Centre)
★ Disc Drives, Printers, Monitors
Mail Orders by phone Access & Visa accepted

COMMODORE SPARES & REPAIRS

906114-01	£9.30
6510	£9.95
6569	£22.50
6526 CIA	£9.50
6581 SID	£11.25
901227-03	£10.95
901226-01	£12.65
901225-01	£8.30
8501	£8.95
8360	£21.50
251641-02	£8.50
8701	£9.85
C64 PSU	£23.00
VIC 20 MOD.	£13.95
C64 DATA SET	£28.00
C128 PSU	£69.00

INCL. VAT & P&P

OASIS

Dept. 4C, 14 RIDGEWAY ROAD, SALISBURY, WILTSHIRE, SP1 3BU. TEL: (0722) 335061

Commodore warranty repairers offer spares and repairs on the full range of commodore CBM products, including all Amigas.
Phone or write for free estimates to:-
D.P.C.E. Volume Repair Centre
Wilkinson House, Telspace II, Stafford Park, Telford,
Tel: 0952 620 488
Ask for Pauline

COMMODORE REPAIRS

(with FREE extended guarantee)

COMMODORE 64	**£28.70**
COMMODORE 128	**£36.70**
COMMODORE C16/+4/VIC 20	**£20.70**

Price is all inclusive and we guarantee the whole computer for six months

KPR MICRO,
34, Petunia Crescent, Springfield,
Chelmsford, Essex CM1 5YP
Tel: 0245 - 468554

"KOMPUTER KAPUT KLAUS?"

"BETTER GET" *Readidata* THE COMMODORE SPECIALIST

PET V1C20
PLUS4 C16
C64 C128
AMIGA...

FOR REPAIRS CALL
01-861 2835
(NW LONDON-HARROW)

COMMODORE SERVICE CENTRE

Fast repair service for:-
★ VIC 20 ★ C16/★4 ★ CBM 64/CBM C64★
★ CBM 128 ★ AMIGA ★ DISC DRIVES ★
★ all other makes as well ★

All units repaired to original standard by fully qualified staff. All repairs guaranteed.
★ We stock repairs for all computers ★
Mail orders and phone orders, access & visa accepted.
Personal callers always welcome.
★ On the premises repairs, quick turn around ★
QUANTAM ELECTRONIC SERVICES,
33 City Arcade, Coventry, CV1 3HX. Tel: 0203 224632 or 0926 37648

B A E A K

Bug Finder

We'd like to remind our readers that we run a Bug Finder service.

If you have typed in one of our programs and despite much checking, you still can't get it to run, then send us the following:

Two copies of your program on tape or disk.
A description of your problem.
If possible a listing of your work (you may omit this).
A stamped, self-addressed envelope for return of the program to you.

Should any of the above be missing then we will not be able to deal with your query.

We will try to point out where you have made errors and place a corrected copy of the program back on to your tape or disk before we return it to you.

Do not send a program to us as soon as it stops working, please check it several times first.

We do get a large number of queries and so it may take a while for us to deal with yours personally.

Note: we can only deal with problems relating to programs published in *Your Commodore*.

At the *Your Commodore* office we receive hundreds of letters from readers every month. We do try and answer each individually but sometimes this is impossible due to pressure of work. If you have written to us and not received a personal reply, we apologise for this but we cannot promise to reply to every item of mail we receive. If you feel that your question or letter really needs an answer, then inclusion of an s.a.e. will guarantee a reply, although this may still take time to arrive.

Oops!

Unfortunately the gremlines found their way into the SIMPLE program that we published in the August 1988 issue of the magazine. You will find the corrections below together with more detailed instructions on how to enter the program.

These are the only corrections that the program requires, if you still have problems we suggest that your typing very carefully.

Entry Instructions

1) Type in and save the program.
2) Enter the following:
POKE 1Ø24Ø,Ø: POKE 44,4Ø NEW
3) Load the SIMPLE basic loader.
4) Type: RUN
5) When finished type: NEW
6) Enter the listing presented here.

```
PROGRAM: SIMPLE CORRECTION

FD   10 PRINTCHR$(27)"RPOKING COR
     RECTION DATA...[DOWN]"
CS   20 FORL=1007O12OSTEP1O:READS
     ,E,C
6A   30 FORA=STOE:READD$:D=DEC(D$
     ):C=C-D:POKEA,D:NEXTA
OB   40 IFC<>OTHENPRINT"ERROR FOU
     ND IN LINE"L:END
B6   50 NEXTL:PRINT"DATA ALL CORR
     ECT":END
BF   55 DATA5184,5203,2379,48,A9,
     00,8D,12,FF,A9,20,8D,13,FF,A
     9,88,8D,07,FF,68,4C,0E,CE
13   60 DATA6485,6497,1055,78,A9,
     40,8D,14,03,A9,14,8D,15,03,5
     8,60
25   65 DATA6498,6510,11921,78,A9
     ,0E,8D,14,03,A9,CE,8D,15,03,
     58,60
```

7) Type: RUN
8) Type: MONITOR
9) Enter the following to save the program:
S "SIMPLE",8,1000,2801 for disk or:
S "SIMPLE",8,1000,2801 for tape.

Software Submissions.

Readers who have sent, or who are thinking of sending, programs for possible publication will be pleased to know that we are now up to date with all such items.

We would like to thank all contributors for their patience in waiting for a reply from us.

A new computerised system has been set up to deal with readers submissions which should enable us to deal with them much quicker.

Should you have any queries about submissions please write to:

Program Submissions Query
Your Commodore
1 Golden Square
London W1R 3AB.

Puzzle Corner

Puzzle A

Consider the word *ABCESS*. You will see that it contains three consecutive letters viz *ABC*.

There are 26 such triplets. Obviously many of them do not appear in any recognisable English word. How many words can you find that have three consecutive letters? Remember, they don't have to be at the start of the word.

Puzzle B

As a change from triangles, how many rectangles are there in **Diagram A.**

Send your entries to, November Puzzle Corner, *Your Commodore* 1 Golden Square, London W1R 3AB

The first two correct answers pulled out of the hat on the closing date of November 30th will receive a free *Your Commodore* binder.



Diagram A

Evesham Micros

All prices include VAT/delivery

star LC-10
Best-selling CBM ready printer

Enormously successful addition to the Star range of printers, the LC-10 incorporates many useful features at an ultra low price. LC10 Facilities not normally available in the £200 price range include 4 NLQ fonts (96 combinations) and paper parking (use single sheets without removing tractor paper). 7-colour version also available, which will accept standard LC10 black ribbons. LC10 available either in '64/128 ready form or as parallel version for Amiga users. Please state your computer type when ordering.

Only £219.00

Colour version also available,

Only £269.00

Prices include two extra black ribbons free of charge

OCEANIC OC-118

Previously sold as 'Excelerator Plus'

A superb package representing extremely good value for money, combining the Oceanic OC-118 disk drive (previously sold as 'Excelerator+') and the sophisticated GEOS system. Said by COMPUTE's Gazette to have "dramatic improvements over the 1541 in quality and reliability", the drive is a stylish and attractive compact unit featuring a direct drive motor and its own external power supply. GEOS brings the power of a graphic interface and integrated disk turbo to your '64 and includes geoPAINT, a graphic workshop, geoWRITE, a WYSIWIG word processor and many Desk Accessories. Many more extensions available - see below.

Oceanic OC-118 & GEOS £129.95

Oceanic OC-118 & GEOS plus *Freeze Machine* £149.95

GEOS Applications

GEOS 64	£24.95	GEOPUBLISH	£32.95
GEOFILE	£24.95	GEOPROGRAMMER	£32.95
GEOCALC	£24.95	GEOS 128	£32.95
DESKPACK+ 64/128	£21.95	GEOWRITE WORKSHOP 128	£32.95
GEOWRITE WORKSHOP	£24.95	GEOCALC 128	£32.95
FONTPACK+ 64/128	£16.95	GEOFILE 128	£32.95
GEOSPELL	£16.95		

GET THE SLIMLINE '64



Your '64 could look like this!

Why put up with an old fashioned looking computer? Fit this smart and modern looking new case to your '64 - it will look and feel like you are using a brand new computer. This high quality injection moulded case is simple to fit and gives a lower keyboard height. Reject the old image and order one *now*.

Only £19.95

FREEZE MACHINE for speed, power and ease of use

- Unstoppable Freeze
- Fast save routines
- Ultra-efficient file compactor
- Lazer and Turbo fastloads
- Integral reset button
- Tape turbo facilities
- 12 second disk format
- Selective file copier
- Selectaload
- many more useful features!

Only £28.95

For speed, power and ease of use it has to be Freeze Machine, probably the most effective backup cartridge on the market! Incorporating two types of fast load routines you can SAVE and reLOAD your favourite games in as little as 10 seconds and no more than 18. Numerous invaluable facilities available, including a built-in reset button. Utility Disc V3.0 also available to complement usage of the cartridge. It allows complete transfer to disk of many tape-based programs that load extra parts, eg. Gunship, Last Ninja, World Games, Supercycle. A very useful add-on.

Utility disc only £7.95

Selected Products

LOAD IT!! ..... The best thing to happen to a Commodore data recorder. Includes built-in azimuth adjustment knob and LED tape signal level meter **£39.95**

DOUBLER '64 ..... Makes perfect tape backups every time. Consists of hardware and software. Requires access to two data recorders. Very easy to use, only **£12.95**

ICONTROLLER ..... Natty little keyboard mounted cursor controller, ideal for icon-driven applications like GEOS **£11.95**

DOLPHIN DOS ..... Parallel operating system for use with 64/128 and 1541 disk drive. Fantastic speed increase on LOAD and SAVE whilst maintaining CBM disk format. Many extra DOS & BASIC commands, includes built-in monitor and Centronics printer driver **£69.95**

DISC DISECTOR V5.0 ..... Disk backup/utility package featuring wide range of powerful programs. Compatible with 64/128/128D and 1541/1570 disk drives **£19.95**

1541 PHYSICAL EXAM ..... Consists of digital alignment disk and drive fault diagnosis software to check and correct 1541 head alignment. Includes quiet drive stops **£39.95**

1541 QUIET DRIVE STOPS ..... Silences 'knocking' noise with 1541 drives (not suitable for 'turn lever' type drives) **£4.95**

DATA RECORDER ..... CBM compatible, same as C2N/1531 but cheaper and includes pause control button **£24.95**

AZIMATE 3000 KIT ..... Tape loading problems? Use this kit to check and adjust data recorder head alignment **£6.95**

AMIGA 500

AMIGA 500 ..... **£389.00**
standard 512K model, including Mouse, Silent Service and 5 disks of Public Domain software.

Phillips CM8833 (Colour monitor suitable for Amiga 500) **£279.00**

Phillips CM8852 monitor as above, but higher resolution **£299.00**

Disks & Boxes

25 bulk packed 5.25" DS/DD disks with sleeves, write protect tabs and labels. Good quality and fully guaranteed, only **£13.95**

25 disks + box. Disks as above plus 50 capacity lockable storage box, only **£22.95**

25 disks + 100 box. As previous offer but with 100 capacity locking box **£24.95**

50 capacity box. Lockable storage unit for 5.25" disks with smoked perspex top **£10.95**

100 capacity box. Larger version **£13.95**

How to order from Evesham Micros

All prices include VAT and delivery. Next day delivery £5.00 extra.

Send cheque, Postal Order or ACCESS/VISA card details

VISA

Phone us with your ACCESS or VISA card details on : ☎ 0386-765500

Govt., educ. & PLC orders welcome
Same day despatch whenever possible
All goods subject to availability, E.&O.E.
Open to callers 6 days, 9.30-5.30

Evesham Micros Ltd
63 BRIDGE STREET
EVESHAM
WORCS WR11 4SF
✆ 0386-765500
fax 0386-765354
telex 333294

Also at: 1762 Pershore Rd., Cotteridge, Birmingham B30 3BH Tel: 021 458 4564

You won't find these programs in the top ten!

These programs have sold thousands of copies, and yet you won't have seen them in the charts — why?

We produce programs that you can really get your teeth into. Programs like **BUSICALC** and **BUSICALC 3** which can be used at home or in the office to do all sorts of calculations, forecasts and budgets.

Programs like **MIKRO ASSEMBLER** and the **ZOOM** monitor which make it easy to write machine code programs. Programs like **MUSIC MASTER** which turn your computer into a musical instrument. And programs like the **BLITZ** compiler which makes ordinary BASIC programs run much, much faster.

We have been writing programs for Commodore computers since 1978 and now have hundreds of programs for the PET, VIC 20, CBM 64, CBM 128, even the C16 and Plus/4. So why aren't our programs in the charts?

Because our programs aren't one minute wonders, here today and gone tomorrow. Programs we released for the 64 in 1983 are still selling — and even more important, the people who bought them then are still using them.

Software should be an investment, not money down the drain. We believe that the more you put into a program, the more you should get out of it, and that's the way it works with software from **SUPERSOFT.**

The programs listed on the right represent a small selection from our range, but you can get a full list if you phone or write to the address below. We offer an excellent mail order service, and you can pay by cheque, Access, or Visa.

SUPERSOFT, Winchester House, Canning Road, Wealdstone, Harrow, Middlesex HA3 7SJ
Telephone: 01-861 1166

SUPERSOFT

For Commodore 64	
Busicalc	17.95t 19.95d
Mikro Assembler	57.70c
Turbo Disk	14.95d
Pass Your Driving Test	8.95t
Music Master	17.95t 19.95d
Interdictor Pilot	17.95t 19.95d
Blitz Compiler	14.95t 19.95d
Word Perfect	17.95t 19.95d
Instant Recall	17.95t 19.95d
For Commodore 128	
Blitz Compiler	29.95d
128 Plus upgrade rom	19.95r
Help 64/128 cartridge	39.95c
For C16 and Plus/4	
Turbo 16	6.95t
Graphics Designer	6.95t 8.95d
Mikro Assembler	12.95t 14.95d
Music Master	12.95t 14.95d
Word Perfect	12.95t 14.95d
For Commodore Pet	
Word Perfect	51.75r
Flex-File 2.1	97.75d
Busicalc	44.85t 47.15d
Busicalc 3	97.95d
For Commodore Amiga	
MIDI for Amiga	49.75

these programs
op ten!

an investment, not
ain. We believe that
nto a program, the
out of it, and that's
with software from

n the right represent
n our range, but you
ou phone or write to
/e offer an excellent
nd you can pay by
isa.

nchester House,
aldstone, Harrow,
HA3 7SJ
)1-861 1166

RSOFT

For Commodore 64	
Busicalc	17.95t 19.95d
Mikro Assembler	57.70c
Turbo Disk	14.95d
Pass Your Driving Test	8.95t
Music Master	17.95t 19.95d
Interdictor Pilot	17.95t 19.95d
Blitz Compiler	14.95t 19.95d
Word Perfect	17.95t 19.95d
Instant Recall	17.95t 19.95d
For Commodore 128	
Blitz Compiler	29.95d
128 Plus upgrade rom	19.95r
Help 64/128 cartridge	39.95c
For C16 and Plus/4	
Turbo 16	6.95t
Graphics Designer	6.95t 8.95d
Mikro Assembler	12.95t 14.95d
Music Master	12.95t 14.95d
Word Perfect	12.95t 14.95d
For Commodore Pet	
Word Perfect	51.75r
Flex-File 2.1	97.75d
Busicalc	44.85t 47.15d
Busicalc 3	97.95d
For Commodore Amiga	
MIDI for Amiga	49.75

Your Commodore November 1988 Volume 5 Number 2

YOUR
COMMO
NOVEMBER 1988

EMERGENCY WA

William Tell –
Sprites Galore



UNBEATABLE PI
TALKING COMPUTERS △ SCROLLING W